



Bid Document

Bid Document			
Bid Details			
Bid End Date/Time	27-07-2020 13:00:00		
Bid Opening Date/Time	27-07-2020 13:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	30 (Days)		
Ministry/State Name	Uttar Pradesh		
Department Name	Urban Development Department Uttar Pradesh		
Organisation Name	Nagar Panchayat Bansdih Ballia		
Office Name	Nagar Panchayat Bansdih		
Total Quantity	2		
Item Category	Hopper Tipper Dumper		
Bidder Turnover (Last 3 Years)	6 Lakh (s)		
Experience Criteria	3 Year (s)		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Past Performance	80 %		
Bid to RA enabled	No		
Inspection Required	No		

EMD Detail

Advisory Bank	State Bank of India	
EMD Percentage(%)	0.50	
EMD Amount	8500	

ePBG Detail

Required	No

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

EO

NAGAR PANCHAYAT BANSDIH, BALLIA, NOTE:-- KINDLY SUBMIT EMD IN FORM OF FDR (SUBMIT HARD COPY OF FDR TILL BID END DATE)
(Eo)

Splitting

Bid splitting not applied.

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Hopper Tipper Dumper (2 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification	Chassis Certification	ARAI	*
	Chassis Certification ARAI/VRDE/ICAT No	-	*
	At the time of supply of the equipment, the chassis should not be more than 6 months old	Yes	*
Generic Parameters	Type of TIPPER	Other tipper	Box body Tipper, Rock body construction Tipper, Garbage Tipper, Other tipper
	Type of TIPPER if other tipper ,please declare type of Tipper,	-	*
	Make of Chassis	-	*
	Type of Chassis Frame	-	*
	Category of Vehicle for which Chassis to be used	Light Capacity Commercial Vehicles	Light Capacity Commercial Vehicles, Medium Capacity Commercial Vehicles, Heavy Capacity Commercial Vehicles
	Type of Chasssis	Chassis with Facecowl	ж

Type of Fuel	Diesel	Diesel, CNG, Petrol
Vehicle Emission	BS-VI	BS-III (only for Defence), BS-
Complaince		IV, BS-VI
Fuel Consumption (declared by OEM as certified by Test Agency under Rule 115of CMVR 1989) (Kmpl)	17.9	*
Speed, Max (Km/Hr)	70	*
Max Engine Power BHP (BHP@rpm)	30	Any applicable numeric value
Rated RPM at Max Engine Power	4000	*
Max Engine Torque (N- M@rpm)	55	Any applicable numeric value
Rated RPM at Max Engine Torque	3000	*
Main Engine Aspiration	Turbocharged Intercooled	Natural Aspiration, Turbocharged, Supercharged, Turbocharged+ Supercharged, Turbocharged Intercooled
No. of Cylinder in Main Engine (Nos)	4	*
Fuel Tank Capacity (Ltrs)	26	*
Gradeability of Vehicle with load(%)	30	*
Ground Clearance (mm)	160	*
Wheel Base (mm)	2100	*
Kerb Weight (Kg)	865	*
Gross Vehicle Weight (Kg)	1615	Any applicable numeric value
Type of BIS MARKED Vehicle Tyre	Radial	*
Chassis Transmission System	Manual	Automatic, Manual
Number of Speed/ Forward Gears	5	*
Type of Steering	Manual	Manual, Power Operated
Turning Radius,Min (mm)	5100	Any applicable numeric value
Speed Governers/ECU	Yes	*
ABS Fitted	No	*
Front Vehicle Brake	-	*
Rear Vehicle Brake	-	*
Type of Clutch	-	*
Tipping Angle (Degree)	48	*
Tipper Container capacity/Volume(cubic metres)	1.8	0.5 - 20

No. Of Free Service (Nos) Battery Warranty (Months) Warranty Distance	3 12 Yes	* 12, 24, 36 Or higher *
Warranty Time (Month)	12	Any applicable numeric value
Standard Sparewheel and Tool Kit	Yes	*
Paint	Automotive Paint	*
If yes Counter Weight (kg)	0	*
Counter Weight	No	*
Lowering/Lifting of Tipper Discharge Container	Yes	*
Locking/Unlocking of Tipper Discharge Container	Yes	*
Operating Hour Meter	No	*
Engine Cooling Liquid Temperature Indicator in Control Panel	Yes	*
Fuel Gauge Indicator in Control Panel	Yes	*
Engine Oil Pressure Level Indicator in Control Panel	Yes	*
Dumping Height (mm)	551	*
Thickness of sheet from tipper Collector Container Made (mm)	1.6	*
Tipper Container Material	Mild Steel	Mild Steel, Stainless Steel, Aluminium, Chromium Alloy Based
Hydraulic System Driven by	Main Engine	*
Tipping Hydraulic Cylinders(Make)	-	*
Hydraulic System	Yes	*
		*
from Ground (mm)		*
		*
	2695	*
Tipper body Pivot length (mm)	1546	*
Size of Wheel (mm)	3800	*
Size Of Rear Tyres (mm)	-	*
	Size of Wheel (mm) Tipper body Pivot length (mm) Tipper body Length (mm) Tipper Body Height (mm) Overall Height of Tipper from Ground (mm) Body Plate Thickness (mm) Main Frame Thickness (mm) Hydraulic System Tipping Hydraulic Cylinders(Make) Hydraulic System Driven by Tipper Container Material Thickness of sheet from tipper Collector Container Made (mm) Dumping Height (mm) Engine Oil Pressure Level Indicator in Control Panel Fuel Gauge Indicator in Control Panel Engine Cooling Liquid Temperature Indicator in Control Panel Operating Hour Meter Locking/Unlocking of Tipper Discharge Container Lowering/Lifting of Tipper Discharge Container Counter Weight If yes Counter Weight (kg) Paint Standard Sparewheel and Tool Kit	Size Of Rear Tyres (mm) Size of Wheel (mm) 3800 Tipper body Pivot length (mm) Tipper body Length (mm) 2695 Tipper Body Height (mm) Doverall Height of Tipper from Ground (mm) Body Plate Thickness (mm) Body Plate Thickness (mm) Hydraulic System Yes Tipping Hydraulic Cylinders(Make) Hydraulic System Driven by Main Engine Tipper Container Material Thickness of sheet from tipper Collector Container Made (mm) Dumping Height (mm) Dumping Height (mm) Engine Oil Pressure Level Indicator in Control Panel Engine Cooling Liquid Temperature Indicator in Control Panel Engine Cooling Liquid Temperature Indicator in Control Panel Operating Hour Meter Locking/Unlocking of Tipper Discharge Container Discharge Container Counter Weight No If yes Counter Weight (kg) Paint Automotive Paint Standard Sparewheel and Tool Kit

^{*} Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suryaprakash Singh	277001,EO Office Bansdih ballia	2	15

Bid Specific Additional Terms and Conditions

- 1.Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 2.Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 3.Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of EO NAGAR PANCHAYAT BANSDIH BALLIA A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter.

Bidder has to upload scanned copy / proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

This Bid is also governed by the General Terms and Conditions

---Thank You---