

Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 11:00:00
Bid Opening Date/Time	27-07-2020 11:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	N/a
Office Name	North East Frontier Railway
Total Quantity	6
Item Category	Executive Computer Table
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	Yes
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Executive Computer Table (6 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Type of Computer Table	Computer table with key board drawer and table top	*
	Mode of Supply	Knocked Down To Be Assembled At Consignee Site By The Seller	*
	Construction of Computer/Printer Table	Gable end and modesty panel	*
	Frame type	Free standing	*
MISC	Table top long sides	Edge banded with PVC tape of 2 mm thick with help of hot melt glue	*
	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Gable end modesty panel plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Number of buffers provided	N.A	*
	Wheels provided	YES	*
FINISHING AND PACKING	Packing	Gutta Packing	*
	Colour of Top	-	*
MATERIAL	Material of table top,keyboard and drawer	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Bottom side of top	N.A	*
	Gable end and Modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	Leg Material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
DIMENSION	Table top thickness $\pm 2\text{mm}$	19	*
	Thickness of gable end and modesty panel $\pm 2\text{mm}$	19	*
	Dimension of leg(mmXmm) $\pm 5\text{mm}$	No legs	*
	Length of table in mm ($\pm 15\text{ mm}$)	1200	1200.0
	Depth of table in mm ($\pm 10\text{mm}$)	610	610.0
	Height of table in mm ($\pm 10\text{mm}$)	760	760.0
	Width of outside drawer on top right side of the table with ball bearing ($\pm 5\text{mm}$)	0	*
	Depth of outside drawer $\pm 5\text{mm}$	0	*
	Height of outside drawer $\pm 5\text{mm}$	0	*

KEYBOARD TRAY	Type of keyboard tray	Prelaminated particle board keyboard tray	Prelaminated particle board keyboard tray
	Material of keyboard tray and Right angle L-type supporting bracket	Three layer prelaminated particles board(wood product) of grade II type II of IS 12823/Latest	*
	Keyboard adjustability	Adjustable keyboard arm	*
	fixing of supporting bracket	N.A	*
	Length of telescopic channel $\pm 10\text{mm}$	N.A	*
	Average weight of telescopic channel $\pm 50\text{Gms}$	N.A	*
	Keyboard front width $\pm 10\text{mm}$	600mm	*
	Keyboard depth $\pm 10\text{mm}$	300mm	*
	Keyboard height $\pm 10\text{mm}$	100mm	*
	Finish of exposed edges of keyboard tray	To be banded with 0.5-1.0mm thick PVC tape with the help of hot melt glue	*
	Material thickness of keyboard tray $\pm 1\text{mm}$	19mm	*
FOOTREST	Material of footrest	No footrest	No footrest
	Length of footrest $\pm 10\text{mm}$	N.A	*
	Depth of footrest $\pm 10\text{mm}$	N.A	*
	Height of footrest $\pm 10\text{mm}$	N.A	*
	Finish of exposed edges	To be banded with 0.5-1.0mm thick PVC tape with the help of hot melt glue	*
	Material thickness of footrest $\pm 2\text{mm}$	No footrest	No footrest
WARRANTY	Warrantee period in number of years	1	1, 2, 3, 4, 5 Or higher
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	Product having BIFMA certification	YES	YES
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajendra Baburao Rupnawar	854105,DMM/KIR , Office of Divisonal Railway Manager , Katihar Division,	6	30

Bid Specific Additional Terms and Conditions

- 1.Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 2.Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 3.ISO 9001: The bidder must have ISO 9001 certification.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---