

RA Number: GEM/2020/RA/43808

Dated: 26-06-2020

### **RA Document**

KA Document		
RA Details		
RA Technical End Date/Time	08-07-2020 09:00:00	
RA Opening Date/Time	08-07-2020 09:30:00	
RA Life Cycle (From Publish Date)	90 (Days)	
RA Offer Validity (From End Date)	30 (Days)	
Ministry/State Name	Ministry Of Defence	
Department Name	Department Of Defence	
Organisation Name	Indian Air Force	
Office Name	******	
Total Quantity	24	
Item Category	automotive vehicles pneumatic tyres	
MSE Exemption for Years of Experience and Turnover	No	
Startup Exemption for Years of Experience and Turnover	No	
Inspection Required	No	

#### **EMD Detail**

Required   No
---------------

#### ePBG Detail

Required	No	

### **Splitting**

RA splitting not applied.

# **Automotive Vehicles Pneumatic Tyres (24 pieces)**

## **Technical Specifications**

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement
'	'		(Allowed Values)

Ungrouped	Category Of Pneumatic tyres	Normal Road Tyre	Normal Road Tyre, Special use Tyre: mixed used
	Tyres	With Tube	With Tube
	Conformity to Indian Standrad for Pneumatic Tyres	IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply	IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles- Diagonal and radial ply
	Conformity to Indian Standrad for Pneumatic Tubes	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre
	ISI MARKED (for Tyres)	Yes	Yes
	CM/L No and validity date)(for Tyres	-	*
	ISI MARKED (for Tubes)	Yes	Yes
	CM/L No and validity date(for tubes)	-	*
	Type of tube	Class-A	*
	Manufactures name and Trade Name	-	*
	Tyre-size Designations	7.50X16 PLY	7.50*16, 7.50x16ply
	Tube-size Designations	-	*
	Structure of Tyre	Reinforced or Extra Load	Diagonal or bias ply, Bias-belted, Reinforced or Extra Load
	Ply Rating	-	*
	Speed Category	-	*
	Load indicas	-	*
	Side Well (mm)	325	*
	Inner area of Tyers (mm)	22.5	*
	Section Width (min)(mm)	312	*
	Overall Width (max)(mm)	12	*
	Section Height (mm)	20	*
	Nominal Aspect Ratio(mm)	150	*
	Outer diameter (min)(mm)	22.99	7500.0, 22.99
I	L		I .

Nominal Rim Diameter(mm)	21.99	160.0, 21.99
Maximum load Rating(%)	111	111
Conformity to AIS-044	Yes	*
Availability of Type Test Report covering complete test parameters as per relevant BIS spcification latest for Tyre type, from any ILAC/NABL accredited/Central Gov. LAB.	YES	*
Test cetificate No.	-	*
Test Report Date	-	*
Name and address of the Lab where test Conducted	-	*
Others Certificate ie ROHS,WHO,GMP etc	-	*
Warranty Time	2	2.0

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

### **Additional Specification Documents**

## **Consignee/Reporting Officer and Quantity**

	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days	
1	*****	*********JALANDHAR	24	20	N/A

# **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

This RA is also governed by the General Terms and Conditions

---Thank You---

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.