

### Bid Document

Bid Details	
Bid End Date/Time	22-07-2020 11:00:00
Bid Opening Date/Time	2020-07-22 11:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	N/a
Office Name	West Central Railway
Total Quantity	7969
Item Category	Safety Footwear - BIS Specification
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	Yes
Inspection to be carried out by Buyers own empanelled agency	Yes
Type Of Inspection	Pre Dispatch
Name of the Empanelled Inspection Agency/ Authority	UTES

### EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	0.50
EMD Amount	37853

### ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	2.00
Duration of ePBG required (Months).	12

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**Beneficiary:**

PFA

West Central Railway, NA, N/A, Ministry of Railways  
(Kartick Chauhan)

**Splitting**

Bid splitting not applied.

**MSE Purchase Preference**

MSE Purchase Preference	Yes
-------------------------	-----

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

**Safety Footwear - BIS Specification ( 7969 pairs )**

**Technical Specifications**

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
SPECIFICATION	<b>Technical Specification of the Product</b>	Personal Protective Equipment - Safety Footwear as per BIS specification No IS 15298 ( Part 2 ): 2016, Latest	Personal Protective Equipment - Safety Footwear as per BIS specification No IS 15298 ( Part 2 ): 2016, Latest, Personal Protective Equipment - Safety Footwear as per BIS specification No IS 15298 ( Part 2 ): 2016, Latest along with Dte. General of Mines Safety (DGMS) approval
	Specification has been seen and Understood	Yes	*
CERTIFICATION	<b>BIS Certification</b>	Yes	Yes
	CM/ L No if BIS marked	-	*
UTILITY	<b>Utility</b>	Men	Men, Women
CLASSIFICATION	<b>Classification</b>	Class I ( Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear )	Class I ( Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear )
DESIGN	<b>Design</b>	A ( Low shoe )	A ( Low shoe )
PATTERN	Pattern	Derby	*
SIZE	<b>Size</b>	Assorted sizes (5, 6, 7, 8, 9, 10, 11, 12 and 13) as per buyer's requirements	Assorted sizes (5, 6, 7, 8, 9, 10, 11, 12 and 13) as per buyer's requirements
MASS	Mass of one pair of Footwear ( gram )	-	*
Material	<b>Upper for Class 1 Footwear</b>	Leather	Leather
	<b>Surface Finish of Upper Leather for Class 1 Footwear</b>	Buff Barton Print	Full Grain Upper Leather, Corrected Grain Upper Leather, Buff Barton Print, Zuggrain Print, Not applicable
	<b>Material for Class II Footwear</b>	All Polyurethane	All Rubber, All Polyurethane, All Poly Vinyl Chloride, Any other Polymeric Material, Not applicable
	Any other Polymeric Material for Class II Footwear	-	*

	<b>Vamp Lining</b>	With ( Classification I and Classification II Footwear )	With ( Classification I and Classification II Footwear ), Without ( Classification II Footwear )
	<b>Vamp Lining Material</b>	Leather	Leather
	<b>Quarter Lining</b>	Yes	Yes, No
	<b>Quarter Lining Material</b>	Leather	Leather
	<b>Toe Cap</b>	( Steel ) Metallic	( Steel ) Metallic
COLOUR	Colour	Black	*
	Any other Colour as per buyer's requirements	-	*
OTHER REQUIREMENTS	<b>Insole</b>	Yes	Yes
	<b>Insocks</b>	Full Insocks Removable and water permeable	Full Insocks Removable and not water permeable, Full Insocks Removable and water permeable
	<b>Tongue ( For Designation I Footwear )</b>	Full Bellow Tongue	Full Bellow Tongue
	<b>Collar</b>	Collar with PU Foam padding, 15 mm thick, density 25 kg per cubic meter	Collar with PU Foam padding, 12 mm thick, density 40 kg per cubic meter, Collar with PU Foam padding, 15 mm thick, density 25 kg per cubic meter
LACING/ CLOSING OF SHOES	<b>Closing ( Tying )</b>	Laces	Laces
	<b>Lacing of Shoes</b>	Eyelets	Eyelets
	<b>Eyelets ( Pairs )</b>	4 pairs	4 pairs
	<b>Material of Eyelets</b>	Brass Eyelets	Brass Eyelets, Aluminium, Powder Coated "D" type steel ring eyelets, riveted
	Laces	Nylon	*
	Cross Section Shape of Laces	Round	*
	Breaking Load of Laces ( min )	750 N	*
	Length of Laces	130 cm	*
SOLE	<b>Sole Description/ Material</b>	Direct Moulded Single Density Polyurethane	Direct Moulded Single Density Polyurethane, Direct Moulded Double Density Polyurethane,

			Direct Moulded Rubber, Direct Moulded Polyvinyl Chloride, Leather, Direct Moulded Polyurethane Mid sole and Thermoplastic Polyurethane ( TPU ) Outsole, Direct Moulded Polyurethane Midsole and Rubber Outsole, Direct Moulded Nitrile Rubber, Polyurethane Midsole and Nitrile Rubber Outsole, Any Other Material as per buyer's requirements ( meeting the requirements of IS 15298 Part 2 )
	If Any Other Material of Sole	-	*
	<b>Sole Design</b>	Cleated	Cleated, Non Cleated
	<b>Construction</b>	Single	Multi layer, Single
SLIP RESISTANT	<b>Slip Resistant</b>	As per clause 5.3.5.2 of IS 15298 ( Part 2 )- Slip resistance on ceramic tile floor with sodium lauryl sulphate (NaLS) solution	As per clause 5.3.5.2 of IS 15298 ( Part 2 )- Slip resistance on ceramic tile floor with sodium lauryl sulphate (NaLS) solution, As per clause 5.3.5.3 of IS 15298 ( Part 2 ) - Slip resistance on steel floor with glycerine, As per clause 5.3.5.4 of IS 15298 ( Part 2 )- Slip resistance on ceramic tile floor with NaLS and on steel floor with glycerine
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS- WHOLE FOOTWEAR	<b>Additional Requirements for Special Applications- Whole Footwear</b>	Heat Insulation of Sole Complex, Water resistance, Cut resistance	*
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS ( UPPER )	<b>Water penetration and absorption</b>	Yes	Yes, No
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS ( OUTSOLE )	<b>Additional Requirements for Special Applications- Outsole</b>	Resistance to hot contact, Resistance to fuel oil	Resistance to hot contact, Resistance to fuel oil
LOGO AND MARKING	<b>Logo/ Totem/ Emblem Marking</b>	No	As per buyer's requirements, No

	Size, design, Type and Location of Logo as per buyer's requirement	-	*
Test Report	<b>Availability of Test Report from Designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification</b>	Yes	Yes, No
	Name of the Lab	-	*
	Address of the Lab	-	*
	Test Report No	-	*
	Test Report Date	-	*
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes	*
ADVANCE SAMPLE	<b>Agree to provide Advance Sample(s) for buyer's approval before commencement of supply</b>	Yes	Yes

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Swayamdeep Singh	462024,DRM Office , Habibganj West Central Railway	900	30
2	Saurabh Singh	483501,Office of AMM/BOXN Depot	3775	30
3	Manoj Kumar Mahawar	461115,Office of Senior Material Manager, Electric Loco Shed, New Yard,Itarsi	720	30

4	Ashok Kumar Sharma	110044,Office of Sr Materials Manager, Electric Loco Shed, West Central Railway,Tughlakabad	730	30
5	Ramchandra Meena	483501,Office of Sr Materials Manager, Diesel Shed,New Katni Junction ,West Central railway	1275	30
6	Mukul Kumar Singh	483501,Office Of Senior Materials Manager, Electric Loco Shed, New Katni	569	30

### **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
2. Bid reserved for Make In India products: Procurement under this bid is reserved for purchase from Class 1 local suppliers as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document 50%. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
3. **Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:  
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC): BY RITES  
Post Receipt Inspection at consignee site before acceptance of stores: BY CONSIGNEE
4. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
5. Bidders can also submit the EMD with Account Payee Demand Draft in favour of PFA/WCR/JABALPUR payable at JABALPUR.  
Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**