

### Bid Document

Bid Details	
Bid End Date/Time	22-07-2020 16:00:00
Bid Opening Date/Time	22-07-2020 16:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Steel
Department Name	Na
Organisation Name	N/a
Office Name	Kolkata
Total Quantity	2
Item Category	Almirah Steel
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### Almirah Steel ( 2 pieces )

### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>Conformity to Indian Standard IS:3312 latest</b>	Yes	Yes
	<b>No of shelves (Nos)</b>	4	4
	<b>Type of Shelves</b>	Fixed	Fixed
	<b>Locker Provided</b>	No	No
	<b>Locking System with the locker</b>	NO	NO
	Cloth hanging provision in the Almirah	No	*
	<b>Number of Doors (Nos)</b>	2	2
	<b>Door Stiffner upto full door height Provided with the almirah doors</b>	Yes	Yes
	<b>Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement</b>	4	4
	<b>Number of Glass Sheet fixed in each Almirah door (Nos)</b>	N.A	N.A
	<b>Construction</b>	Welded	Welded
	<b>Lock</b>	Three Way bolting device controlled by lock	Three Way bolting device controlled by lock
MATERIAL	<b>Material</b>	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	<b>Material of Almirah Doors</b>	M S Sheet	M S Sheet
	<b>Sheet Thickness of Locker</b>	N.A	N.A
	<b>Length of Glass Sheet <math>\pm 10</math> (mm)</b>	N.A	N.A
	<b>Width of Glass Sheet <math>\pm 10</math> (mm)</b>	N.A	N.A

	<b>Sheet Thickness of door in mm</b>	1.0 mm	1.0 mm
	<b>Sheet Thickness of sides,back , Top and Bottom</b>	1.0 mm	1.0 mm
	<b>Sheet Thickness of Shelves</b>	1.0 mm	1.0 mm
	<b>Sheet Thickness of Pedestal in mm</b>	1.0 mm	1.0 mm
	<b>Material of Lock</b>	steel	steel
	<b>Material of Keys</b>	steel	steel
DIMENSION	<b>Height (Without Pedestal) (in mm) (+/- 10 mm)</b>	1855	1855
	<b>Width in mm (± 7 mm)</b>	910	910.0
	<b>Depth in mm (±5 mm)</b>	480	480.0
	<b>Inside Height of Locker in mm (± 5 mm)</b>	N.A	N.A
	<b>Inside Width of Locker in mm (±5 mm)</b>	N.A	N.A
	<b>Inside Depth of Locker in mm (±5 mm)</b>	N.A	N.A
	<b>Width of Stiffner in mm (±5 mm)</b>	125 mm	125 mm
	<b>Thickness of MS Sheet of Stiffner (in mm)</b>	0.9 mm	0.9 mm
	<b>Stiffened Pedestal height in mm (±2 mm)</b>	125	125
	<b>Pedestal Width in mm (±2 mm)</b>	80	80
COLOUR & FINISH	<b>Finish</b>	Synthetic enamel	Synthetic enamel
	Colour of Paint	steel gray	*
	Packing:	Corrogeted Paper Packing	*
CERTIFICATION	ISI marked	No	*
	CM/L No.	-	*
WARRANTY	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	1	1

- \* Specifications highlighted in bold are the Golden Parameters.
- \* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### **Additional Specification Documents**

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sumit Kumar	833222,SAIL-RMD,KIOM-MIOM, KIRIBURU	2	45

### **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**