

Bid Document

Bid Details	
Bid End Date/Time	24-07-2020 16:00:00
Bid Opening Date/Time	24-07-2020 16:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Chhattisgarh
Department Name	Urban Development Department Chhattisgarh
Organisation Name	N/a
Office Name	Municipal Council Jamul
Total Quantity	1
Item Category	Funeral Vehicle
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	Yes
Inspection Required	Yes
Inspection to be carried out by Buyers own empanelled agency	Yes
Type Of Inspection	Pre Dispatch
Name of the Empanelled Inspection Agency/ Authority	Board of Officers
Estimated Bid Value	1600000

EMD Detail

Advisory Bank	Bank Of Baroda
EMD Percentage(%)	0.50

EMD Amount	8000
------------	------

ePBG Detail

Required	No
----------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

CMO

Municipal Council Jamul, Urban Development Department Chhattisgarh, N/A,
(Chief Municipal Officer Jamul)

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Funeral Vehicle (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification	Conformity to MHA Specification for	As per QR/specification for Mortuary Van for	*

Specifications	Mortuary Van	Referral Hospital of CAPFs approved by MHA vide letter No. IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	
	Specifications seen and understood	Yes	*
	Conformity to GSR 287(E), Central Motor Vehicles (4th amend) Rules, 2015 and as per New TRUCK BODY CODE AIS-093 with all amendments till date	Yes	*
	Vehicle Certification	ARAI	*
	Vehicle Certification ARAI/VRDE/ICAT/CIRT No	-	*
	Engine Certification	ARAI	*
	Engine Certification ARAI/VRDE/ICAT/BIS/BS/SAE No	-	*
	Make of Chassis	-	*
	Chassis Model No	-	*
	Category of Vehicle for which Chassis to be used	Medium Vehicle Motor	Medium Vehicle Motor, Heavy Vehicle Motor
	Type of Fuel	Diesel	Diesel
	Vehicle Emission Compliance	BS-VI	BS-VI
	Vehicle Mileage (declared by OEM as certified by Test Agency under Rule 115 of CMVR 1989) (Kmpl)	11	*
	Max Engine Power BHP	90	Above 90
	Rated RPM for Max Engine Power	90	*
	Engine Torque Max @ 1500-1900 RPM (N-m)	250	*
	No of Cylinder in Engine	2	*
	Electric System	Battery - twin 12V, 80Ah, maintenance	*

	free, Alternator capacity Min. 80A	
Fuel Tank Capacity	60	*
Length of Vehicle	5050	5000 - 5500
Width of Vehicle	1980	1980.0 - 2000.0 Or higher
Height of Vehicle	2323	2300 - 2800
Air Conditioner	Yes	*
Ground Clearance	223	More than 223.0 Or higher
Wheel Base	3100	Any applicable numeric value
Payload	3560	More than 3560.0 Or higher
Gross Vehicle Weight	5950	More than 5950.0 Or higher
No of Axle	2	*
Wheel and tyre	Front-2, Rear-4 and 1 spare of standard size	*
BIS marked Pneumatic Tyres and tubes for both front and rear	Yes	*
Chassis Transmission System	Manual	*
No of Speed/ Forward Gears	5 speed manual gear box (5 forward and 1 reverse)	*
Transfer case	Twin speed	*
Wheel Drive	4 WD	*
Type of Steering	Integral Power	*
Suspension	Semi-elliptical	Mechanical, Leaf spring, Semi-elliptical
Turning Radius	8000	Up to 8000
Speed Governors	Yes	*
ABS Fitted	No	*
Brake	Power assisted hydraulic brakes	Power assisted hydraulic brakes
Parking Brake	Yes	*
Secondary Brake	Yes	*
Type of Clutch	Type of Clutch	*
Side View Mirror	Yes	*
Low Fuel warning Light	Yes	*

Fog Lights	Yes	*
Special feature	provision for tow hooks at front and rear	*
Provided with Tool kit, jack, workshop manual & Service manual	Yes	*
Driver Cabin	1 driver seat, 1 co-driver seat and 2 passenger seat with safety belts, open/close door left and right with key lock, space for 1 battery box placed in remaining space between 2 passenger seat (2 no. 80Ah battery, maintenance free)	*
Body cabin	Fully closed on all sides with doors only on the rear side and long seat to accomodate 5 person, separate partition with glass panels between driver cabin and body cabin	*
Material of panels (exterior)	Side and roof aluminium sheet	*
Material of panels (interior)	GI pre-painted panels	*
Flooring	Flooring made of ISI marked BWR grade plywood with vinyl	*
Thickness of Flooring Sheet	3.5	3.5
Seats	Tiltable co-driver seat	*
No of attendant seats in each saloon	2	*
Doors	Driver door and Co-driver door both flap type on RHS and LHS respectively	*
Rear Door	Twin flap type with fixed toughened glass and locking mechanism manually operated	*
Glasses	Plain two layer toughened glass, single piece curved front windshield, laminated	*

	clear glass, plain toughened glass in two pieces at rear gliding sideward rear glass	
No of fans	2 each sides	*
Paint	PU Paint SWAN white	*
Type of freezer box	Fixed type ice box (freezer box)	*
Inner dimension (LXBXH)	2006.4mm X 584.2mm X 635mm	*
Outer dimension (LXBXH)	2057.4mm X 635mm X 685.8mm	*
Fabrication material	Fabricated by stainless steel material with the thickness of 18G and SS304 grades	*
Door	Provided with front door with insulation puff 2" thickness, outward opening with locking system	*
Cooling system	Supported by compressor and should run through engine and should have adequate cooling capacity to maintain 1°C inside the Ice box chamber	*
Stretcher	Stretcher with wheel and should easily glide into the freezer box	*
Size of stretcher (LXBXH)	1981.2mm X 558.8mm X 101.6mm	*
Super structure constuction details as per New TRUCK BODY CODE AIS-093 with all amendments till date, material type/grade/thickness	Yes	*
Body structure made of steel sections and packing with anti vibration reinforced rubberized flat section over chassis frame	Yes	*
Partition wall	The partition wall between driver and the deceased compartments will be	*

	at a distance (L=3200mm) from the rear door's inner trim	
Proper opening space of AC Air suction window at a given height (min 1500 mm)	Yes	*
Number of Stretcher	2 stretcher beds in two tires (1 upper folding and 1 lower fixed)	*
Rear foot step	should be comfortably placed in terms of height (around 360mm from ground) and placing of the foot to be 150mm (± 10 mm) wide	*
Width of Rear foot step	min 1500mm distributed equally on both sides	*
Technical specifications compliance as per Clause 1 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	Yes	*
Driver Cabin specifications compliance as per Clause 2 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	Yes	*
Body Specifications compliance as per Clause 3 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	Yes	*
Freezer Box (for single body) specifications compliance as per Clause 4 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	Yes	*
Partition wall specifications compliance as per	Yes	*

	Clause 5 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016		
	Deceased compartment with with freezer box compliance as per Clause 6 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	Yes	*
	Exterior issues compliance as per Clause 7 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	Yes	*
Performance Parameter	Warranty Time	12	*
	Warranty Distance	3000	*
	Battery Warranty	12	*
	No Of Free Service	3	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Amaresh Kumar Lohiya	490024,office of nagar palika parishad jamul ward no 16 sivpuri road jamul	1	15

Bid Specific Additional Terms and Conditions

1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
2. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
3. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of

Telephone Numbers for Service Support.

4. After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 15 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 10 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing– the delivery period shall be refixed without LD for the period of delay in approval of Drawing.
5. **End User Certificate:** Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.
6. **IMPORTED PRODUCTS:** In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
7. Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of CHIEF MUNICIPAL OFFICER JAMUL A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter.
Bidder has to upload scanned copy / proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.
8. Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
9. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
10. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
11. For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:
 - a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
 - b. Execution certificate by client with order value.
 - c. Any other document in support of order execution like Third Party Inspection release note, etc.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---