

Bid Document

Bid Details	
Bid End Date/Time	28-07-2020 12:00:00
Bid Opening Date/Time	28-07-2020 12:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Human Resource Development
Department Name	Department Of Higher Education
Organisation Name	Mizoram University
Office Name	Aizawl Mizoram
Total Quantity	2
Item Category	Revolving Chair
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Revolving Chair (2 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Aluminium Die Cast with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size, ABS Plastic with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Electro Coated with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Stainless Steel with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Aluminium Die Cast with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Aluminium Die Cast Chrome Finish With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter, , Nylon Base With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter, Aluminium Alloy With Nylon Twin Caster Wheels Minimum Of 50-70 Diameter, Wooden Cladded With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter, Chrome finish with 5 wheels
	Arm Material	pu foam bonded chrome coted	*
	seat material	PU Foam Covered With pure leather	pressed and moulded plywood with polypropylene cover, PU foam covered with mesh fabric, PU Foam covered with Fabric, PU Foam Covered With

			pure leather, PU Foam Covered With pure leatherite, Pressed and Moulded Plywood with PU Foam covered with Fabric, Pressed and Moulded Plywood with PU Foam covered with Pure Leather, Pressed and Moulded Plywood with PU Foam covered with Leatherite
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	45	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	45	*
	Material of Fabric Back Cover / Material for Backrest	pure leather	mesh fabric, Inner frame Upholstered with Mesh fabric and mounted on main assembly, pure leather, 100% polyester fabric, nylon with poly olefin elastomer, Leatherite, N.A, Polyester mesh with fibreglass plastic frame
	Material of Fabric of Seat Cover	pure leather	foam laminated mesh fabrics, Mesh Fabrics, pure leather, leatherite, 100% polyester fabric, N.A, Fire retardant fabric
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	Genuine leather of 0.8-1.0 mm thickness	*
GENERAL	Chair Type	Advance Bio Synchronic	*
	Tilt Tension Adjustment	Yes	*
	Height Adjustment ± 5(mm)	up to 100 mm	up to 100 mm, up to 120 mm, N.A, up to 90 mm, up to 65 mm
	Arm	With	With, Without
	Type of backrest support	backrest symmetrical lumber support	backrest with lumber support of polypropylene at multilevel across back, backrest symmetrical lumber support, Backrest With

			Adjustable Lumber Support, Countered lumber supporting
	Arm Type	Adjustable	Adjustable, Fixed, NA
	Colour of Fabric for Seat and Backrest	brown	*
	Ergonomic Seat Design	Yes	Yes, No
	Back type	height adjustable	push back, fixed, height adjustable
	Backrest is made of two pcs injection moulded frame	Backrest is made of two pcs injection moulded frame	*
	backrest has separate adjustable headrest	No	Yes, No
	Seat type	sliding	fixed, sliding
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	tilt limiter	*
	Number of arm movement	2(up & down)	2(up & down), 4(up & down end left & right), 6(Up & Down,Left & Right And Swivel), 8(Up & Down,Left & Right,Swivel And Front & Back), N.A, 6 (UP and down, front and back, swivel), 4 (UP and down, front and back)
	Lumber support	N.A	integrated, external & fixed, external & adjustable, N.A, Cushioned and upholstered Lumbar Support
DIMENSION	Overall Chair Height ±15mm	990	*
	Backrest Height ±15mm	600	*
	Backrest Width ±10mm	440	*
	Seat Height ±15 mm	450	420, 450, 480, 500, 520
	Seat Width ±10 mm	480	440, 480, 500, 520, 550, 460, 360, 415
	Seat Depth ±10 mm	500	400, 460, 480, 500, 520, 550, 420, 440,

			540, 360
	Thickness of MS Plate Joining the under structure with Seat	1	*
	Thickness of Plywood used in Seat ± 1(mm)	N.A	12 mm, 15 mm, 18 mm, N.A, 65 mm
	Thickness of Plywood used in Backrest ± 1(mm)	N.A	12 mm, 15 mm, 18 mm, N.A
	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	50 mm	*
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	50 mm	*
WARANTEE	Warrantee period in number of years	1-year	1-year, 2-year, 3-year, 4-year, 5-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	YES, NO
	BIFMA Certification	NO	YES, NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES, NO
	OEM of offered product is ISO 14001:2015 certified	YES	YES, NO
	OEM of offered product is ISO 18001:2007 certified	YES	YES, NO
	Green guard certification	YES	YES, NO
	Aiota	-	YES, NO

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	F.KAPMAWII	796004,Mizoram University, Tanhril, Aizawl, Mizoram	2	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
2. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
3. ISO 9001: The bidder must have ISO 9001 certification.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---