

Dated: 17-07-2020



Bid Document

Bid Document			
Bid Details			
24-07-2020 18:00:00			
24-07-2020 18:30:00			
90 (Days)			
80 (Days)			
Gujarat			
Health & Family Welfare Department Gujarat			
Gujarat Medical Services Corporation Limited (gmscl)			
Gmscl			
1020			
Saline Stand			
1 Year (s)			
No			
No			
Experience Criteria, Past Performance, Certificate (Requested in ATC), OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
10 %			
Yes			
No			

EMD Detail

Advisory Bank		State Bank of India	
	EMD Percentage(%)	3.00	
	EMD Amount	57222	

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	5.00
Duration of ePBG required (Months).	2

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Managing Director

Block No. 14, Gujarat Medical Services Corporation Limited (GMSCL) , Dr. Jivraj Mehta Bhavan, Sector-10, Gandhinagar 382010

(Dr. Suman Ratnam)

Splitting

Bid splitting not applied.

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Saline Stand (1020 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Performance parameters	Type of frame	Tubular pipe frame	*
	Provision of rod	Yes	*
	Number of hooks on rod	2	2
	Number of castor wheels	5	5
	Number of castor brakes	2	2
	Castor shall be rust proof	Yes	*
	Provision of height adjustment	Yes	*
	Type of coating	NA for SS	Epoxy powder coated, NA for SS
	Warranty in years	1	1, 2, 3, 4, 5
Material and dimensional parameters	Material of frame	Stainless steel(SS 304)	Stainless steel(SS 304)
	Material of rod	Stainless steel(SS 304)	Stainless steel(SS 304)
	Diameter of rod in mm	10	*
	Material of base frame	Stainless steel(SS 304)	Stainless steel(SS 304)
	Diameter of castors in mm	50	*
	Height adjustment of rod in mm	1370-2340	1370-2340

	Overall weight of saline stand in Kg	5	*
Reports	Manufacturer ISO certification	ISO 9001:2015	*
	ISO cetification deatils such as date and number	-	*
	Availability of test report from govt/ NABL/ILAC accredited lab covering all parameters	No	No
	Test report number , Incase test reports not availabble , put NA	-	*
	Test report date, Incase test reports not availabble , put NA	-	*
	Name of test lab , Incase test reports not availabble , put NA	-	*
	Address of test lab , Incase test reports not availabble , put NA	-	*
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies,	NA ,Incase test reports not availabble	NA ,Incase test reports not availabble

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	DrDipakM Solanki	390021,GMERS Medical College, Gotri-Vadodara, Mo No 9638843111	300	10
2	Prajapati Darshan Pravinbhai	360001,PDU Medical College Rajkot	100	10
3	Dr. Sureshbhai Punjabhai Rathod	362001,362001, GMERS Medical College, Near Majevadi Gate, Paddock Road, Junagadh	20	10
4	Santosh Ramchandra Pawar	395001,New Civil Hospital Campus, Majura Gate, SuratMo No-9825555387	100	10
5	Manish Sutariya	380016,Civil hospital campus,Asarava, Ahmedabad-Mo no-9426404994	500	10

Bid Specific Additional Terms and Conditions

1.Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 1 year before the bid opening date. Copies of relevant contracts to be submitted along

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

- with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
- 2.OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
- 3.Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 4.IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 5. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 6.Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 7.Preference to Make In India products (For bids less than 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
- 8.Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

This Bid is also governed by the General Terms and Conditions

---Thank You---