

Bid Number: GEM/2020/B/703634

Dated: 10-07-2020

Bid Document

Bid Document			
Bid Details			
20-07-2020 12:00:00			
20-07-2020 12:30:00			
90 (Days)			
30 (Days)			
Ministry Of Human Resource Development			
Department Of Higher Education			
Indian Institute Of Technology (iit)			
Bhubaneswar			
2			
Workstation			
3 Year (s)			
Yes			
Yes			
Experience Criteria, Past Performance, OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
10 %			
Yes			
No			

EMD Detail

Required	No
redaired	

ePBG Detail

l Required	I No
riequired	110

Splitting

Bid splitting not applied.

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Workstation (2 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Processor	Processor Make	Intel	Intel
	Processor Generation	9	9, NA, 10 Or higher
	Number of Cores per Processor	8	8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 Or higher
	Processor Base Frequency (GHz)	3.6	3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3 Or higher
	Processor Turbo Frequency (GHz)	4.9	*
	Processor Description	Intel Core i7	Intel Core i7, Intel Core i9, Intel Xeon E Series, Intel Xeon W Series, Intel Xeon Bronze Series, Intel Xeon Silver Series, Intel Xeon Gold Series, Intel Xeon Platinum Series Or higher
	Processor Number	Intel Core i7-9700K	Intel Core i3-8350K, Intel Core i7-8700, Intel Core i7-8700K, Intel Core i9-7980XE, Intel Core i5- 8300H, Intel Core i5- 8305G, Intel Core i5- 8400H, Intel

Number of sockets available on the motherboard	1	Core i7- 8750H, Intel Core i7- 8850H, Intel Core i5-9300H, Intel Core i5-9400H, Intel Core i7-8565U, Intel Core i7-8665U, Intel Core i7-9700K, Intel Core i9-9900, Intel Core i9-9900K, Intel Core i9-9960X, Intel Core i7-9750H, Intel Core i7-9850H, Intel Core i9-9880H, Intel Core i9-9980K, Intel Core i9-9980K, Intel Core i9-9980K, Intel Core i9-9980K, Intel Core i7-8550U, Intel Core i7-8650U, Intel Core i9-9900KF, Intel Core i9-9900KF, Intel Core i7-8650U, Intel Core i9-9900KF, Intel Core i9-9900KF, Intel Core i9-9900KF, Intel Core i7-8650U, Intel Core i9-10880H, Intel Core i9 10880H, Intel Core i7 10875H, Intel Core i9 10880H, Intel Core i7 10850H, Intel Core i5 10400H, Intel Core i5 10400H, Intel Core i5 10300H, Intel Core i5 10300H, Intel Core i5 10300H, Intel Core i7 10510U, Intel Core i7 10610U, Intel Core i7 10610U, Intel Core i7 10710U, Intel Core i9 10885H, Intel Core i9 10900K, Intel Core i9 10900K, Intel Core i9 10700K, Intel Core i9 10600K, Intel Core i9 10500, Intel Core i9
Number of Sockets	1	1, 2 Or higher
populated with the Processors		
Cache (MB)	12	12.0 - 64.0 Or higher
Out of Band	NA	*

	Management		
Туре	Form Factor	Desktop	Desktop
Motherboard	Chipset Number	Intel C246	Intel C246, Intel CM246, Intel C422, Intel C621, Intel C622, Intel C624, Intel X99, Intel X299 Or higher
	Expansion Slots (PCIe x 1) (Number)	0	*
	Expansion Slots (PCIe x 4) (Number)	2	*
	Expansion Slots (PCIe x 8) (Number)	0	*
	Expansion Slots (PCIe x 16) (Number)	1	*
	Expansion Slots (PCI) (Number)	1	*
Graphics	Graphics Type	Dedicated/Discrete	Dedicated/Discrete
	Number of Graphic Cards	1	1, 2, 3, 4 Or higher
	Graphic Card Description	nVIDIA Quadro RTX 4000 8GB	nVIDIA Quadro P4000 8GB, nVIDIA Quadro RTX 4000 8GB, nVIDIA Quadro P5000 16GB, nVIDIA Quadro RTX 5000 16GB, nVIDIA Quadro P6000 24GB, nVIDIA Quadro GP100 16GB, nVIDIA Quadro RTX 6000 24GB, nVIDIA Quadro RTX 8000 48GB, nVIDIA Quadro GV100 32GB, nVIDIA Tesla V100 SXM2 32GE Or higher
Operating System	Operating System (Factory Pre-Loaded)	Ubuntu Linux	Ubuntu Linux
	Recovery Image Media	NA	*
	OS Certification	Ubuntu Linux,Redhat Linux	*
Applications	Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer)	Adobe After Effects CS/CC,Adobe Illustrator CC,Adobe Media Encoder CS/CC,Adobe Photoshop CS/CC,Adobe Premiere Pro CS/CC,Adobe SpeedGrade CC,Autodesk AutoCAD,Autodesk	*

		Inventor,Autodesk Maya,Autodesk MotionBuilder,Autodesk Mudbox,Avid Media Composer	
Memory	RAM Type	DDR4	*
	RAM Speed (MHz)	2666	*
	Type of Memory	Non ECC	*
	RAM Size (GB)	32	32, 64, 128, 256, 512, 1024, 2048, 3072, 4096, 48, 96, 192, 384, 768, 1536 Or higher
	Total Numbers of DIMM Slots Available	4	*
	Number of DIMM Slots Populated	2	*
	RAM Expandability upto using spare DIMM Slots (GB)	128	128, 256, 512, 1024, 3072, 4096, 384, 1536, 2048, 768 Or higher
Primary Storage /Boot Drive	Type of Drives used to populate the internal Bays	SSD	SSD
	Number of Drives	1	*
	RAID for Operating System	NA	NA
	Capacity of each Drive (GB)	256	256, 300, 384, 500, 512, 600, 768, 800, 900, 1000, 1024, 1200, 1800, 2000, 2048, 4000, 4096, 8000, 6000 Or higher
Secondary Storage	Type of Drives used to populate the Internal Bays	SATA	SATA
	Total number of Internal Bays available for SATA Drive	3	*
	Number of Internal Bays populated with SATA Drive	1	1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Each SATA Drive Capacity (GB)	1000	1000, 2000, 4000, 8000, 6000 Or higher
	Speed of each SATA Drive (RPM)	7200	*
	Total SATA Drive Capacity (GB)	1000	1000, 2000, 4000, 8000, 3000, 5000, 6000, 7000, 9000, 12000, 16000, 20000,

			24000, 28000, 32000 Or higher
	Total number of Internal Bays available for SAS Drive	0	*
	Number of Internal Bays populated with SAS Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SAS Drive (GB)	0	300, 600, 900, 1200, 1800, 800, 0, 4000 Or higher
	Speed of each SAS Drive (RPM)	0	*
	Total SAS Drive Capacity (GB)	0	300, 600, 900, 1200, 1800, 2100, 0, 4000 Or higher
	Total number of Internal Bays available for SSD	0	*
	Number of Internal Bays populated with SSD Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SSD Drive (GB)	0	128, 256, 512, 1024, 2048, 800, 0 Or higher
	Total SSD Capacity (GB)	0	128, 256, 384, 512, 768, 1024, 2048, 4096, 0, 5120 Or higher
	Total number of Internal Bays available for PCIe SSD	0	*
	Number of Internal Bays populated with PCIe Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8 Or higher
	Capacity of each PCIe Drive (GB)	0	128, 256, 512, 1024, 2048, 0 Or higher
	Total PCIe Drive Capacity (GB)	0	128, 256, 512, 1024, 2048, 4096, 0, 1536 Or higher
	Class of PCIe Drives	NA	*
RAID	RAID level	0,1,5,1+0	*
	Number of RAID Controller Ports	4	4, 5, 6, 7, 8, 10 Or higher
	Speed of RAID Controller Ports (Gbps)	6	6, 12 Or higher
	RAID Controller Cache (GB)	0	*

Connectivity	Type of Ethernet Ports	Single Gigabit NIC 10/100/1000	*
	Number of Ethernet Ports	1	1, 2, 3, 4, 6 Or higher
	Wireless Connectivity	Yes	Yes Or higher
	If Yes, Type of Wireless Connectivity	Wi-Fi 802.11ac	Wi-Fi 802.11ac Or higher
	Bluetooth Connectivity	Yes	Yes Or higher
	If Yes, Version of Bluetooth Available	5	5 Or higher
Ports	Number of USB Version 2 Point 0 Ports	4	*
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	5	*
	Number of USB Version 3 point 1, Gen 2 Ports	0	*
	Number of USB Type C Ports	1	*
	Number of VGA Ports	0	*
	Number of HDMI Ports	0	*
	Number of Mini DP Ports	0	*
	Number of DP Ports	3	*
Display	Display Availability	Monitor	Monitor
	Display Size (cm)	58- 61	58- 61, 63 - 67, 68- 71, 72- 81, 82 - 87, 88 - 93, 94 - 97, 98 - 105, 107 - 110, 111 - 115, 116 - 120, 121 - 125, 126 - 130 Or higher
	Display Type	Non Touch	Non Touch, Touch Or higher
	Panel Type	Flat	Flat, Curved Or higher
	Panel Technology	IPS	IPS, OLED Or higher
	Display Resolution (Pixels)	1920 x 1200	1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1080, 2560 x 1440, 2560 x 1600, 3440 x 1440, 3840 x 1600, 5120 x 1440, 7680 x 4320 Or higher

	LED Backlit	Yes	*
	TCO Compliance for Monitor	TCO 07	*
	Colour Gamut	99% sRGB	*
	Monitor Stand	Standard	*
Power	Maximum Power (Watts)	460	*
	Minimum Power Efficiency (%)	-	*
	Power Management Unit	Yes	*
	Redundant Power Supply	No	Yes, No Or higher
Input Devices	Mouse Connectivity, If available	Wired	*
	Type of Mouse, If available	Optical Scroll	*
	Keyboard Connectivity, if available	Wired	*
	Type of Keyboard, if available	Standard with Rupee Symbol	*
	Type of Keyboard in case of Mobile Workstation	NA	*
Generic	Optical Drive	-	*
	Number of External Bays	1	*
	Security	S/W Based	*
	Docking Station for Mobile Workstation	No	*
	Availability of Bundled Software	Yes	*
	Type of Bundled Software	Standard Performance Improvement Software	*
	Finger Print Reader in case of Mobile Workstation	NA	*
	Carry Case in case of Mobile Workstation	NA	*
Certification	BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer)	Yes	*

	BIS Registration Number and its Validity	-	*
	ROHS Compliance	Yes	*
	Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer)	-	*
Operating Conditions	Minimum Operating Temperature (Degree C)	0	*
	Maximum Operating Temperature (DEgree C)	35	*
	Minimum Operating Humidity (%RH)	10	*
	Maximum Operating Humidity (%RH)	80	*
Warranty	Battery Warranty in case of Mobile Workstation	0	*
	On Site OEM Warranty (Year)	5	5 Or higher

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sujit Roy	752050,Indian Institute of Technology Bhubaneswar Argul, Jatni Dist-Khurdha, Bhubaneswar-752050 GSTN : 21AAAAI2760A1ZJ	2	30

Bid Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 2. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract.

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

- Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 3. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 4. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 5. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- 6. ISO 9001: The bidder must have ISO 9001 certification.
- 7. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
- 8. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
- 9. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): Authorization of OEM.
- 10. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 11. Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid
- 12. After award of contract Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 5 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 5 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing- the delivery period shall be refixed without LD for the period of delay in approval of Drawing.
- 13. **Staggered Delivery:** The ordered items shall be supplied in a staggered manner. (2 Quantity shall be supplied within 30 days of contract placement and thereafter 30 Quantity per Month)
- 14. **Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
- 15. **Consortium:** In case of Contracts, wherein the seller alone does not have necessary expertise, the seller can form consortium with other sellers for submission of the bid, with one of the consortium company as leader. However, each and every member of the consortium shall be equally responsible for the complete execution of the project contract. An undertaking to this effect is to be uploaded with bid.
- 16. **End User Certificate:** Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.
- 17. The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST. Applicable Concessional rate of GST: 5%

Notification No.and date: 047 dated 25/01/2018

This Bid is also governed by the General Terms and Conditions

---Thank You---