

Bid Number: GEM/2020/B/702995

Dated: 08-07-2020

### **Bid Document**

Bid Details			
Bid End Date/Time	18-07-2020 17:00:00		
Bid Opening Date/Time	18-07-2020 17:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	30 (Days)		
Ministry/State Name	Ministry Of Chemicals And Fertilizers		
Department Name	Department Of Fertilizers		
Organisation Name	Madras Fertilizers Limited (mfl)		
Office Name	Manali Chennai		
Total Quantity	1		
Item Category	Multifunction Machines MFM ( PAC Only )		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Bid to RA enabled	No		
Inspection Required	No		

#### **EMD Detail**

Required	No

#### ePBG Detail

Required	No
----------	----

#### Splitting

Bid splitting not applied.

# Multifunction Machines MFM (1 pieces) (Under PAC)

Make	kyocera
Model	kyocerataskalfa3212iwithdadf

# **Technical Specifications**

# \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Ungrouped	Print Technology	Laser	Laser
	Type of Machine	Multifunction Machine	Multifunction Machine
	Type of Printing	Mono	Mono
	Cartridge Technology	Separate Drum and Toner (Mono Component)	Composite Cartridge, Separate Drum and Toner (Mono Component), Separate Drum and Toner (Dual Component) Or higher
	Developer Unit	No	*
	Platen/Flatbed Size	A3	A3 Or higher
	Paper Size (Original/Image)	A3/A3	A3/A3
	RAM size (MB)	2048	1024, 2048, 4096, 6144, 3072, 1536, 1500, 1250, 2560, 7168, 5120, 8192, 16384, 2816, 4000, 2000, 10240 Or higher
	Hard Disk Capacity(GB)	320	256, 320, 500, 1024, 250, 640, 1000, 2000, 3000 Or higher
	Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Mono	30	30, 31, 35, 36, 38, 40, 43, 45, 46, 47, 50, 52, 55, 60, 61, 65, 70, 71, 75, 80, 90, 95, 100, 105, 110, 51, 56, 41, 120, 130, 160, 57, 33, 34, 32, 85, 81, 53 Or higher
	Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour	0	12, 15, 16, 18, 20, 22, 23, 24, 25, 26, 27, 28, 30, 31, 35, 36, 4, 4.4, 5, 5.7, 5.8, 6.8, 10, 10.4, 15.5, 40, 50, 60, 5.5, 11, 46, 120, 130, 160, 65, 45, 7, 34, 55, 38, 56, 75, 81, 19, 71, 0, 21, 53 Or higher
	Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono	12	*
	Minimum Speed per	0	*

Minute as per ISO/IEC 24734 in A3 Size- Colour		
Scanning Feature Availability	Yes	Yes Or higher
Duplexing Feature Availability	Yes	Yes Or higher
Faxing Feature Availability	No	Yes, No Or higher
Speed of Fax, If Fax Feature is available	NA	*
Networking Feature Availability	Yes	Yes Or higher
If yes, Type of Network Interface	Ethernet 10/100/1000	*
Wi-Fi Availability	No	Yes, No Or higher
If yes,Wi-Fi Type	NA	*
Original Document Feeder Type	DADF/RADF	DADF/RADF Or higher
Feeder Capacity (Number)	50	*
Number of Main Paper Tray	2	2, 3, 4, 5 Or higher
Each Main Paper Tray Capacity (Number)	500	*
Bypass Facility	Yes	Yes Or higher
If Yes, Bypass Tray Capacity	100	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour	0	*

(Number of prints)		
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)	20000	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Cyan (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black (Number of Prints)	600000	*
Duty Cycle (No of Prints/month)	100000	*
Minimum Operating Temperature (Degree C)	10	*
Maximum Operating Temperature (Degree C)	50	*
Minimum Operating Humidity (%RH)	15	*
Maximum Operating Humidity (%RH)	85	*
BIS Registration under CRS of Meity	Yes	*
BIS Registration Number	R-41001114	*
Other Certifications Available	RoHS	*

Dimension (mm x mm x mm)	594X696X683	*
Weight (Kg)	60	*
On Site OEM Warranty (Year)	1	1, 2, 3, 4, 5 Or higher

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

#### **Additional Specification Documents**

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Vijay Shankar	600068,Manali chennai	1	15

# **Bid Specific Additional Terms and Conditions**

1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

This Bid is also governed by the General Terms and Conditions

---Thank You---

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.