

Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 16:00:00
Bid Opening Date/Time	27-07-2020 16:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Gujarat
Department Name	Health & Family Welfare Department Gujarat
Organisation Name	N/a
Office Name	Indian System Of Medicine And Homeopathy
Total Quantity	1
Item Category	Ambulances - R
Bidder Turnover (Last 3 Years)	7 Lakh (s)
OEM Average Turnover (Last 3 Years)	50 Lakh (s)
Experience Criteria	1 Year (s)
MSE Exemption for Years Of Experience and Turnover	Yes
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	30 %
Bid to RA enabled	No
Inspection Required	Yes
Inspection to be carried out by Buyers own empanelled agency	Yes
Type Of Inspection	Pre Dispatch
Name of the Empanelled Inspection Agency/ Authority	Board of Officers

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	1.00
EMD Amount	14290

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	5.00
Duration of ePBG required (Months).	13

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

DISTRICT AYURVED OFFICER
DISTRICT AYURVED OFFICER'S OFFICE, DISTRICT PANCHAYAT, GANDHINAGAR Indian system of medicine and homeopathy, Health & Family Welfare Department Gujarat, N/A,
(Dr. Bhavnaaben Patel)

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Ambulances - R (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Description	Description	Road Ambulance or Ambulance is a specially equipped and ergonomically designed vehicle for transportation / emergent treatment of sick or injured people and capable of providing out of hospital medical care during transit / when stationary, commensurate with its designated level of care	*

		when appropriately staffed	
Generic Vehicle parameters	Type of Ambulance	Type B (as per clause 3.3.2 of AIS:125 Part-1)	Type B (as per clause 3.3.2 of AIS:125 Part-1)
	Category of Vehicle	M2	M2
	Vehicle Engine Capacity	2596	*
	Type of Fuel	Diesel	Diesel
	Vehicle Emission Compliance	BS VI	BS VI
	Colour of the Vehicle	White	*
	Vehicle Mileage (declared by OEM as certified by Test Agency under Rule 115 of CMVR 1989) (Kmpl)	13.31	13.31 - 50.0 Or higher
	Top Speed	100	*
	Acceleration(0-70KMPH)	31	31.0
	Gradeability of Vehicle	11.3	*
	Air Conditioning	NA for without AC	NA for without AC
	Engine BHP	114	More than 114.0 Or higher
	Rated RPM at Max Engine BHP	2950	*
	Engine Torque Max (N-m)	350	More than 350.0 Or higher
	Rated RPM at Max Engine Torque	2200	*
	Type of Vehicle Body	Monocoque	Monocoque
	No of Doors	3	*
	Fuel Tank Capacity	70	*
	Length of Vehicle Body	5615	*
	Width of Vehicle Body	1900	*
	Height of Vehicle Body	2550	*
	Ground Clearance(road Clearance from floor)	200	*
	Wheel Base	3350	*
	Kerb Weight	2755	2755.0
	Gross Vehicle Weight	3965	3965.0
	Type of Tyre and Tube	BIS marked Pneumatic Tyres and tubes for both front and rear	*
	Size Of Tyre	-	*
	Vehicle Transmission System	Manual	Manual
	No of Speed/ Forward Gears	5	5
	Type of Wheel drive	Two Wheel drive	Two Wheel drive
	Drive Axle	Rear	*
	Type of Steering	Power	Power
	Turning Radius	6500	Less than 6500.0 Or lower

Ambulance Body	Front Vehicle Brake	Disc Brake	*
	Rear Vehicle Brake	Drum Brake	*
	Vehicle Air Intake System	TurboCharged	*
	Vehicle features	Vehicle Brake ABS Fitted	*
	Patient Compartment	As per cl. 4.5 of AIS 125 Pt I	*
	Overall Length of Patient Compartment	3300	*
	Overall Width of Patient Compartment	1680	*
	Overall Height of Patient Compartment	1830	*
	Construction of Patient Compartment	The ceiling, the material of floor and side shall be non-permeable and resistant to disinfectant	*
	Body Main Structure Shape and Material	NA for Monocoque	*
	Size of Section	-	*
	Exterior Panel of side body and roof	NA for Monocoque	*
	Interior Panel of side body	GI sheet of thickness 0.8 mm min, FRP panelling, ABS panelling with Anti bacterial material	*
	Interior Panel of roof	Rexin	*
	Flooring Material	Flooring Made Out from ISI Marked 12 mm thick FR grade plywood covered with vinyl sheet	*
	Openings (Doors, Windows, Emergency Exits)	AS per cl. 4.4.5 of AIS 125 Pt I	*
	Number of Seats (including driver)	10	10
	Number of stretcher	1	1
	Min Number of Patient and Attendant Seats	2	*
Main Equipments	Features of Main Stretcher	Main stretcher with separable undercarriage	*
	PROVISION FOR MEDICAL DEVICES	Mounting for portable Oxygen cylinder of 2.2 L water capacity, Hook for infusion mounting, Storage for keeping first aid and nursing kit	*
	Type of Patient Handling Equipment	Main stretcher with undercarriage, Oxygen Cylinder Bracket, I.V. Bottle Hanging Hook, First Aid Box in side of rear saloon	*
	Ambulance Features	Medical cabinet in side of rear saloon, Roof revolving light, Siren, Fire Extinguisher as per AIS 125 PT I	*
Electrical Requirement	Additional Electric Load of	110	*

	Medical Equipment's permissible (Watts) as per AIS 125 (Part-1)		
	Number of battery(ies) provided other than the vehicle battery	NA	*
	Additional Battery Capacity	NA	*
	Alternator Power	NA for type B	*
	Min no of 12V connections for medical devices in patient's compartment	NA	*
	Min number of 220V AC power supply connections for medical devices in patient compartment	NA	*
Environment Testing	Environment Testing Compliance	Flammability Test as per IS 15061: 2002 (as applicable),Interior fitting compliance as per AIS-047 established,Air conditioning and Heating Performance Tests(Clause 4.5.4 as per AIS125 Pt I) Compliance,Acceleration Test (Clause 4.2.1 per AIS 125 Pt I and IS:11851-2002) Compliance,Water Proofing Test (IS:11865-1995) Compliance,Dust Ingress Test (IS:11739-1997) Compliance	*
	Additional Features for COVID 19 Ambulance	Partition Between Driver & Patient Compartment	*
	Warranty Time	36	36.0
	Warranty Distance (or warranty time, whichever earlier)	300000	300000.0
	Battery Warranty	12	12.0
	No Of Free Service during warranty	7	*
Certification	Applicable GSR 287(E),Central Motor Vehicles(4th Amend)Rules,2015 and Ambulance CODE (Latest)	Compliance to AIS 125(Part I) : Constructional and Functional Requirements for Road Ambulances with all amendments till date.	*
	Certification	Complete vehicle	*
	Vehicle Certification	ARAI	*
	Vehicle Certification ARAI/VRDE/ICAT/CIRT No	-	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ghanshyam Prajapati	382010,AYUSH BRANCH, DISTRICT PANCHAYAT OFFICE.	1	30

Bid Specific Additional Terms and Conditions

- 1.IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 2.Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 3.Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 4.Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- 5.ISO 9001: The bidder must have ISO 9001 certification.
- 6.Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
- 7.The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
- 8.For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:
 - a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
 - b. Execution certificate by client with order value.
 - c. Any other document in support of order execution like Third Party Inspection release note, etc.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---