

Bid Number: GEM/2020/B/652731

Dated: 28-05-2020

# **Bid Document**

| Bid Document                              |  |  |  |  |
|---|--|--|--|--|
| Bid Details                               |  |  |  |  |
| Bid End Date/Time                         | 18-06-2020 16:00:00  |  |  |  |
| Bid Opening Date/Time                     | 2020-06-18 16:30:00  |  |  |  |
| Bid Life Cycle (From Publish Date)        | 90 (Days)  |  |  |  |
| Bid Offer Validity (From End Date)        | 30 (Days)  |  |  |  |
| Ministry/State Name                       | Ministry Of Micro Small And Medium Enterprises   |  |  |  |
| Department Name                           | Na   |  |  |  |
| Organisation Name                         | Development Commissioner (micro Small & Medium Enterprises)  |  |  |  |
| Office Name                               | Msme Technology Center Bhopal  |  |  |  |
| Total Quantity                            | 100  |  |  |  |
| Item Category                             | Desktop Computers  |  |  |  |
| Bidder Turnover (Last 3 Years)            | 28 Lakh (s)  |  |  |  |
| Experience Criteria                       | 3 Year (s)   |  |  |  |
| MSE Exemption for Years Of Experience     | Yes  |  |  |  |
| Startup Exemption for Years Of Experience | Yes  |  |  |  |
| Document required from seller             | Experience Criteria, OEM Authorization Certificate, OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |  |  |  |
| Bid to RA enabled                         | No   |  |  |  |
|   |  |  |  |  |

#### **EMD Detail**

| Advisory Bank     | State Bank of India |
|-------------------|---------------------|
| EMD Percentage(%) | 2.50                |
| EMD Amount        | 137500              |

# ePBG Detail

| _          |      |
|------------|------|
|            |      |
| Required   | l No |
| 11 - 1 - 1 |      |

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only

manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

### **Beneficiary:**

Asst Manager

MSME TECHNOLOGY CENTER BHOPAL, NA, Development Commissioner (Micro Small & Medium Enterprises), Ministry of Micro Small and Medium Enterprises (Prakash Uttamrao Sasemahal)

#### **Splitting**

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

# **Desktop Computers (100 pieces)**

# **Technical Specifications**

#### \* As per GeM Category Specification

| Specification | <b>Specification Name</b>         | Values             | Bid Requirement (Allowed Values)                          |
|---------------|-----------------------------------|--------------------|---|
| Processor     | Processor Make                    | Intel              | Intel, AMD  |
|               | Processor<br>Generation           | 8                  | 8.0, 9.0 Or higher  |
|               | Number of Cores per<br>Processor  | 6                  | 6, 8 Or higher  |
|               | Processor Base<br>Frequency (GHz) | 3.2                | *   |
|               | Processor<br>Description          | Intel Core i7      | Intel Core i7, AMD<br>Ryzen 7, Intel Core i9<br>Or higher |
|               | <b>Processor Number</b>           | Intel Core i7 8700 | *   |
|               | Out of Band                       | NA                 | *   |

|                  | Management  |                            |  |
|------------------|---|----------------------------|--|
|                  | Cache (MB)  | 12                         | *  |
| Motherboard      | Chipset Series  | Intel B Series             | Intel H Series, Intel B<br>Series, Intel Q Series,<br>AMD B Series Or higher |
|                  | Expansion Slots (PCle x 1) (Number)                         | 2                          | *  |
|                  | Chipset Number  | Intel B360                 | *  |
|                  | Expansion Slots (PCle x 4) (Number)                         | 0                          | *  |
|                  | Expansion Slots (PCle x 16) (Number)                        | 1                          | *  |
|                  | Expansion Slots (PCI)<br>(Number)                           | 1                          | *  |
|                  | Expansion Slots (M Dot 2)                                   | 1                          | *  |
| Graphics         | Graphics Type   | Dedicated/Discrete         | *  |
|                  | Graphic Card<br>Description                                 | -                          | *  |
|                  | Size of Memory in Case<br>of Dedicated Graphic<br>Card (GB) | 2                          | *  |
|                  | Size of VRAM in case of Integrated Graphics (MB)            | -                          | *  |
| Operating System | Operating System<br>(Factory Pre-Loaded)                    | Windows 10<br>Professional | Windows 10<br>Professional   |
|                  | Recovery Image Media  | -                          | *  |
|                  | OS Certification  | Windows                    | *  |
| Memory           | Type of RAM   | DDR4                       | *  |
|                  | RAM Size (GB)   | 8                          | 8, 16, 32, 64 Or higher  |
|                  | RAM Speed (MHz)   | 2666                       | *  |
|                  | Total Numbers of DIMM<br>Slots Available                    | 2                          | *  |
|                  | Number of DIMM Slots populated                              | 1                          | *  |
|                  | RAM Expandability up to( using spare DIMM Slots in GB)      | 32                         | 32, 64, 128 Or higher  |
| Storage          | Total Number of<br>Internal Bays available                  | 3                          | *  |
|                  | Number of 2 point 5 inches internal Bays                    | 1                          | *  |
|                  | Number of 3 point 5 inches Internal Bays                    | 2                          | *  |

| 11      | N  | T <sub>0</sub>               | Luc  |
|---------|--|------------------------------|--|
|         | Number of 2 point 5<br>Inches Internal Bays<br>Populated | 0                            | *  |
|         | Number of 3 point 5<br>Inches Internal Bays<br>Populated | 1                            | *  |
|         | Type of Drives used to populate the Internal Bays        | HDD                          | HDD  |
|         | Number of Internal<br>Bays populated with<br>HDD         | 1                            | *  |
|         | Capacity of each HDD (GB)                                | 1000 @7200 rpm               | *  |
|         | Total HDD Capacity (GB)                                  | 1000                         | 1000, 1500, 2000,<br>2500, 3000 Or higher              |
|         | Number of Internal<br>Bays populated with<br>SSD         | 0                            | *  |
|         | Capacity of each SSD (GB)                                | 0                            | *  |
|         | Total SSD Capacity (GB)                                  | 0                            | 128, 256, 384, 512,<br>768, 0, 1024, 2048 Or<br>higher |
|         | Number of Internal<br>Bays populated with<br>SSHD        | 0                            | *  |
|         | Capacity of each SSHD (GB)                               | NA                           | *  |
|         | Total SSHD Capacity in addition to 8 GB Flash (GB)       | 0                            | 500, 1000, 2000, 0 Or<br>higher                        |
|         | Optane Memory (GB)                                       | 0                            | *  |
| Cabinet | Cabinet Form Factor                                      | Tower (13.1 to 26<br>Litres) | SFF ( 7 to 13 Litres),<br>Tower (13.1 to 26<br>Litres) |
|         | Cabinet Volume (Litres)                                  | -                            | *  |
|         | External Bays<br>(Number)                                | 2                            | *  |
|         | Optical Drive  | DVD R/W                      | *  |
|         | Internal Speaker   | No                           | *  |
|         | Audio-in   | Yes                          | *  |
|         | Audio-out  | Yes                          | *  |
|         | Headphone out  | Yes                          | *  |
|         | Microphone-in  | Yes                          | *  |
| L       |  | l                            |  |

| Connectivity | Wireless Connectivity  | Yes   | *  |
|--------------|--|---|--|
|              | If Yes, Type of Wireless<br>Connectivity                       | Wi-Fi 802.11ac                                  | *  |
|              | Number of Ethernet<br>Ports                                    | 1   | *  |
|              | Type of Ethernet Ports   | 10/100/1000 on board<br>Integrated Gigabit Port | *  |
|              | Bluetooth Connectivity   | Yes   | *  |
|              | If Yes, Version of<br>Bluetooth Available                      | 4.1   | *  |
| Ports        | Number of USB Version<br>2 Point 0 Ports                       | 4   | *  |
|              | Number of USB Version<br>3 point 0 / 3 point 1,<br>Gen 1 Ports | 4   | *  |
|              | Number of USB Version 3 point 1, Gen 2 Ports                   | 0   | *  |
|              | Number of USB Type C<br>Ports                                  | 0   | *  |
|              | Number of Serial Ports   | 0   | *  |
|              | Number of Parallel<br>Ports                                    | 0   | *  |
|              | Number of VGA Ports  | 1   | *  |
|              | Number of HDMI Ports   | 1   | *  |
|              | Number of DP Ports   | 0   | *  |
| Monitor      | Model of the Monitor   | -   | *  |
|              | <b>Monitor Technology</b>                                      | TN  | IPS, TN, VA Or higher  |
|              | LED Backlit Monitor<br>Size (INCHES)                           | 21.5  | 21.5, 22, 23, 24, 27,<br>23.8 Or higher  |
|              | Monitor Resolution (PIXELS)                                    | 1920×1080                                       | 1366x768, 1440 x 900,<br>1600 x 900,<br>1920x1080, 1920 x<br>1200, 3200x1800,<br>3840 x 2160, 1280 x<br>1024, 2560 x 1440 Or<br>higher |
|              | TCO Certification for Monitor                                  | -   | *  |
|              | Number of VGA Ports in the Monitor                             | 1   | *  |
|              | Number of HDMI Ports in the Monitor                            | 0   | *  |
|              | Number of Display<br>Ports in the Monitor                      | 0   | *  |
|              | Availability of Webcam   | No  | *  |

|                      | integrated with Monitor                          |                |                   |
|----------------------|--|----------------|-------------------|
|                      | If Yes, Resolution of<br>Webcam                  | NA             | *                 |
|                      | Availability of Speakers integrated with Monitor | No             | *                 |
|                      | If Yes, Number of<br>Speakers available          | 0              | *                 |
| Power                | Power Supply Capacity<br>(Watt)                  | -              | *                 |
|                      | Minimum Power<br>Efficiency Range (%)            | 85 - 89        | *                 |
| Certification        | ROHS Compliance                                  | Yes            | *                 |
|                      | BEE / Energy Star for the given Model            | Yes            | *                 |
| Input Devices        | Mouse Connectivity                               | Wired          | *                 |
|                      | Type of Mouse                                    | Optical Scroll | *                 |
|                      | Keyboard Connectivity                            | Wired          | *                 |
|                      | Type of Keyboard                                 | Standard       | *                 |
| Operating Conditions | Minimum Operating<br>Temperature                 | 10             | *                 |
|                      | Maximum Operating<br>Temperature                 | 40             | *                 |
|                      | Minimum Operating<br>Humidity (%RH)              | 10             | *                 |
|                      | Maximum Operating<br>Humidity (%RH)              | 90             | *                 |
| Warranty             | On Site OEM<br>Warranty (Year)                   | 3              | 3, 5, 4 Or higher |

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

# **Additional Specification Documents**

# **Consignees/Reporting Officer and Quantity**

| S.No. | Consignee/Reporti<br>ng Officer | Address   | Quantity | Delivery Days |
|-------|---------------------------------|---|----------|---------------|
| 1     | Devendra Kumar<br>Parora        | 462038,Plot No.<br>259/2,261,267/2/1 Industrial<br>Area, Special Education<br>Zone, Acharpura, Bhopal | 100      | 30            |

# **Special terms and conditions for category Desktop Computers**

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

1. As per notification of MEITY circulated vide letter no. F.No.33(1)/2017-IPHW..dated :14/09/2017, the minimum local content should be 45.percent to qualify as local or domestic manufacturer.\n\nSeller has to ensure that operating system software etc comes preloaded with machine from respective OEM . Any deviation in respect of genuinity and authenticity of OS will attract severe penalty on part of seller as law of the land and contractual provisions. Buyer are also requested to verify the key no of OS etc with server of Microsoft/Linux before accepting machines to avoid complexity at latter stage.

# **Bid Specific Additional Terms and Conditions**

- 1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 2. Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through email about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.
- 3. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 4. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
- 5. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 6. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 7. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 8. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

# This Bid is also governed by the General Terms and Conditions

# ---Thank You---