

Bid Document

Bid Details	
Bid End Date/Time	24-07-2020 17:00:00
Bid Opening Date/Time	24-07-2020 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Agriculture And Farmers Welfare
Department Name	Department Of Agriculture Cooperation And Farmers Welfare
Organisation Name	Coconut Development Board
Office Name	Ernakulam
Total Quantity	1
Item Category	STEEL BODY EVAPORATIVE COOLERS- DESERT COOLER
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

STEEL BODY EVAPORATIVE COOLERS- DESERT COOLER (1 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
CAPACITY / TYPE	Nominal Air Delivery / Capacity (Cubic meter per hour)	3000	3000
	Maximum Power Consumption at zero static pressure	210 Watts for 1800 nominal capacity	*
	Type of Mounting	Stand / Trolley Mounted with castor wheels	Stand / Trolley Mounted with castor wheels
GENERIC	Sump Tank Capacity (minimum)	60 Liters for 3000 nominal capacity	*
	Material of Filter panel, Grill, Top of cooler body, cabinet, sump tank	Galvanized steel sheet (ISI marked to IS 277 latest) with zinc coating not less than 100 gms/sq.meter	*
	Sheet Thickness (nominal) for Filter panel, Grill, Top of cooler body, cabinet	0.8 mm	*
	Sump Tank Sheet Thickness (nominal)	1.0 mm	*
	All internal surfaces of Steel Body Cooler Painted with Water Resistant paint to IS 9862 latest	Yes	*
	Drain Plug material	Brass / SS	*
	Fan Size	380 mm for 1800 nominal capacity	*
	Blade Material	Aluminum (for 3000 nominal capacity)	Aluminum (for 3000 nominal capacity)
	Fan Motor	ISI marked to IS: 996 latest	*
	Minimum number of steps for fan speed control	3	*
	Power Factor	0.9 OR BETTER	*
	Conformity of Submersible Pump	Generally conforming to IS:11951 latest	*
	Filter Pads	Wood wool pads	Wood wool pads, Synthetic Honeycomb pads Or higher
	Thickness of Filter Pad	15 mm or above	*

	Non-corrosive Wire Guard for Filter Pads	Yes	*
	Minimum length of ISI marked connecting cable with 3-pin moulded Plug Top, 5/6 Amps	2.5	*
	Location of the Water Collecting Chamber	At the Bottom	*
	Float Valve at inlet	Yes	Yes
	Overall Demension (HxDxW) (mm x mm x mm)	-	*
	Weight	-	*
CERTIFICATION	Conformity to Indian Standrad	Generally conforming to IS: 3315 latest	*
	Availability of the Fan Motor test report from Central Gov/ NABL/ ILAC accredited lab	No	No
	Test Report Number	-	*
WARRANTY	WARRANTY	1	1.0

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ved Pal Singh	110092,Coconut Development Board, 120, Hargobind Enclave, New Delhi	1	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---