

### RA Document

RA Details	
RA Technical End Date/Time	18-07-2020 17:00:00
RA Opening Date/Time	18-07-2020 17:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Power
Department Name	Na
Organisation Name	N/a
Office Name	Bhakra Beas Management Board, Chandigarh
Total Quantity	1
Item Category	Hydraulic Tractor Trailer
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Bidder Turnover,OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

RA splitting not applied.

### Hydraulic Tractor Trailer ( 1 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Generic	<b>Type of Trailers</b>	Balanced Trailer (Double Axle)	Balanced Trailer (Double Axle)
	Type of Platform	Tipping Platform	*
	<b>Capacity of Trailer (Gross Load)(tonnes)</b>	10	10
	<b>Pay load of Trailer</b>	7.86	7.86
	Material used for fabrication of trailer as per Clause-5, Table-1 of IS:8213 (Latest)	Yes	*
	<b>Type of Axle Assembly (The capacity of Single Axle Trailers is not more that 5 Tonnes)</b>	Double Axle (Load carrying capacity upto 10 Tonne)	Double Axle (Load carrying capacity upto 10 Tonne)
	<b>Overall length of Trailers ( shall not exceed 5 m upto 6 tonne load, 6.7m for above 6 tonne load</b>	5.2	5.2
	<b>Overall Width of Trailers between extreme points (meter)</b>	1.95	1.95
	<b>Overall Height of Trailers with tyre inflated from the supporting surface to top of platform (meter)</b>	1.4	1.4
	<b>Overall Height of Trailers with tyre inflated from the supporting surface to sideboard (meter)</b>	2.01	2.01
	<b>Ground Clearance (mm)</b>	495	More than 495.0 Or higher
	<b>Axle Assembly Wheel Track(mm)</b>	1500	1500
	Axle Assembly dimensions as per Table-2 of IS:8213 (Latest)	Yes	*

	Hydraulic Ram of suitable capacity for tipping facility	Yes	*
	<b>Tipping Angle (degree)</b>	45	45.0 - 50.0 Or higher
	<b>Single telescopic cylinder as per IS:12371 (Latest)</b>	Yes	Yes
	Tilting of platform without disturbing the trailer	Yes	*
	Reto Reflective Marking (tapes) as per AIS -090	Yes	*
	Lighting and Lighting -signalling device as per AIS-062	Yes	*
	Trailers shall be fitted with Rear Under Run Protective Device (RUPD) confirming to IS 14812 :2005	Yes	*
	Trailers shall have service and parking brake as per AIS- 043	Yes	*
	The Trailers shall be fitted with pneumatics tyres and rims of suitable size confirming to IS 13154 :1991 and IS 10694 :1988	Yes	*
Certification	<b>Number of Wheels</b>	4	4
	Conformity to standards	IS 8213:2000 (latest) and AIS 112 (latest)	*
	Necessary clearance from RTO to be obtain before supply of Trailer	Yes	*
	RTO approval Number and date	-	*
	Availiability of Test report from approved Laboratory to prove conforming to specification as per AIS 112	Yes	*
	Test report No And date	-	*
	Name of the testing Laboratory	-	*

Performance	<b>Warranty (in months)</b>	36	36
Construction Parameters	ISI marked ISMC channel used for fabrication of Chassis and frame mounting on chassis	Yes	*
	Type of spring suspension system (as per IS:1135) for load carrying capacity	-	*
	<b>Diameter of the Axle of chassis (Min) (mm)</b>	80	More than 80.0 Or higher
	<b>Nos. Of spring leaves plates fitted (Nos.)</b>	15	More than 15.0 Or higher
	Lashing hooks for towing down load	Yes	*
	<b>No of Hooks</b>	1	More than 1.0 Or higher
	Type of Towing Device	-	*
	<b>Capacity of Towing</b>	15	15.0
	Painted Colour on the Trailers as per AIS 112	Red	*
	One coat of Red Oxide and 2 coat of Super Synthetic Enamel Paint	Yes	*
	Painting on outer side of the tank as approved by the buyer	Yes	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

Consignee/Reporting Officer and Quantity					
S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days	
1	Yogesh Verma	127021,Bhakra Beas Management Board, 400KV SUBSTATION, PREM NAGAR, BHIWANI	1	30	N/A

#### Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
2. Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.
3. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): Test reports from Govt approved Labs only.

[This RA is also governed by the General Terms and Conditions](#)

**---Thank You---**