

Bid Document

| Bid Details | |
|--|--------------------------------|
| Bid End Date/Time | 21-07-2020 09:00:00 |
| Bid Opening Date/Time | 21-07-2020 09:30:00 |
| Bid Life Cycle (From Publish Date) | 90 (Days) |
| Bid Offer Validity (From End Date) | 30 (Days) |
| Ministry/State Name | Ministry Of Railways |
| Department Name | Na |
| Organisation Name | N/a |
| Office Name | Southern Railway |
| Total Quantity | 15 |
| Item Category | hdpe tarpaulins in square mtrs |
| MSE Exemption for Years of Experience and Turnover | No |
| Startup Exemption for Years of Experience and Turnover | No |
| Bid to RA enabled | No |
| Inspection Required | No |

EMD Detail

| | |
|----------|----|
| Required | No |
|----------|----|

ePBG Detail

| | |
|----------|----|
| Required | No |
|----------|----|

Splitting

Bid splitting not applied.

Hdpe Tarpaulins In Square Mtrs (15 square meter)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|-------------------|---|---|----------------------------------|
| Specification | Conformity to Indian Standard | IS: 7903: 2011: Latest | * |
| Certification | BIS Marking | No | No |
| | CM/L No | - | * |
| Material | Material | High density polyethylene woven fabrics | * |
| | Mass of Tarpaulin, gram per square meter (GSM) | 250 | 250.0 |
| | Laminating film on both sides of Tarpaulin | Low density polyethylene (LDPE) | * |
| | Thickness of Sandwich Lamination (In case two or more layers of HDPE Fabric are used) (Micro Meter) (Minimum) | 40 | * |
| | Number of layers of HDPE Woven Fabric (Nos) | 1 | 1 |
| | Thickness of laminating film on the outer layer (Micro Meter)(Minimum) | 40 | * |
| | Line/ cord beading diameter (min) | 2.5 | * |
| | UV Stabilisation | UV stabliser | UV stabliser |
| | Water Proofing | Yes | * |
| Dimension | Length | 15 | * |
| | Width | 12 | * |
| Colour | Colour | as per buyer's requirements | * |
| Eyelets | Eyelets | Plastic | Plastic |
| | Size of eyelets | Size 28 Of IS 4084 | * |
| | Number of eyelets | 6 | * |
| Hemming | Hemming | Heat sealing | * |
| | Hemming width (Minimum) | 40 | * |
| Other Requirement | One square meter of Tarpaulin shall constitute as one unit | YES | * |

| | | | |
|-------------|---|----------------|----|
| | for selling | | |
| | Quantity supplied shall not exceed the quantity ordered | YES | * |
| LOGO | Logo/ Totem | No | No |
| Test Report | Availability of Test Report from NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification. | No | No |
| | Name of the Lab | - | * |
| | Address of The Lab | - | * |
| | Test Report No | - | * |
| | Test Report Date | - | * |
| | Test Report to be furnished to buyer on demand, if claimed to be available | Not applicable | * |

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | Abid Parari | 679121,Office of the Senior Section Engineer / Works Near Shoranur Juntion railway station, Southern Railway, Shoranur- 679121, Palakkad, 679121 | 15 | 30 |

Bid Specific Additional Terms and Conditions

1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---

