

Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 17:00:00
Bid Opening Date/Time	27-07-2020 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Delhi
Department Name	Health And Family Welfare Department Delhi
Organisation Name	N/a
Office Name	Department Of Food Safety
Total Quantity	500
Item Category	glass bottles
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Glass Bottles (500 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Specification	Type of Bottle	Aspirator Bottle Conforming to IS 1388 (Part 3) : latest	Aspirator Bottle Conforming to IS 1388 (Part 3) : latest, Conical Neck Bottles

			Conforming to IS 1388 (Part 2) : latest
	BIS Marking	No	*
	CML No.	0	*
Design	Type of Neck	Type NS	Type NS
	Base of Bottle	Cylindrical	Cylindrical, Slightly Tapered, Square, Triangular, Round, Rectangular
	Screw-Neck	Without	Without
	Closure or Stopper	With	With
	Interchangeable Ground Joint	No	Yes, No
	Plastic Coating on Outer Glass Surface for Protection Against Leakage	No	*
Material	Material	Borosilicate Glass	*
	Material of Closer or Stopper	Glass	Glass
Colour	Colour	Transparent	Blue, Silver, White, Black, Green, Yellow, Brown, Transparent, Other, Amber
Dimension	Nominal Capacity	500	500
	Wall Thickness	2.0	2.0, 3.5
	Outside Diameter	500	180, 500
Test Report	Availability of Test Report from Central Govt./NABL/ILAC accredited lab to prove conformity to specification	No	*
	Test Report No.	0	*
	Test Report Date	0	*
	Name of the Lab	-	*
	Address of the Lab	-	*
	Testreport to be furnish to the buyer on demand	Yes	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ashok Kumar Singh	110001,Department of Food Safety, Govt. of NCT of Delhi 8th Floor,Mayur Bhawan Connaught Place New Delhi - 110001	500	15

Bid Specific Additional Terms and Conditions

1.Provisions for workmen compensation, insurance, public liability, property damage, insurance etc. to be ensured by the contractor. Also, safety measures prescribed for working in Extra High Voltage & use of personnel protective equipment must be adhered to.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---