

Bid Number: GEM/2020/B/709545

Dated: 14-07-2020

Bid Document

Bid Document				
Bid Details				
Bid End Date/Time	24-07-2020 13:00:00			
Bid Opening Date/Time	24-07-2020 13:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	80 (Days)			
Ministry/State Name	Ministry Of Railways			
Department Name	Na			
Organisation Name	N/a			
Office Name	Southern Railway			
Total Quantity	100			
Item Category	twist drill (Jobber series)			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Bid to RA enabled	No			
Inspection Required	No			

EMD Detail

Required	No

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Twist Drill (Jobber Series) (100 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Standards	Confirmity to Standards	IS 5101 latest amdmnt.	IS 5101 latest amdmnt.
	Technical Supply Conditions for Twist Drills shall be as per IS 5099 latest	Yes	Yes
	BIS Marked	No	Yes, No
	If BIS marked , CML Number otherwise put NA	-	*
Performance	Direction of Cutting	Right hand Cutting	Right hand Cutting
parameters	Type of Twist Drill Edge	Type A (Thinned Chiesel Edge)	Type A (Thinned Chiesel Edge)
	Driving tenon	Yes	Yes
	Tool type of twist drill	N	N
	Diameter of Twist Drill in mm	6	6
	Flute Length of Twist Drill in mm	57	57
	Overall length of Twist Drill in mm	93	93
	Tolerance for diameter of twist drill, flute length and overall length	As per the IS 5101 latest amdmnt	*
	Hardness of Cutting Portion in HV (Measured on Land)	760-900 HV	*
	Warranty (in Years)	1	1
Material parameter	Material of Twist Drill	High Speed Steel for One Piece Construction	High Speed Steel for One Piece Construction
Additional Parameters	Each twist Drill shall be covered with rust proff material	Yes	*
	Drill shall be supplied well finished, sharpened, free from burrs and ready for use	Yes	*

	condition		
	Each Twist Drill shall be wrapped in a Non Absorbent paper protected by cover bearing size and material	Yes	*
	Marking shall be indicating diameter, material of cutting portion and Manufacturer's name and trade mark	Yes	*
Reports	Availability of test certificate form Gove rnment/NABL/ILAC accerdited lab to prove confirmity of specifications	Yes	Yes
	Copy of test reports shall be furnished to buyer on demand	Yes	Yes

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Ramachandran S	600023,Office of the Deputy Chief Materials Manager Carriage Stores Depot Perambur	100	30

Bid Specific Additional Terms and Conditions

- 1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 2. Scope of supply (Bid price to include all cost components): Only supply of Goods
- 3. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
- 4. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

This Bid is also governed by the General Terms and Conditions

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

---Thank You---