

RA Number: GEM/2020/RA/44389

Dated: 05-07-2020

RA Document

<u></u>	4 Document
F	RA Details
RA Technical End Date/Time	18-07-2020 21:00:00
RA Opening Date/Time	18-07-2020 21:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence
Organisation Name	Indian Army
Office Name	******
Total Quantity	60
Item Category	Dunnage Pallets
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Inspection Required	No

EMD Detail

Required No

ePBG Detail

Required	No
----------	----

Splitting

RA splitting not applied.

Dunnage Pallets (60 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement
			(Allowed Values)

GENERIC	Dunnage pallet conforming to IS:16058:2013	YES	*
	Top member (contact with storage box)	Reinforced thermoplastic composite board made from recycled waste plastics	*
	Bottom section (contact with floor surface)	Reinforced Thermoplastic Composite Board made From Recycled Waste Plastics	*
CONSTRUCTION & MATERIAL	Construction	Three-Screws at four corner joints and two screws at all other joints	*
	Number of screws for fabrication	34 Screws To Be Used For The Fabrication Of One Pallet And Driven Without Causing Splitting Of The Scantlings	*
	Each screw to be clinched	Not Less Than 55 Mm And Flushed With The Bottom Surface Of Scantlings	*
	Wood Screws (for fastening together various planks)	Conforming to IS:6760/Latest	*
	Length of screw	70 mm	*
	Diameter of shank	12 mm	*
SIZE & DIMENSION	Top deck sizes (Length X breadth)	1500 mm X 900 mm	1500 mm X 600 mm, 1500 mm X 900 mm, 1200 mm X 600 mm, 1200 mm X 900 mm
	Top deck length ±5mm	1500 mm	1200 mm, 1500 mm
	Top deck breadth ±5mm	600 mm	*
	Top deck height ±5mm	104 mm	*
	Top deck thickness ±5mm	18 mm	*
	Top deck width of each plank ±1mm	170 mm	*
	Top deck total number of planks	6	*
	Top deck gap between the planks ±1mm	36 mm	*

	Bottom section size in mm	1200 mm X 900 mm	1500 mm X 600 mm, 1500 mm X 900 mm, 1200 mm X 600 mm, 1200 mm X 900 mm
	Bottom section length ±5mm	1200 mm	1500 mm, 1200 mm
	Bottom section breadth ±5mm	900 mm	600 mm, 900 mm
	Bottom section height ±5mm	104 mm	*
	Bottom section thickness ±5mm	22 mm	*
	Bottom section width of each plank ±1mm	86 mm	*
	Bottom section total number of planks	4	*
	Bottom section gap between the planks	168 mm	*
MARKING	Each poly-pallet marked with	manufacture's name with month & year of mfg and batch number	*
	Each pallet with BIS certification standard mark	YES	*
WARRANTY	Warrantee period in number of years	-	1, 2, 3, 4, 5 Or higher
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	Type test report to be furnished to buyer on demand	YES	*
	BIS Marked	NO	*

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignee/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days	
1	*****	**************************************	60	30	N/A

Bid Specific Additional Terms and Conditions

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

- 1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 2. **Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
- 3. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

This RA is also governed by the General Terms and Conditions

---Thank You---