



Bid Document

	Bia Document	
Bid Details		
Bid End Date/Time	27-07-2020 17:00:00	
Bid Opening Date/Time	27-07-2020 17:30:00	
Bid Life Cycle (From Publish Date)	90 (Days)	
Bid Offer Validity (From End Date)	75 (Days)	
Ministry/State Name	Pmo	
Department Name	Department Of Atomic Energy	
Organisation Name	Nuclear Power Corporation Of India Limited	
Office Name	Kakrapar Gujarat Site	
Total Quantity	420	
Item Category	Plastic Moulded Chair	
MSE Exemption for Years of Experience and Turnover	No	
Startup Exemption for Years of Experience and Turnover	No	
Bid to RA enabled	No	
Inspection Required	No	
Inspection Required	No	

EMD Detail

LIRequired	l No

ePBG Detail

Required	No

Splitting

Bid splitting not applied.

Plastic Moulded Chair (420 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	TYPE OF CHAIR	SINGLE PIECE PLASTIC MOULDED	SINGLE PIECE PLASTIC MOULDED, PLASTIC MOULDED SEAT CUM BACK

			WITH SUPPORT STRUCTURE
	Seat cushion	Without	Without
	Back Cushion	Without	Without
	Conformity to Indian Standard IS 13713- Latest	No	*
	Plastic Material	PVC (Polyvinyl Chloride)	PVC (Polyvinyl Chloride), ABS PLASTIC (Acylonitrile Butadiene Styrene)
	ARMS	With arms	With arms
DIMENSION & WEIGHT	Seat Width in mm (+/- 5 mm)	560	560
	Seat Depth in mm (+/- 5 mm)	560	550, 560
	Chair Height in mm (+/- 10 mm)	890	805, 890
	Chair Dimensions	Not Conforming To IS 3663 Latest	*
	Weight of Chair (IN Grams)	2643	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	No Cushion	No Cushion
	Density of PU Foam in KG per CuM	No Cushion	No Cushion
	GSM/Thickness of Fabric (Gram per Sq Meter)	N.A	N.A
	Thickness of Polyurethane Foam Used in Backrest in mm (+/- 2 mm)	No cushion	No cushion
	Fabric Material composition used for Cushion Cover	N.A	*
PERFORMANCE	Stability of the Chair	Conforming To IS 5416 (Part 2)	*
	Strength of the Chair	Conforming To IS 5416 (Part 1)	*
	Maximum Ash Content is Not more than 1% in Conformity test as per Annex D of IS: 14887 (Latest)	Complied that Ash content is less than 1%	*
	UV Resistance Test - % of Tensile strength retention after 192 hours exposure as per ASTM D2562 -99 Table 1- Cycle Number 2 is more than 50 %	Complied Minimum 50% tensile strength retained after exposure as per test	*
Support / Under Structure	Support / Under Structure	Sigle Moulded Piece No Support Structure	Sigle Moulded Piece No Support Structure
	Support Structure Finishing	Sigle Moulded Piece No Support Structure	Sigle Moulded Piece No Support Structure
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
MISC	Colour	Brown,Dark Brown,RED	*

	Colour / Pattern of Fabric for Seat and Backrest Cushions	As per Buyer's	*
WARANTEE PERIOD	WARANTEE PERIOD IN NUMBER OF YEARS	1	1

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kamleshkumar Gemalsinh Khengar	394651,KAPS PLANT SITE, PO ANUMALA, DISTRICT TAPI, GUJARAT	420	15

Bid Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components): Only supply of Goods
- 2.Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

This Bid is also governed by the General Terms and Conditions

---Thank You---

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.