

Bid Number: GEM/2020/B/696937

Dated: 03-07-2020

Bid Document

Bid Document				
Bid Details				
Bid End Date/Time	16-07-2020 16:00:00			
Bid Opening Date/Time	16-07-2020 16:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	75 (Days)			
Ministry/State Name	Pmo			
Department Name	Department Of Atomic Energy			
Organisation Name	N/a			
Office Name	Directorate Of Purchase And Stores			
Total Quantity	60			
Item Category	Towels - Hotel Linen			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Bid to RA enabled	No			
Inspection Required	No			

EMD Detail

Required	No

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Towels - Hotel Linen (60 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
ITEM	Name of the Item	Towel - Hotel Linen	Towel - Hotel Linen
SIZE	Size	76cm x 152cm (Bath Towel)	76cm x 152cm (Bath Towel)
MATERIAL	Composition	100% Mercerized Cotton	100% Mercerized Cotton
	Count of yarn (Ne) Warp Ground	18s/2 to 22s/2	18s/2 to 22s/2
	Count of Pile yarn	18s/2 to 22s/2	18s/2 to 22s/2
	Count of yarn (Ne) Weft	16s to 18s	16s to 18s
	Weave	Terry Pile Weave	*
	Terry Ratio	5:1	*
	Mass (Per square meter) (min)	550g	550g
STITCHING	Stitches per dm	40 min	*
	Transverse Ends	13mm hem with full turn in	*
	Side Edges	Firm selvage or 13mm hem with full turn in	*
COLOUR	Colour	Dyed as per buyer's requirement	*
	Colour Fastness to Light (Min)	5 (Test Method - IS : 2454)	*
	Colour Fastness to Washing (Min)	Change in colour - 4 Stain on Adjacent Fabric - 4 (Test Method - Test C (3), IS / ISO 105 - C10)	*
OTHER REQUIREMENT	Breaking Load (Min)	Warp way - 300 N and Weft way - 300 N (5.0cm x 20cm, ravelled strip method as per IS: 1969)	*
	Scouring loss percentage (Max)	2% (Test Method - IS : 1383, Mild Method)	*
	Shinkage or elongation percentage warp way and weft way (Max)	3% (Test Method - IS : 2977)	*
	pH value	6.0 to 8.5 (Test Method - IS : 1390, Cold Method)	*
	Wettability (Max)	10s (Test Method - IS :	*

		2349)	
	Border	Dobby border	*
	Depth of Border	5 cm	*
LOGO AND MARKING	Logo Marking	No	No
	Type of Logo	Stitched Logo (or patched)	*
	Embroidery Thread for Logo	Not Applicable	*
TEST REPORT	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes	*
	Test Report No.	-	*
	Test Report Date	-	*
	Name of the Lab	-	*
	Address of The Lab	-	*
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes	*
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes	Yes

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Manjani	124505,Global Centre for Nuclear Energy Partnership Kheri Jasaur, Bahadurgarh	60	30

Bid Specific Additional Terms and Conditions

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---