

Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 12:00:00
Bid Opening Date/Time	20-07-2020 12:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Delhi
Department Name	Health And Family Welfare Department Delhi
Organisation Name	N/a
Office Name	Dr Baba Saheb Ambedkar Hospital Rohini
Total Quantity	1
Item Category	automated nucleic acid extraction machine
Bidder Turnover (Last 3 Years)	20 Lakh (s)
OEM Average Turnover (Last 3 Years)	40 Lakh (s)
Experience Criteria	1 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	No
CMC Required	Yes
Inspection Required	No

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	2.00
EMD Amount	90000

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	5.00
Duration of ePBG required (Months).	62

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Director principal
Dr Baba Saheb Ambedkar Medical College Rohini, Delhi
(Director Principal)

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Automated Nucleic Acid Extraction Machine (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Performance Parameters	Purpose	Automated Nucleic Acid extraction system to efficiently automate RNA extractions as well as DNA extractions,, and their related purification protocols	*
	Type of system	Open(compatible with multiple kits)	*
	Portability of model	Benchtop	*
	No of samples per run efficiently extracted within one hour	Up to 96	*
	Minimum Sample volume	25 to 200 µl	*
	Elution volume	30 to 100µl	*
	Performance of machine	High nucleic acid yields, Isolate pure, high quality DNA or RNA for downstream applications such as PCR, qPCR, Reverse transcription - qPCR, sequencing	*
	Heating and cooling facility	Yes	*
	Machine should allow to add customize protocols	Yes	*
	System should function smoothly and should not generate aerosol, spillage	Yes	*
	Internal in-built memory to store protocols	Yes	*
	All the necessary accessories required for working provided with the system	Yes	*
	Suitable UPS Provided	Yes	*
	UPS Back up time	1	*

Standard Parameters	Certification for product	CE-IVD	*
	Certification date and number	-	*
	Conformity to Manufacturing Standards	ISO 9001 & ISO 13485	*
	Conformity to Safety Standards	IEC 60601-1 or BIS equivalent	*
Reports	Comprehensive Warranty	5	5.0
	All spares should be available in market during warranty period as well as 5 years after the warranty	Yes	*
	User manual	User Technical , Maintenance manuals to be supplied in English in hard and soft copy	*
	Installation,validation, Demonstration and training to be provided at site at consignee end	Yes	*
	Service Centre	The Principal Manufacturer Must Have Direct Presence/approved service center In India	*
	The detailed circuit diagram along with trouble shooting procedure and operational manual would be provided to the consignee along with the equipmentt	Yes	*
	Equipment should be supplied with manuals and the manuals including technical drawings should be complete in all respects to operate the system without any problem	Yes	*
	Copies of all certifications and reports (Instrumental qualification /operational qualifications /	Yes	*

	performance qualification) to be provided to buyer on demand at time of supplies		
--	--	--	--

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vipul Pandey	110085,DR. BABA SAHEB AMBEDKAR MEDICAL COLLEGE, GOVT. OF NCT OF DELHI, SECTOR-06, ROHINI, DELHI-110085	1	15

Special terms and conditions for category automated nucleic acid extraction machine

1. (i) Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.(ii) Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.(iii) Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them .(iv) Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.(v) Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares

are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied(vi) Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.(vii) Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.(viii) Software: All software updates should be provided free of cost during warranty period

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
2. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
3. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
4. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
5. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
6. Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide Comprehensive Maintenance Service for next 5 years for the offered products at the rate not more than 10 % of contract price per annum. Buyer reserves the right to enter into a CMC agreement with the Successful Bidder / OEM after expiry of the Warranty period at above mentioned rate and the payment for the CMC charges would be made Annually after rendering of the CMC Services of the relevant CMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the CMC contract when called upon by the buyer. CMC would include cost of 2 (Upload the undertaking). The original Performance Security of contract will be returned only after submission and verification of AMC Performance Security for 2% of total CMC value valid up to CMC period plus 2 months (if there is no other claim).
7. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount

from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

Additional Clause For Comprehensive Maintenance Charges

1. CMC shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares, after satisfactory completion of Warranty. During the CMC period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. CMC shall not be including the consumables. Further there will be 98% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period.

2. CMC charges to be indicated as percentage of cost of equipment quoted for each year after the warranty period.

3. GST shall be included in the CMC Charges quoted.

4. Cost of CMC will be added for Ranking/Evaluation purpose with depreciation formula. A 10% discounting rate per year shall be applied on CMC Charges for price evaluation on present value.

5. The payment of CMC will be made on quarterly basis after satisfactory completion of said period, duly certified by end user.

6. While creating a bid or RA buyers shall indicate whether CMC is required against Yes/No options. If CMC Charges are included an option for number of years for CMC required after the warranty period shall be available. Under this options up to 5 years can be chosen for CMC charges beyond warranty period.

7. The CMC functionality shall be available in bid only and no direct RA shall be applicable. In case of bid to RA decrement rules shall be applicable on total price inclusive of CMC charges. Bunching of products shall not be available while creating bids with CMC charges.

7.1. Buyer shall indicate number of years of warranty by selecting option of 2 or 5 available in the field depending on warranty parameter applicable in category parameters for the equipment. The Seller while participating in Bid/RA will get fields to indicate CMC charges as percentage depending on number of years of CMC selected by Buyer. The following shall be applicable If 5 year CMC selected

- CMC charges for first year after warranty period – Percentage to be indicated- A 1
- CMC charges for second year after warranty period – Percentage to be indicated A2
- CMC charges for third year after warranty period – Percentage to be indicated A3
- CMC charges for fourth year after warranty period – Fixed amount to be indicated A4
- CMC charges for 5th year after warranty period – Percentage to be indicated A5

7.2. The calculation of CMC Charges shall take in to account of number of years of warranty and duration of CMC as specified while creating bid.

7.3. In the price evaluation, the system shall provide function to calculate the cost of each equipment by formula indicated below including CMC and then show the inter-se- ranking of the bidders. The following are the variables.

- (i) Number of years for which CMC required.
(ii) Number of years of warranty. The formula for calculating total cost including CMC charges shall be :

Total cost for evaluation= $C + C * (A1/100) / (1.10^n) + A2/100 / (1.10^{n+1}) + A3/100 / (1.10^{n+2}) + A4/100 / (1.10^{n+3}) + A5/100 / (1.10^{n+4})$

C – Cost for equipment quoted and n shall be number of years of warranty specified
If 2 year warranty specified n shall be 2 and if 5 year specified n shall be 5.

A1,A2 A3 A4 A5 shall depend on how many years CMC selected If 3 year means only A1,A2 and A3 factor to be not taken in to account and A4 and A5 will not be applicable

7.4. CMC charges to be indicated for each subsequent year should be same or higher than preceding year.

7.5. The CMC charges shall be offered within range of 3 to 10% of cost of equipment.

8. Since CMC charges are to be paid only later for each year during CMC period , applicable performance guarantee amount after placement of contract shall be based on the cost of equipment and not on basis of cost of equipment along with CMC Charges.

9. Performance bank guarantee applicable for CMC is to be submitted at start of the CMC and shall be applicable 2.5% as specified in bid on the total contract value including CMC Charges The PBG submitted after award of contract shall be released only after new PBG for the CMC period is submitted and accepted by buyer/consignee after due verification. Bank guarantee for CMC is to remain valid till completion of CMC period plus one year .The bank guarantee for CMC shall be submitted to buyer directly.

10. In case of splitting of quantity equipment cost and CMC charges offered by L-1 in the evaluated cost shall be matched by higher quoting eligible bidders on one to one basis .The equipment cost shall be matched and CMC charges shall be matched year to year.

11. The CMC Contract shall be an offline contract to be handled by buyer. The payment of CMC will be made on quarterly basis after satisfactory completion of said period, duly certified by end user and scope of CMC will be as per para 1 above.

12. The above terms and conditions shall be part of the bid as well as part of the contract.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---