



Dated: 13-07-2020

Bid Document

| Bid Details | | | | |
|--|---|--|--|--|
| Bid End Date/Time | 23-07-2020 21:00:00 | | | |
| Bid Opening Date/Time | 23-07-2020 21:30:00 | | | |
| Bid Life Cycle (From Publish Date) | 90 (Days) | | | |
| Bid Offer Validity (From End Date) | 30 (Days) | | | |
| Ministry/State Name | Maharashtra | | | |
| Department Name | Rural Development Department | | | |
| Organisation Name | Zilla Parishad Sangli | | | |
| Office Name | Panchayat Samiti Kadegaon | | | |
| Total Quantity | 1 | | | |
| Item Category | Hopper Tipper Dumper | | | |
| Bidder Turnover (Last 3 Years) | 3 Lakh (s) | | | |
| OEM Average Turnover (Last 3 Years) | 5 Lakh (s) | | | |
| Experience Criteria | 1 Year (s) | | | |
| MSE Exemption for Turnover | Yes | | | |
| Startup Exemption for Years of Experience and Turnover | No | | | |
| Document required from seller | Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer | | | |
| Past Performance | 50 % | | | |
| Bid to RA enabled | No | | | |
| Inspection Required | No | | | |

EMD Detail

| Required | No |
|----------|----|
|----------|----|

ePBG Detail

| Required | No |
|-----------|----|
| Splitting | |

Bid splitting not applied.

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Hopper Tipper Dumper (1 pieces)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|--------------------|--|----------------|-------------------------------------|
| Certification | Chassis Certification | ARAI | * |
| | Chassis Certification ARAI/VRDE/ICAT No | - | * |
| | At the time of supply of the equipment, the chassis should not be more than 6 months old | Yes | * |
| Generic Parameters | Type of TIPPER | Garbage Tipper | Garbage Tipper |
| | Type of TIPPER if other tipper ,please declare type of Tipper, | - | * |
| | Make of Chassis | - | * |
| | Type of Chassis Frame | - | * |

| Category of Vehicle | Light Capacity | Light Capacity | |
|--|-----------------------|-------------------------------|--|
| for which Chassis to be used | Commercial Vehicles | Commercial Vehicles | |
| Type of Chasssis | Chassis with Facecowl | * | |
| Type of Fuel | Diesel | Diesel | |
| Vehicle Emission Complaince | BS-VI | BS-VI | |
| Fuel Consumption (declared by OEM as certified by Test Agency under Rule 115of CMVR 1989) (Kmpl) | 22 | * | |
| Speed, Max (Km/Hr) | 65 | * | |
| Max Engine Power BHP (BHP@rpm) | 20 | More than 20.0 Or higher | |
| Rated RPM at Max Engine Power | 3600 | * | |
| Max Engine Torque (N-M@rpm) | 45 | More than 45.0 Or higher | |
| Rated RPM at Max Engine Torque | 1800 | * | |
| Main Engine Aspiration | Natural Aspiration | Natural Aspiration | |
| No. of Cylinder in Main Engine (Nos) | 2 | * | |
| Fuel Tank Capacity (Ltrs) | 30 | * | |
| Gradeability of Vehicle with load(%) | 27.5 | * | |
| Ground Clearance (mm) | 160 | * | |
| Wheel Base (mm) | 2100 | * | |
| Kerb Weight (Kg) | 920 | * | |
| Gross Vehicle Weight (Kg) | 1700 | More than 1700.0 Or higher | |
| Type of BIS MARKED Vehicle Tyre | Radial | * | |
| Chassis Transmission System | Manual | Manual | |
| Number of Speed/ Forward Gears | 4 | * | |
| Type of Steering | Manual | Manual | |
| Turning Radius,Min (mm) | 4300 | Less than 4300.0 Or lower | |

| | Speed Governers/ECU | Yes | * |
|-----------------------------|--|-------------|----------------------|
| | ABS Fitted | No | * |
| | Front Vehicle Brake | - | * |
| | Rear Vehicle Brake | - | * |
| | Type of Clutch | - | * |
| | Tipping Angle (Degree) | 85 | * |
| | Tipper Container cap acity/Volume(cubic metres) | 2 | 2.0 - 20.0 Or higher |
| Consructional Parameters | Size Of Front Tyres (mm) | - | * |
| | Size Of Rear Tyres (mm) | - | * |
| | Size of Wheel (mm) | 304.8 | * |
| | Tipper body Pivot length (mm) | 0 | * |
| | Tipper body Length (mm) | 2240 | * |
| | Tipper Body Height (mm) | 735 | * |
| | Overall Height of Tipper from Ground (mm) | 1518 | * |
| | Body Plate Thickness (mm) | 1.6 | * |
| | Main Frame Thickness (mm) | 5 | * |
| | Hydraulic System | Yes | * |
| | Tipping Hydraulic Cylinders(Make) | - | * |
| | Hydraulic System Driven by | Main Engine | * |
| | Tipper Container Material | Mild Steel | Mild Steel |
| | Thickness of sheet from tipper Collector Container Made (mm) | 1.6 | * |
| | Dumping Height (mm) | 1410 | * |
| | Engine Oil Pressure Level Indicator in Control Panel | Yes | * |
| | Fuel Gauge Indicator in Control Panel | Yes | * |
| | Engine Cooling Liquid Temperature Indicator | Yes | * |

| | in Control Panel | | |
|---------------------------|--|------------------|----------------------|
| | Operating Hour Meter | No | * |
| | Locking/Unlocking of Tipper Discharge Container | Yes | * |
| | Lowering/Lifting of Tipper Discharge Container | Yes | * |
| | Counter Weight | No | * |
| | If yes Counter Weight (kg) | 0 | * |
| | Paint | Automotive Paint | * |
| Performance Parameters | Standard Sparewheel and Tool Kit | Yes | * |
| | Warranty Time (Month) | 25 | 25.0 |
| | No. Of Free Service (Nos) | 4 | * |
| | Battery Warranty (Months) | 12 | 12, 24, 36 Or higher |
| | Warranty Distance (Km)(Unlimited during warranty Period) | Yes | * |

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No | . Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|------|-----------------------------------|---|----------|---------------|
| 1 | Prashant Mahadev Koli | 415303,At Post Padali Tal Kadegaon Dist Sangli | 1 | 30 |

Bid Specific Additional Terms and Conditions

- 1. ISO 9001: The bidder must have ISO 9001 certification.
- 2. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- 3. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Functional Service Centre.

- 4. Dedicated /toll Free Telephone No. for Service Support: BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

 5. Escalation Matrix For Service Support: Bidder/OEM must provide Escalation Matrix of
- Telephone Numbers for Service Support.

This Bid is also governed by the General Terms and Conditions

---Thank You---