

RA Number: GEM/2020/RA/45417

Dated: 17-07-2020

### **RA Document**

A Document
RA Details
24-07-2020 10:00:00
24-07-2020 10:30:00
90 (Days)
30 (Days)
Ministry Of Defence
Department Of Defence
Indian Army
******
12
Computer Printers
No
No
No

#### **EMD Detail**

Required   No
---------------

#### ePBG Detail

I		
Required	No	

## **Splitting**

RA splitting not applied.

# **Computer Printers (12 pieces)**

## **Technical Specifications**

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement
			(Allowed Values)

Specifications	Cartridge Technology	Composite Cartridge	Composite Cartridge, separate toner and drum Or higher
	Printing Technology	Laser	Laser
	Type of Printing	Mono	Mono
	Paper Size	A4	A4, A3 Or higher
	Print Speed per minute as per ISO/IEC 24734 in (A4) Size - Mono	20	20, 21, 22, 25, 27, 28, 30, 35, 38, 40, 43, 45, 47, 50, 52, 55, 60, 61, 65, 70, 71, 75, 80, 85, 90, 95, 100, 105, 110, 26, 31, 32, 24, 62, 33, 41, 46, 56, 29, 34 Or higher
	Print Speed per minute as per ISO/IEC 24734 in (A4) - Color	0	4, 7, 8, 10, 12, 15, 16, 18, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 105, 110, 26, 27, 31, 38, 4.4, 5, 5.7, 5.8, 6.8, 10.4, 15.5, 21, 24, 33, 46, 34, 19, 0, 14 Or higher
	Resolution (Dpi)	600x600	*
	Memory (MB)	64	*
	Hard Disk Capacity (GB)	0	*
	Processor Speed	400 MHz	*
	Duplexing Feature	No	Yes, No Or higher
	Duplex Print Speed ( IPM)	0	*
	Network Connectivity	No	*
	Network Interface, if available	NA	*
	Wireless Connectivity	Yes	Yes Or higher
	If Yes, Type of Wireless Connectivity	Wireless (802.11 b/g/n)	*
	USB Port	Yes	*
	Number of Main Paper Trays	1	1, 2, 3, 4, 5 Or higher
	Each Main Paper Tray Capacity	150	*
	Bypass Tray Facility	No	Yes, No Or higher
	If Yes, Bypass Tray Capacity	0	*

Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)	1500	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology -Cyan	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black	0	*
Duty Cycle (No of Prints/month)	10000	*
Minimum Operating Temperature (Degree C)	10	*
Maximum Operating Temperature (Degree C)	30	*
Minimum Operating Humidity (%RH)	20	*

On site OEM warranty (Years)	3	3, 5, 4 Or higher
Weight (In kg)	-	*
Dimensions(In mm x mm x mm )	-	*
Other Certifications Available	UL,CE	*
BIS Registration no	-	*
BIS Registration under CRS of Meity	Yes	*
Maximum Operating Humidity (% RH)	70	*

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

### **Additional Specification Documents**

### Consignee/Reporting Officer and Quantity

	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days	
1	*****	********KAMRUP	12	25	

## **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

This RA is also governed by the General Terms and Conditions

---Thank You---

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.