

Bid Document

| Bid Details | |
|--|---|
| Bid End Date/Time | 27-07-2020 13:00:00 |
| Bid Opening Date/Time | 27-07-2020 13:30:00 |
| Bid Life Cycle (From Publish Date) | 90 (Days) |
| Bid Offer Validity (From End Date) | 80 (Days) |
| Ministry/State Name | Ministry Of Coal |
| Department Name | Materials Management |
| Organisation Name | Central Coalfields Limited |
| Office Name | Central Coalfields Limited |
| Total Quantity | 6 |
| Item Category | Revolving Chair |
| OEM Average Turnover (Last 3 Years) | 4 Lakh (s) |
| Experience Criteria | 3 Year (s) |
| MSE Exemption for Years of Experience and Turnover | No |
| Startup Exemption for Years of Experience and Turnover | No |
| Document required from seller | Experience Criteria,Past Performance,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Past Performance | 80 % |
| Bid to RA enabled | No |
| Inspection Required | No |

EMD Detail

| | |
|----------|----|
| Required | No |
|----------|----|

ePBG Detail

| | |
|----------|----|
| Required | No |
|----------|----|

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some

quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document.

Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Revolving Chair (6 pieces)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|---------------|--|--|--|
| MATERIAL | Pedestal Base | Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size | Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size |
| | Arm Material | Proppylene | Proppylene |
| | seat material | PU Foam covered with Fabric | PU Foam covered with Fabric |
| | Density of PU foam used in seat KG per Cu Meter (+/- 3) | 55 | * |
| | Density of PU foam used in backrest in KG per Cu Meter (+/- 3) | NA | * |
| | Material of Fabric Back Cover / Material for Backrest | Innner frame Upholstered with Mesh fabric and mounted on main assembly | Innner frame Upholstered with Mesh fabric and mounted on main assembly |
| | Material of Fabric of Seat Cover | 100% polyester fabric | 100% polyester fabric |
| | GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter) | 250 gram | * |
| GENERAL | Chair Type | central tilt synchronic | central tilt synchronic |
| | Tilt Tension Adjustment | Yes | * |
| | Height Adjustment ± 5(mm) | up to 100 mm | up to 100 mm |
| | Arm | With | With |
| | Type of backrest support | Backrest With Adjustable Lumber Support | Backrest With Adjustable Lumber Support |
| | Arm Type | Adjustable | Adjustable |
| | Colour of Fabric for Seat and Backrest | black | * |
| | Ergonomic Seat Design | Yes | Yes |
| | Back type | push back | push back |

| | | | |
|---------------|---|---|-------------------------------|
| | Backrest is made of two pcs injection moulded frame | Backrest is made of two pcs injection moulded frame | * |
| | backrest has separate adjustable headrest | Yes | Yes |
| | Seat type | fixed | fixed |
| | Seat is curved | Yes | * |
| | Locking mechanism | Yes | * |
| | Type of locking | 3-Position Locking | * |
| | Number of arm movement | 4(up & down end left & right) | 4(up & down end left & right) |
| | Lumber support | integrated | integrated |
| DIMENSION | Overall Chair Height ±15mm | 1125 | 1125 |
| | Backrest Height ±15mm | 520 | 520.0 |
| | Backrest Width ±10mm | 480 | 480.0 |
| | Seat Height ±15 mm | 420 | 420 |
| | Seat Width ±10 mm | 480 | 480 |
| | Seat Depth ±10 mm | 500 | 500.0 |
| | Thickness of MS Plate joining the under structure with Seat | 1.2 | 1.2 |
| | Thickness of Plywood used in Seat ±1(mm) | 15 mm | 15 mm |
| | Thickness of Plywood used in Backrest ± 1(mm) | N.A | N.A |
| | Padestal Size (Diameter in mm) +/- 10 mm | 650 | * |
| | Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm) | 45 mm | 45 mm |
| | Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM) | N.A | N.A |
| WARANTEE | Warrantee period in number of years | 1-year | 1-year |
| CERTIFICATION | Test reports to be furnished to buyer on demand | YES | YES |
| | BIFMA Certification | NO | NO |
| | OEM of offered product is ISO 9001:2015 certified | YES | YES |
| | OEM of offered product is ISO 14001:2015 certified | YES | YES |
| | OEM of offered product is ISO 18001:2007 certified | YES | YES |
| | Green guard certification | NO | NO |

| | | | |
|--|--------------|---|-----|
| | Aiota | - | YES |
|--|--------------|---|-----|

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | Prafulla Kumar Sinha | 829201,Regional Stores Piparwar P. O. Bachra District. Chatra | 6 | 45 |

Bid Specific Additional Terms and Conditions

- 1.Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 2.Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 3.Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 4.Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
- 5.ISO 9001: The bidder must have ISO 9001 certification.
- 6.OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
- 7.Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 8.The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---