

Bid Document

Bid Details	
Bid End Date/Time	25-07-2020 20:00:00
Bid Opening Date/Time	25-07-2020 20:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Karnataka
Department Name	Urban Development Department Karnataka
Organisation Name	Directorate Of Municipal Administration
Office Name	Dudc Mandya
Total Quantity	1
Item Category	Hydraulic Tractor Trailer
Bidder Turnover (Last 3 Years)	1 Lakh (s)
OEM Average Turnover (Last 3 Years)	2 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	80 %
Bid to RA enabled	No
Inspection Required	No
Estimated Bid Value	200000

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Hydraulic Tractor Trailer (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Generic	Type of Trailers	Semi Trailer (Single Axle)	Semi Trailer (Single Axle)
	Type of Platform	Tipping Platform	*
	Capacity of Trailer (Gross Load)(tonnes)	8	8
	Pay load of Trailer	6.2	6.2
	Material used for fabrication of trailer as per Clause-5, Table-1 of IS:8213 (Latest)	Yes	*
	Type of Axle Assembly (The capacity of Single	Class-B (Load carrying capacity upto 5 Tonne)	Class-B (Load carrying capacity upto 5 Tonne)

Axle Trailers is not more than 5 Tonnes)		
Overall length of Trailers (shall not exceed 5 m upto 6 tonne load, 6.7m for above 6 tonne load	6.3	3.0, 6.3, 3.6
Overall Width of Trailers between extreme points (meter)	2.45	2.45, 2.0, 2.5
Overall Height of Trailers with tyre inflated from the supporting surface to top of platform (meter)	1.1	0.8, 1.1
Overall Height of Trailers with tyre inflated from the supporting surface to sideboard (meter)	1.9	1.9, 2.2
Ground Clearance (mm)	450	More than 350.0 Or higher
Axle Assembly Wheel Track(mm)	1700	1700
Axle Assembly dimensions as per Table-2 of IS:8213 (Latest)	Yes	*
Hydraulic Ram of suitable capacity for tipping facility	Yes	*
Tipping Angle (degree)	50	50.0 - 50.0 Or higher
Single telescopic cylinder as per IS:12371 (Latest)	Yes	Yes
Tilting of platform without disturbing the trailer	Yes	*
Retro Reflective Marking (tapes) as per AIS -090	Yes	*
Lighting and Lighting -signalling device as per AIS-062	Yes	*
Trailers shall be fitted with Rear Under Run Protective Device (RUPD) conforming to IS	Yes	*

	14812 :2005		
	Trailers shall have service and parking brake as per AIS- 043	Yes	*
	The Trailers shall be fitted with pneumatics tyres and rims of suitable size confirming to IS 13154 :1991 and IS 10694 :1988	Yes	*
	Number of Wheels	2	2
Certification	Conformity to standards	IS 8213:2000 (latest) and AIS 112 (latest)	*
	Necessary clearance from RTO to be obtain before supply of Trailer	Yes	*
	RTO approval Number and date	-	*
	Avaliability of Test report fron approved Laboratory to prove conforming to specification as per AIS 112	Yes	*
	Test report No And date	-	*
	Name of the testing Laboratory	-	*
Performance	Warranty (in months)	36	36, 48, 60
Construction Parameters	ISI marked ISMC channel used for fabrication of Chassis and frame mounting on chassis	Yes	*
	Type of spring suspension system (as per IS:1135) for load carrying capacity	-	*
	Diameter of the Axle of chassis (Min) (mm)	85	More than 80.0 Or higher
	Nos. Of spring leaves plates fitted (Nos.)	20	Above 15
	Lashing hooks for towing down load	Yes	*
	No of Hooks	10	More than 1.0 Or higher

Type of Towing Device	-	*
Capacity of Towing	6.2	6.2
Painted Colour on the Trailers as per AIS 112	Red	*
One coat of Red Oxide and 2 coat of Super Synthetic Enamel Paint	Yes	*
Painting on outer side of the tank as approved by the buyer	Yes	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	K R	571401,District Urban Development Cell, Office of the Deputy Commissioner, Mandya	1	60

Bid Specific Additional Terms and Conditions

- Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
 - The Seller fails to comply with any material term of the Contract.
 - The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
 - The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
 - The Seller becomes bankrupt or goes into liquidation.
 - The Seller makes a general assignment for the benefit of creditors.
 - A receiver is appointed for any substantial property owned by the Seller.
 - The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.
- Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
5. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
6. SLBR52
7. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
8. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
9. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
10. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): certificates/test reports by any reputed organization should be submitted.
11. Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to provide Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive warranty shall be covering the following scope As per GEM norms (Upload an undertaking with the bid confirming compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM undertaking is to be uploaded along with Bidder undertaking)
12. Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid
13. For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:
 - a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
 - b. Execution certificate by client with order value.
 - c. Any other document in support of order execution like Third Party Inspection release note, etc.
14. The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:
 - (i) Single order of at least 35% of estimated bid value; or
 - (ii) Two orders of at least 20% each of estimated bid value; or
 - (iii) Three orders of at least 15% each of estimated bid value.Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary

product having highest bid value should meet this criterion

15. Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of Chief officer, TMC Malavalli, District Mandya A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---