

Bid Document

Bid Details	
Bid End Date/Time	28-07-2020 11:00:00
Bid Opening Date/Time	28-07-2020 11:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	N/a
Office Name	Eastern Railway
Total Quantity	8
Item Category	Steel Tables
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Steel Tables (8 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Foot Rest Material	Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as	*

		per IS 8126)	
	Handles Material	Corrosion Resistance Metal	*
	Thickness of PVC tape on edges of Table Top banded with the help of hot melt glue (mm)	N.A	*
	Storage Unit and Drawer Units Material	1.1 mm m s sheet	0.6 mm M S Sheet (Not as per IS 8126), 0.7 mm M S sheet, 0.8 mm M S sheet, 0.9 mm m s sheet, 1.0 mm m s sheet, 1.1 mm m s sheet, 1.2 mm m s sheet, 0.5 mm m s sheet, 0.6 mm MS sheet CRCA as per IS 513 latest
	Shoes Material	Rubber	*
GENERIC	Conformity to Indian Standard IS: 8126 Latest	Yes	*
	Storage	both side	one side, both side
	Total Number of Storage Units	four storage	single storage, double storage, triple storage, four storage, five storage, six storage
	Cup Board / Locker type Storage Units	one	*
	Type of Storage Units	OTHER DESIGNS	*
	Lock on all storage units	Provided	*
	Loading capacity of table top in KG (±5 Kg)	100 KG	*
	Table Top Material and Thickness (±2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)	20 mm thick MDF Board of grade SBG II conforming to IS 12406 laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side, 18 mm thick prelaminated Particle Board (Not as per IS 8126), 20 mm multiplex board, 40 mm multiplex board, 50 mm multiplex board, 25 mm thick MDF Board., 11 mm thick compact laminate (BSL) IS 2046 -1995, 18 mm thick prelaminated Particle Board as per IS 12823
	Padestal (Under structure)	Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126)	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm, Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126), Mild steel rectangular section of out side minimum 30 mm X 20 mm & Wall thickness minimum 1.2 mm, Mild steel

			ERW tube 38 mm x 25 mm x 1.2 mm thick, MS rectangular section of 38 mm X 25 mm with thickness of 1.2 mm
	Table Top Length ±10(mm)	1660	*
	Table Top Width ±10(mm)	750	470, 600, 690, 750, 800, 900, 705, 450, 580
	Table Height ±5(mm)	760	710, 735, 760, 800, 840, 850, 860, 750, 745, 725
DIMENSION	Width of Storage Unit ±5(mm)	450	*
	Depth of Storage Unit ±10(mm)	700	355, 600, 650, 700, 725, 575, 550
	Overall Height of Storage Units ±10 mm	560 mm	*
	Height of smallest Storage Compartment / Drawer ±3 mm	200 mm	*
	Height of medium size Storage Compartment / Drawer ±5 mm	SAME AS SMALLEST	*
	Height of Largest Storage Compartment / Drawer ±5 mm	305 mm	*
	Width of Locker / Cupboard type Storage unit	450 mm	450 mm, 500 mm, 560 mm, N.A, 350 mm, 355 mm
	Depth of Locker / Cupboard type Storage unit	700 mm	600 mm, 650 mm, 700 mm, 725 mm, N.A, 560 MM, 550 mm
	Height of Locker / Cupboard type Storage unit	460 mm	*
MISC	Foot Rest Provided	YES	*
COLOUR & FINISH	Colour of Lamination	teak colour	*
	Paint	Powder coated	*
	Colour of Paint	AS PER BUYER CHOICE	*
CERTIFICATION	ISI Marked	No	Yes, No
	Test reports to be furnished to buyer on demand	NO	YES, NO
	BIFMA certification	NO	YES, NO
	OEM of offered product is ISO 9001:2015 certified	NO	YES, NO
	OEM of offered product is ISO 14001:2015 certified	NO	YES, NO
	OEM of offered product is ISO 18001:2007 certified	NO	YES, NO
	Green guard certification	NO	YES, NO

WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	4	1, 2, 3, 4, 5
----------	---	---	---------------

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Moses Nag	711204,Eastern Railway Liluah	8	30

Bid Specific Additional Terms and Conditions

- 1.Scope of supply (Bid price to include all cost components) : Only supply of Goods
- 2.Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---