

Bid Number: GEM/2020/B/706310

Dated: 10-07-2020

### **Bid Document**

Bid Document				
Bid Details				
Bid End Date/Time	25-07-2020 19:00:00			
Bid Opening Date/Time	25-07-2020 19:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	60 (Days)			
Ministry/State Name	Ministry Of Petroleum And Natural Gas			
Department Name	Gail India Limited			
Organisation Name	Gail India Limited			
Office Name	Pata			
Total Quantity	50			
Item Category	domestic plates			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Bid to RA enabled	No			
Inspection Required	No			
·				

#### **EMD Detail**

Required	No

### ePBG Detail

Required	No

## Splitting

Bid splitting not applied.

# **Domestic Plates (50 pieces)**

## **Technical Specifications**

#### \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Classification	Type of Plates	Half Plate	Half Plate
Shape, Design & Colour	Shape of Plate	Round	*
	Design and Pattern	Embossed	*
	Colour	Golden	*
Material	Type of Material	Food Grade	*
	Material of the Plate	Bone China	Bone China
Dimension	Overall diameter or Diagonal of plate (mm)	125	125
	Overall Thickness of Plate (mm)	0.6	0.6
	Depth of plate (mm)	55	55
	Weight of each plate (gm)	121-140	121-140
Performance	Suitable for microwave oven	No	*
	Recommended max. Temperature for safe use (Degree Celsius)	51-60	51-60

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

#### **Additional Specification Documents**

#### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nayan Bhatt	206241,GAIL (INDIA) LTD. PETROCHEMICAL COMPLEX P.O PATA	50	30

# **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components): Only supply of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.