

Bid Number: GEM/2020/B/685396

Dated: 24-06-2020

Bid Document

| Bid Document | | | |
|--------------------------------|--|--|--|
| Bid Details | | | |
| 04-07-2020 17:00:00 | | | |
| 2020-07-04 17:30:00 | | | |
| 90 (Days) | | | |
| 60 (Days) | | | |
| Ministry Of Steel | | | |
| Na | | | |
| Steel Authority Of India Ltd | | | |
| Visvesvarya Iron And Steel Ltd | | | |
| 300 | | | |
| Plain Copier Paper | | | |
| No | | | |
| | | | |

EMD Detail

| Required | No |
|----------|----|
| 1 | |

ePBG Detail

| Doguirod | l Nio | |
|----------|-------|--|
| Required | l No | |
| | | |

Splitting

Bid splitting not applied.

Plain Copier Paper (300 ream)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|--|--|--------------------------------|----------------------------------|
| Certification | Conformance to Indian Standard | Conforming to IS14490 : Latest | * |
| | Whether ISI Marked | No | No |
| | Give CML number if ISI marked Write NA if not ISI marked | - | * |
| | Test Method as per IS:1060 | Yes | * |
| Test Report Details | "Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification" | Yes | * |
| | "Test Report to be Submitted to the Buyer on demand" | Yes | * |
| Additional Requirements for eco mark | The material shall be manufactured from pulp containing not less than 60% by mass of pulp made from materials other than bamboo,hard woods ,softwoods and reed or the material shall be manufactured from pulp made from 100%waste paper | Yes | * |
| Size | Size of paper | A4 | A4 |
| | GSM of paper | 70 | 70 |
| Quantity | "Number of sheets per Ream" | 500 | 500 |
| Physical Characteristics | "ISO Brightness,perc ent,Min" | 65 | 65 |
| | Opacity percent,Min | 85 | 85 |
| | "One minute Cobb test both sides,g/m2,Max" | 2 | 2 |
| | "Tensile Index Machine Direction (MD) ,Nm/g, Min" | 11 | 11 |
| | Tensile Index Cross Direction(CD),Nm/g, Min | 12 | 12 |

| | "Tear Index in mN m²/g,Machine Direction(MD),Min" | 15 | 15 |
|---------------------------|---|-----------------|-----------------|
| | "Tear Index in mN m²/g,Cross Direction(CD)Min," | 15 | 15 |
| | "Smoothness for both sides (Bendtsen) in ml/min,Max" | 85 | 85 |
| | "Ash content(900°C) ,percent by mass,Max" | 15 | 15 |
| | Thickness in µm,Min | 5 | 5 |
| | "Moisture content,percent,Max | 15 | 15 |
| | "Taber Stiffness ,Machine Direction(MD),Min" | 45 | 45 |
| | Taber Stiffness ,Cross Direction(CD),Min | 15 | 15 |
| | "Surface Strength Dennison (Wax Pick)" | No pick on 12 A | No pick on 12 A |
| Packing and Marking | "Packing as per clause 6-1 of IS:14490(Latest)" | Yes | * |
| | Package should be marked with Description, size of Paper, Quantity, Mass of 500/250 sheets including wrapping paper in kg/ream Chargeable wt should be net wt excluding the wt of packing, Lot Number and month/year of manufacturing, Name of manufacturer | Yes | * |
| * Specifications highligh | ted in bold are the Golde | n Paramotors | |

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1 | Venkateshappa | 577301,Visvesvarya Iron and Steel Plant Bhadravathi | 300 | 30 |

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---