

Bid Number: GEM/2020/B/705862

Dated: 10-07-2020

Bid Document

Bid Document		
Bid Details		
Bid End Date/Time	21-07-2020 17:00:00	
Bid Opening Date/Time	21-07-2020 17:30:00	
Bid Life Cycle (From Publish Date)	90 (Days)	
Bid Offer Validity (From End Date)	30 (Days)	
Ministry/State Name	Ministry Of Power	
Department Name	Contracts And Materials	
Organisation Name	Ntpc Ltd	
Office Name	Talcher Thermal Angul Odisha	
Total Quantity	1	
Item Category	Firewall - NGFW	
MSE Exemption for Years of Experience and Turnover	No	
Startup Exemption for Years of Experience and Turnover	No	
Bid to RA enabled	No	
Inspection Required	No	
	,	

EMD Detail

Required	No

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Firewall - NGFW (1 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Specification	Туре	NGFW	NGFW Or higher
	Form Factor (RU)	1	1
	Features	Layer 3 - Layer 4,NAT,VPN,Application Visibility and Control (AVC),User Identity,Next Generation Intrusion Prevention System (IPS),Zero Day Protection / Advance Malware protection,Web Security Essentials / URL Filtering	Layer 3 - Layer 4, NAT, VPN, Application Visibility and Control (AVC), User Identity, Next Generation Intrusion Prevention System (IPS), Zero Day Protection / Advance Malware protection, Web Security Essentials / URL Filtering
	Traffic handled	HTTP/TCP	*
	Packet Size (KB)	1024	*
	Throughput with all features enabled(Under Test Condition) (Mbps)	2300	2000, 2200, 2300, 3000, 3500, 4000, 4750, 5000, 6000, 7000, 8500, 9000, 10000, 15000, 19000, 20000, 22000, 25000, 26000, 30000, 32000, 34000, 35000, 39000, 44000, 45000, 44000, 45000, 60000, 64000, 69000, 70000, 75000, 60000, 130000, 132000, 130000, 153000, 168000, 234000, 260000, 285000, 570000, 1200000 Or higher
	Throughput (Real World/Prod Performance)(Under Test Condition) (Mbps)	2300	2000, 2200, 2300, 2600, 3000, 4600, 4700, 4750, 5000, 6000, 7000, 8500, 9000, 9216, 10000, 11000, 12000, 13000, 15000, 19000, 20000, 21000, 22000, 23000, 25000, 26000, 27000, 29000, 30000, 32000, 33500, 34000, 35000, 39000, 40000, 42000,

		43000, 45000, 48000, 50000, 53000, 54000, 55000, 60000, 64000, 65000, 69000, 70000, 75000, 120000, 130000, 132000, 135000, 148000, 153000, 168000, 234000, 260000, 320000 Or higher
Concurrent Session/Concurrent Connection	15M	1M, 1.2M, 1.5M, 2M, 3M, 4M, 5M, 8M, 9M, 10M, 15M, 20M, 25M, 30M, 32M, 35M, 39.5M, 40M, 55M, 60M, 63M, 64M Or higher
New session/Connection per second	15K	15K, 16K, 17K, 18K, 20K, 22K, 24K, 27K, 40K, 50K, 57K, 64K, 68K, 75K, 84K, 118K, 120K, 130K, 150K, 160K, 172K, 175K, 185K, 200K, 250K, 263K, 265K, 284K, 295K, 300K, 350K, 380K, 390K, 450K, 490K, 500K, 800K, 848K, 850K, 900K, 1.1M, 1.75M, 3.5M, 7.5M, 225K, 425K Or higher
Type of Interface Supported Multiselect	GE Copper	*
Number of GE Copper interface	6	*
Number of 10G SFP+ interface	0	*
Number of QSFP+ 40 G interface	0	*
Number of GE Small Form-Factor Pluggable (SFP) interface	0	*
Number of QSFP28 100 G interface	0	*
Number ofcol /WAN Ports	2	*
Number of Ipsec VPN Peers supported (Site to Site)	25	*
Number of Ipsec VPN Peers supported (Client to Site)	25	*

Number of SSL VPN	15	*
Peers supported (Client to Site)		
Type of Storage Disk	SSD	*
Storage Capacity (GB)	32	*
Power Supplies	Single	*
Hot Swappable Power Supply	No	*
Redundant Fan	Yes	*
Hot Swappable (Redundant Fan)	No	*
Type of Processor	x86	*
High Availability Support	Yes	*
If Yes, High Availability from day 1	active-active	active-active Or higher
Interface Expansion slots supprted	0	*
Firewall Policies - License	Yes	*
Details of the Firewall Policies for the Firewall provided with the License	Web Security Essentials / URL Filtering,IPS License,Application Visibility License,APT (Advance Persistant Threat) License (Anti Malware Protection, C& C attacks, Geo IP Protection, Zero Day Threat Protection),Gateway Anti virus,Gateway Anti spam	*
NGIPS Sigature supported	40000	*
Security Intelligence	IP,URL,Domain,Passivel y detect End Point,IOC Intelligence	*
Certification	NONE	*
Minimum Operating Temperature (Degree C)	0	*
Maximum Operating Temperature (Degree C)	40	*
Minimum Operating Humidity (%RH)	10	*

Maximum Operating Humidity (%RH)	75	*
IPv6 Ready from day 1	Yes	*
On Site OEM Warranty (Year)	3	3, 5 Or higher

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Bijaya Kumar Sahoo	759101,CONTRACTS AND MATERIALS,NTPC-TTPS, TALCHER THERMAL, ANGUL,ODISH.	1	30

Bid Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 2. Bid reserved for Make In India products: Procurement under this bid is reserved for purchase from Class 1 local suppliers as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document 50%. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

This Bid is also governed by the General Terms and Conditions

---Thank You---

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.