

### Bid Document

Bid Details	
Bid End Date/Time	24-07-2020 12:00:00
Bid Opening Date/Time	24-07-2020 12:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	80 (Days)
Ministry/State Name	Pmo
Department Name	Department Of Atomic Energy
Organisation Name	Uranium Corporation Of India Limited
Office Name	Kadapa
Total Quantity	4
Item Category	inverted mirror trolley mounted under vehicle search mirror convex security mirrors
Experience Criteria	1 Year (s)
MSE Exemption for Years Of Experience	Yes
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

## **Inverted Mirror Trolley Mounted Under Vehicle Search Mirror Convex Security Mirrors ( 4 pieces )**

### **Technical Specifications**

[\\* As per GeM Category Specification](#)

<b>Specification</b>	<b>Specification Name</b>	<b>Values</b>	<b>Bid Requirement (Allowed Values)</b>
GENERIC	Construction	The mirror is fixed into a flat platform suitably padded with cushion material below the mirror which is fixed onto a trolley mounted on ball bearing caster wheels for smooth operation. The trolley is fitted with telescopic deatchable and adjustable rods/handle. Telescopic rods having only axial movement and rotation is restricted and lock-able in desired position by way of quick - release clip liver type clutch locking system along with a suitable detachable handle.	*
	Scope of usage	To view underside of vehicles / tables etc for any hidden explosives / suspected devices	*
	Protecting shield over the mirror	Removable protecting shield made of waterproof cloth and high density poly urethane foam provided over the mirror to protect it during transportation	*

	<b>Fixing details</b>	Adjustable- inspection mirror can be swiveled and locked securely into required place	Adjustable- inspection mirror can be swiveled and locked securely into required place
	<b>Lighting system</b>	Lighting system comprising LED Light / Torch (3 Volt, 5 Watts) with adjustable mounting for focusing / Aligning with mirror is provided	Lighting system comprising LED Light / Torch (3 Volt, 5 Watts) with adjustable mounting for focusing / Aligning with mirror is provided
MIRROR	<b>Mirror Type</b>	Convex	Convex
	<b>Shape of mirror</b>	Circular	Circular
	<b>Mirror size (cm) (Diameter in case of circular and length x width in case of rectangular)</b>	-	60.96 x 30.48
TROLLEY DETAILS	No. of Wheels in the trolley (nos)	4	*
	In case of adjustable / swivel type of fixing, Dia. of wheels of the trolley	60	*
	<b>Material of Trolley Platform and telescopic rods and handle</b>	Stainless Steel	Stainless Steel
	Dia. of front wheels of the Trolley, In case of fixed type of fixing, (cm)	30	*
	Material of Trolley Wheels	High Density Rubber	*
	Dia. of rear wheels of the Trolley, In case of fixed type of fixing, (cm)	30	*
	Trolley Dimensions (cm)	180	*
TELESCOPIC RODS	Dimensions of different sections of telescopic rods	-	*
	Adjustable length of the telescopic rods (cm)	50-120 cm	*
CARRYING CASE	Wooden carry case	Wooden carry case made of 10 mm thick waterproof plywood duly clad with	*

		thermocol foam protection against rubbing & scratching of paint / coated surfaces is provided	
--	--	---	--

\* Specifications highlighted in bold are the Golden Parameters.  
 \* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

**Additional Specification Documents**

---

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	4	30

**Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**