

### Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 13:00:00
Bid Opening Date/Time	27-07-2020 13:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	80 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence Reseach & Development
Organisation Name	Office Of Dg (mss)
Office Name	*****
Total Quantity	3
Item Category	Movable File Storage System (Compactor)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	10.00
Duration of ePBG required (Months).	17

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

### Beneficiary:

DIRECTOR TBRL  
Terminal Ballistics Research Laboratory Chandigarh, Sector-30, Chandigarh  
(Director Tbrl)

### Splitting

Bid splitting not applied.

## Movable File Storage System (Compactor) ( 3 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>Number of Bays</b>	2-Bay	2-Bay
	<b>Type of Drive</b>	Mechnized Drive Type	Mechnized Drive Type, Sprocket Chain Drive Mechanism
	Number of Single Faced Fixed / Static Bodies (Units / Cabinets open at one side and closed on other side covering all bays)	1	*
	Number of Single Faced Movable Bodies (Units / Cabinet open at one side and closed on other side covering all bays)	1	*
	<b>Number of Movable Bodies (= A) (Double Faced / Dual Cabinets covering all bays) (Total number of available sections = 2 X number of bays X A)</b>	3	3
	<b>Number of Shelves in Each Section / Cabinet</b>	4 Shelves/5 Compartments	4 Shelves/5 Compartments
	<b>Load Carring Capacity of Each Shelf (Kg)</b>	60 kg	60 kg, 70 Kg, 80 Kg
	Delivery Condition of Movable File Storage System	Knock down	*
	Free Assembly and Installation Commissioning of knocked down supply	YES	*
	Shelves in the cabinets	adjustable	*
	Every Base frame fitted with	one pair of anti frictional ball bearing	*
	Guide rail provided with	Stopper	*
	Indexing arrangement	2 MM thick clear transparent acrylic sheet and having other dimension of 155MM/106MM	*
	Anti rust treatment	YES	*
	Stud	Main and add on construction	*
MATERIAL	<b>M S Sheet Thickness of the Cabinet Body (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest

	<b>M S Sheet Thickness of the Shelf Pannels (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest	1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	<b>M S Sheet Thickness of the Door Pannels (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 2.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	Height of base frame $\pm 2$ (mm)	65 mm	*
	Height of track and moving clearance $\pm 2$ (mm)	35 mm	*
	Material of Stud	Rubber stud between bodies	*
	Material of base frame	Hot Rolled Sheet 3.15MM thick Confmg. to IS:1079/Latest	*
	Material of guide rail	Consists of J-Section 2MM thick H R Sheet and 25MM thick square bright bar both connected by screws	*
	Material of 'C' Channel	H R Sheet 3.15MM thick confmg. to IS:1079/Latest	*
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction	*
	Number of Folds in Shelf Panels	10	*
DIMENSION	<b>Overall Height of the Cabinet from the ground in mm <math>\pm 10</math> (mm)</b>	2080	2080, 2200, 2350, 2130
	<b>Depth of the Cabinet <math>\pm 10</math>(mm)</b>	457	450.0, 457.0
	<b>Width of the Cabinet in mm (<math>\pm 5</math> mm) (THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays)</b>	915	905.0, 915.0
	Minimum Excess Rail Length in addition to Filing Cabinet Covering ( For Aisle working) (mm)	1200	*
	Pitch of all the shelves	25.4MM	*
	Aisle space inside of units	915 mm	*
COLOUR & FINISH	Paint	Powder Coating	*
	Colour of Paint	Ash Gray,Steel Gray,Dark Gray,Brown,Dark Brown,Off White,Blue	*
WARRANTY	<b>Warranty Period IN</b>	1	1, 2, 3, 4, 5 Or higher

	NUMBER OF YEARS		
DOORS AND LOCKING	Seperate Door Provided with each Section / Cabinet	NO	*
	<b>Central Locking System for locking entire compactor unit</b>	YES	YES
	Safety Lock for each Movable Body	yes	*
	Seperate door lock for each section	no	*
	Fitting of stopper	fitted to the rail	*
	Handle	Wheel Type	*
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	BIFMA certification	YES	*
	OEM of offered product is ISO 9001:2015 certified	YES	*
	OEM of offered product is ISO 14001:2015 certified	YES	*
	OEM of offered product is ISO 18001:2007 certified	YES	*
	Green guard certification	NO	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****Panchkula	3	90

#### Bid Specific Additional Terms and Conditions

- 1.Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 2.Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of DIRECTOR TBRL, SECTOR-30, CHANDIGARH A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.
- 3.Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- 4.The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---