

### Bid Document

Bid Details	
Bid End Date/Time	23-07-2020 17:00:00
Bid Opening Date/Time	23-07-2020 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	80 (Days)
Ministry/State Name	Odisha
Department Name	Parliamentary Affairs Department Odisha
Organisation Name	Commissioner-cum-secy. To Govt.,p.a Deptt.,bhubaneswar
Office Name	Parliamentary Affairs Department
Total Quantity	90
Item Category	Plain Copier Paper ( <b>PAC Only</b> )
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### Plain Copier Paper ( 90 ream ) ( Under PAC )

Make	jkcopier
------	----------

Model	jkcopier
-------	----------

## Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification	Conformance to Indian Standard	"Generally conforming to IS14490 : Latest"	*
	<b>Whether ISI Marked</b>	Yes	Yes
	Give CML number if ISI marked Write NA if not ISI marked	5200074588	*
	Test Method as per IS:1060	Yes	*
Test Report Details	"Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification"	Yes	*
	"Test Report to be Submitted to the Buyer on demand"	Yes	*
Additional Requirements for eco mark	The material shall be manufactured from pulp containing not less than 60% by mass of pulp made from materials other than bamboo,hard woods ,softwoods and reed or the material shall be manufactured from pulp made from 100%waste paper	Yes	*
Size	<b>Size of paper</b>	A4	A4
	<b>GSM of paper</b>	75	75
Quantity	<b>"Number of sheets per Ream"</b>	500	500
Physical Characteristics	<b>"ISO Brightness,percent,Min"</b>	93	93
	<b>Opacity percent,Min</b>	92	92
	<b>"One minute Cobb test both sides,g/m2,Max"</b>	25	25
	<b>"Tensile Index</b>	35	35

	<b>Machine Direction (MD) ,Nm/g, Min"</b>		
	<b>Tensile Index Cross Direction(CD),Nm/g, Min</b>	22	22
	<b>"Tear Index in mN m<sup>2</sup>/g,Machine Direction(MD),Min"</b>	4	4
	<b>"Tear Index in mN m<sup>2</sup>/g,Cross Direction(CD)Min,"</b>	4.5	4.5
	<b>"Smoothness for both sides (Bendtsen) in ml/min,Max"</b>	300	300
	<b>"Ash content(900°C) ,percent by mass,Max"</b>	16	16
	<b>Thickness in µm,Min</b>	98	98
	<b>"Moisture content,percent,Max "</b>	5	5
	<b>"Taber Stiffness ,Machine Direction(MD),Min"</b>	2	2
	<b>Taber Stiffness ,Cross Direction(CD),Min</b>	1	1
	<b>"Surface Strength Dennison (Wax Pick)"</b>	"No pick on 13 A"	"No pick on 13 A"
Packing and Marking	"Packing as per clause 6-1 of IS:14490(Latest)"	Yes	*
	Package should be marked with Description,size of Paper,Quantity,Mass of 500/250 sheets including wrapping paper in kg/ream Chargeable wt should be net wt excluding the wt of packing,Lot Number and month/year of manufacturing,Name of manufacturer	Yes	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

## **Additional Specification Documents**

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sourabha Ranjan Mohanta	751001,Parliamentary Affairs Department, Govt. of Odisha, 1st Floor, North Tower, Lok Seva Bhawan (Secretariat), Bhubaneswar-01	90	15

### **Bid Specific Additional Terms and Conditions**

1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**