



**Bid Document** 

Bid Document		
Bid Details		
Bid End Date/Time	27-07-2020 16:00:00	
Bid Opening Date/Time	27-07-2020 16:30:00	
Bid Life Cycle (From Publish Date)	90 (Days)	
Bid Offer Validity (From End Date)	30 (Days)	
Ministry/State Name	Ministry Of Defence	
Department Name	Department Of Defence	
Organisation Name	Indian Army	
Office Name	******	
Total Quantity	200	
Item Category	glue stick	
MSE Exemption for Years of Experience and Turnover	No	
Startup Exemption for Years of Experience and Turnover	No	
Bid to RA enabled	No	
Inspection Required	No	

#### **EMD Detail**

LIRequired	l No

## ePBG Detail

Required   No
---------------

## Splitting

Bid splitting not applied.

# Glue Stick ( 200 pieces )

## **Technical Specifications**

# \* As per GeM Category Specification

Specification	Specification Name		Bid Requirement (Allowed Values)
Applicator	Applicator	By rotational movement of the bottom of the stick	*
Net Content and Shelf Life	Net content of the stick	15.0	15, 25, 35, 40, 50 Or higher

	(Grams)		
	Shelf life	24.0	24.0 - 24.0 Or higher
Packing	Enclosure	Plastic with lid	Plastic with lid
	No of sticks in a pack (Nos.)	Pack of 20	Pack of 20
Туре	Type of Glue	Soft paste, non toxic, quick drying for paper etc.	*

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

#### **Additional Specification Documents**

#### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	**********HYDERABAD	200	30

# **Bid Specific Additional Terms and Conditions**

1.OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

This Bid is also governed by the General Terms and Conditions

---Thank You---

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.