



Bid Document

Bid Document					
Bid Details					
27-07-2020 16:00:00					
27-07-2020 16:30:00					
90 (Days)					
30 (Days)					
Ministry Of Health And Family Welfare					
Department Of Health And Family Welfare					
All India Institute Of Medical Sciences (aiims)					
Aiims, New Delhi					
30					
Revolving Chair					
No					
No					
Yes					
No					

EMD Detail

I I Required	l No
Nequired	110

ePBG Detail

Required	No

Splitting

Bid splitting not applied.

Revolving Chair (30 pieces)

Technical Specifications

* As per GeM Category Specification

Specification Name			Bid Requirement (Allowed Values)	
MATERIAL	Pedestal Base	Chrome finish with 5 wheels	Chrome finish with 5 wheels	
	Arm Material	pu foam bonded chrome coted	pu foam bonded chrome coted	

	seat material	PU Foam Covered With pure leatherite	PU Foam Covered With pure leatherite
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	45	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	45	*
	Material of Fabric Back Cover / Material for Backrest	Leatherite	Leatherite, N.A
	Material of Fabric of Seat Cover	leatherite	leatherite
	GSM/Thickness of fabric ±5%(Gram/Square meter)	290 gram	*
GENERAL	Chair Type	central tilt	central tilt
	Tilt Tension Adjustment	Yes	*
	Height Adjustment ± 5(mm)	up to 100 mm	up to 100 mm
	Arm	With	With
	Type of backrest support	backrest symmetrical lumber support	backrest symmetrical lumber support
	Arm Type	Fixed	Fixed
	Colour of Fabric for Seat and Backrest	black	*
	Ergonomic Seat Design	Yes	Yes
	Back type	push back	push back
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame	*
	backrest has separate adjustable headrest	No	Yes, No
	Seat type	sliding	sliding
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	tilt limitor	*
	Number of arm movement	N.A	N.A
	Lumber support	external & fixed	external & fixed
DIMENSION	Overall Chair Height ±15mm	1080	1080
	Backrest Height ±15mm	800	800.0
	Backrest Width ±10mm	480	480.0
	Seat Height ±15 mm	450	450
	Seat Width ±10 mm	480	480
	Seat Depth ±10 mm	480	480.0
	Thickness of MS Plate Joining the under structure with Seat	0.3	0.3
	Thickness of Plywood	15 mm	15 mm

	used in Seat ±1(mm)		
	Thickness of Plywood used in Backrest ± 1(mm)	15 mm	15 mm
	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	50 mm	50 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	50 mm	50 mm
WARANTEE	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA Certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	NO	NO
	OEM of offered product is ISO 18001:2007 certified	NO	NO
	Green guard certification	NO	NO
	Aiota	-	NO

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Hirday Ram Verma	110029,AIIMS, Ansari Nagar	11	15
2	Dharampal Singh	110029,AIIMS, Ansari Nagar New Delhi	7	15
3	Anuradha Narula	110029,Ansari Nagar	2	15
4	Tika Ram Uniyal	110029,AIIMS, Ansari Nagar	5	15
5	Bhawani Ram	110029,AIIMS, New Delhi, Ansari Nagar	5	15

Bid Specific Additional Terms and Conditions

1.Scope of supply (Bid price to include all cost components) : Only supply of Goods

This Bid is also governed by the General Terms and Conditions

^{*} Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Thank You	7	ſha	nk	Yo	u
-----------	---	-----	----	----	---