

### Bid Document

Bid Details	
Bid End Date/Time	21-07-2020 15:00:00
Bid Opening Date/Time	21-07-2020 15:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Petroleum And Natural Gas
Department Name	Indian Oil Corporation Limited
Organisation Name	Marketing Division
Office Name	Ilayangudi Indane Bottling Plant
Total Quantity	50
Item Category	Plastic Moulded Chair
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

## Plastic Moulded Chair ( 50 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>TYPE OF CHAIR</b>	SINGLE PIECE PLASTIC MOULDED	SINGLE PIECE PLASTIC MOULDED
	<b>Seat cushion</b>	Without	Without
	<b>Back Cushion</b>	Without	Without
	Conformity to Indian Standard IS 13713- Latest	Yes	*
	<b>Plastic Material</b>	POLYPROPELENE	POLYPROPELENE
	<b>ARMS</b>	With arms	With arms
DIMENSION & WEIGHT	<b>Seat Width in mm (+/- 5 mm)</b>	570	570
	<b>Seat Depth in mm (+/- 5 mm)</b>	560	560
	<b>Chair Height in mm (+/- 10 mm)</b>	750	750
	Chair Dimensions	Conforming To IS 3663 (Latest)	*
	Weight of Chair (IN Grams)	2400	*
	<b>Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)</b>	No Cushion	No Cushion
	<b>Density of PU Foam in KG per CuM</b>	No Cushion	No Cushion
	<b>GSM/Thickness of Fabric (Gram per Sq Meter)</b>	N.A	N.A
	<b>Thickness of Polyurethane Foam Used in Backrest in mm (+/- 2 mm)</b>	No cushion	No cushion
	Fabric Material composition used for Cushion Cover	N.A	*
PERFORMANCE	Stability of the Chair	Conforming To IS 5416 (Part 2)	*
	Strength of the Chair	Conforming To IS 5416 (Part 1)	*

	Maximum Ash Content is Not more than 1% in Conformity test as per Annex D of IS: 14887 (Latest)	Complied that Ash content is less than 1%	*
	UV Resistance Test - % of Tensile strength retention after 192 hours exposure as per ASTM D2562 -99 Table 1- Cycle Number 2 is more than 50 %	Complied Minimum 50% tensile strength retained after exposure as per test	*
Support / Under Structure	<b>Support / Under Structure</b>	Sigle Moulded Piece No Support Structure	Sigle Moulded Piece No Support Structure
	<b>Support Structure Finishing</b>	Sigle Moulded Piece No Support Structure	Sigle Moulded Piece No Support Structure
CERTIFICATION	Test reports to be furnished to buyer on demand	NO	*
MISC	Colour	Brown	*
	Colour / Pattern of Fabric for Seat and Backrest Cushions	N.A	*
WARANTEE PERIOD	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	1	1

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kundrapu Satish Kumar	630562,Indane Bottling Plant-Ilayangudi, RS 38/2C, SH-34, Sarpakulam Uthamanoor Village, Periyakannanoor Post, Ilayangudi TK, Sivagangai, Tamil Nadu	50	45

#### Bid Specific Additional Terms and Conditions

1. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
2. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of

goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

3. Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.
4. ISO 9001: The bidder must have ISO 9001 certification.
5. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
6. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
7. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**