

Bid Number: GEM/2020/B/704634

Dated: 09-07-2020

### **Bid Document**

| Bid Document   |  |  |  |  |
|--|--|--|--|--|
| В  | Bid Details  |  |  |  |
| Bid End Date/Time                                      | 24-07-2020 20:00:00  |  |  |  |
| Bid Opening Date/Time                                  | 24-07-2020 20:30:00  |  |  |  |
| Bid Life Cycle (From Publish Date)                     | 90 (Days)  |  |  |  |
| Bid Offer Validity (From End Date)                     | 30 (Days)  |  |  |  |
| Ministry/State Name                                    | Ministry Of Home Affairs   |  |  |  |
| Department Name  | Central Armed Police Forces  |  |  |  |
| Organisation Name                                      | Border Security Force (bsf)  |  |  |  |
| Office Name  | Gandhidham Gujarat   |  |  |  |
| Total Quantity   | 1  |  |  |  |
| Item Category  | Desktop Computers  |  |  |  |
| MSE Exemption for Years of Experience and Turnover     | No   |  |  |  |
| Startup Exemption for Years of Experience and Turnover | No   |  |  |  |
| Document required from seller                          | Experience Criteria *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |  |  |  |
| Bid to RA enabled                                      | No   |  |  |  |
| Inspection Required                                    | No   |  |  |  |

## **EMD Detail**

| Required | No |
|----------|----|

### ePBG Detail

| Required | No |
|----------|----|
|----------|----|

## Splitting

Bid splitting not applied.

# **Desktop Computers ( 1 pieces )**

# **Technical Specifications**

# \* As per GeM Category Specification

| Specification | Specification Name                | Values             | Bid Requirement<br>(Allowed Values)   |
|---------------|-----------------------------------|--------------------|---|
| Processor     | <b>Processor Make</b>             | Intel              | Intel   |
|               | Processor<br>Generation           | 8                  | 8.0 Or higher   |
|               | Number of Cores per<br>Processor  | 4                  | 4, 6, 8 Or higher   |
|               | Processor Base<br>Frequency (GHz) | 3.6                | *   |
|               | Processor<br>Description          | Intel Core i3      | Intel Core i3, Intel Core<br>i5, Intel Core i7, Intel<br>Core i9 Or higher  |
|               | Processor Number                  | Intel Core i3 8100 | Intel Core i3 8100, Intel Core i3 8300, Intel Core i5 7400T, Intel Core i5 7500T, Intel Core i5 7600T, Intel Core i5 7600T, Intel Core i5 7600T, Intel Core i5 8400T, Intel Core i5 8500T, Intel Core i5 7600, Intel Core i5 7600, Intel Core i5 8500T, Intel Core i5 8400, Intel Core i5 8500, Intel Core i5 8600, Intel Core i5 8600K, Intel Core i7 7700T, Intel Core i7 7700T, Intel Core i7 8700T, Intel Core i7 8700T, Intel Core i7 8700K, Intel Core i7 8700K, Intel Core i3 9100, Intel Core i3 9100, Intel Core i3 9300, Intel Core i3 9300, Intel Core i5 9400, Intel Core i5 9400, Intel Core i5 9500, Intel Core i7 9700, Intel Core i7 9700, Intel Core i7 9700K, Intel Core i9 9900K, Intel Core i9 9900K, Intel Core i9 9900KF, Intel Core i7 9700F, Intel Core i7 |

|                  |   |                | 9600KF, Intel Core i9 9900T, Intel Core i5 9500F, Intel Core i5 9400F, Intel Core i3 9350KF, Intel Core i3 9350K, Intel Core i7 9700T, Intel Core i3 8350K, Intel Core i5 9600T, Intel Core i5 8600T, Intel Core i3 9100F, Intel Core i5 9400T, Intel Core i3 9300T, Intel Core i3 |
|------------------|---|----------------|--|
|                  | Out of Band<br>Management                                   | NA             | *  |
|                  | Cache (MB)  | 6              | *  |
| Motherboard      | Chipset Series  | Intel H Series | Intel H Series, Intel B<br>Series, Intel Q Series Or<br>higher   |
|                  | Expansion Slots (PCIe x 1) (Number)                         | 1              | *  |
|                  | Chipset Number  | Intel H370     | Intel H310, Intel H370,<br>Intel B360, Intel Q 250,<br>Intel Q 270, Intel Q<br>370, Intel B 365 Or<br>higher   |
|                  | Expansion Slots (PCle x 4) (Number)                         | 0              | *  |
|                  | Expansion Slots (PCIe x 16) (Number)                        | 1              | *  |
|                  | Expansion Slots (PCI)<br>(Number)                           | 1              | *  |
|                  | Expansion Slots (M Dot 2)                                   | 2              | *  |
| Graphics         | Graphics Type   | Integrated     | *  |
|                  | Graphic Card<br>Description                                 | -              | *  |
|                  | Size of Memory in Case<br>of Dedicated Graphic<br>Card (GB) | 0              | *  |
|                  | Size of VRAM in case of Integrated Graphics (MB)            | -              | *  |
| Operating System | Operating System<br>(Factory Pre-Loaded)                    | Linux          | Windows 10<br>Professional, Linux  |
|                  |   |                |  |
|                  | Recovery Image Media  | -              | *  |

| Memory  | Type of RAM  | DDR4           | *  |
|---------|--|----------------|--|
|         | RAM Size (GB)  | 4              | 4, 8, 16, 32, 64 Or<br>higher                          |
|         | RAM Speed (MHz)  | 2666           | *  |
|         | Total Numbers of DIMM<br>Slots Available                 | 2              | *  |
|         | Number of DIMM Slots populated                           | 1              | *  |
|         | RAM Expandability up to( using spare DIMM Slots in GB)   | 32             | 32, 64, 128 Or higher                                  |
| Storage | Total Number of<br>Internal Bays available               | 2              | *  |
|         | Number of 2 point 5 inches internal Bays                 | 0              | *  |
|         | Number of 3 point 5 inches Internal Bays                 | 2              | *  |
|         | Number of 2 point 5<br>Inches Internal Bays<br>Populated | 0              | *  |
|         | Number of 3 point 5<br>Inches Internal Bays<br>Populated | 1              | *  |
|         | Type of Drives used to populate the Internal Bays        | HDD            | HDD  |
|         | Number of Internal<br>Bays populated with<br>HDD         | 1              | *  |
|         | Capacity of each HDD (GB)                                | 1000 @7200 rpm | *  |
|         | Total HDD Capacity<br>(GB)                               | 1000           | 1000, 1500, 2000,<br>2500, 3000 Or higher              |
|         | Number of Internal<br>Bays populated with<br>SSD         | 0              | *  |
|         | Capacity of each SSD (GB)                                | 0              | *  |
|         | Total SSD Capacity<br>(GB)                               | 0              | 128, 256, 384, 512,<br>768, 0, 1024, 2048 Or<br>higher |
|         | Number of Internal<br>Bays populated with<br>SSHD        | 0              | *  |
|         | Capacity of each SSHD (GB)                               | NA             | *  |

|              | Total SSHD Capacity in addition to 8 GB Flash (GB)             | 0   | 500, 1000, 2000, 0 Or<br>higher |
|--------------|--|---|---------------------------------|
|              | Optane Memory (GB)   | 0   | *                               |
| Cabinet      | Cabinet Form Factor  | Tower (13.1 to 26<br>Litres)                    | Tower (13.1 to 26<br>Litres)    |
|              | Cabinet Volume (Litres)  | -   | *                               |
|              | External Bays<br>(Number)                                      | 1   | *                               |
|              | Optical Drive  | DVD R/W   | *                               |
|              | Internal Speaker   | Yes   | *                               |
|              | Audio-in   | Yes   | *                               |
|              | Audio-out  | Yes   | *                               |
|              | Headphone out  | Yes   | *                               |
|              | Microphone-in  | Yes   | *                               |
| Connectivity | Wireless Connectivity  | No  | *                               |
|              | If Yes, Type of Wireless<br>Connectivity                       | NA  | *                               |
|              | Number of Ethernet<br>Ports                                    | 1   | *                               |
|              | Type of Ethernet Ports   | 10/100/1000 on board<br>Integrated Gigabit Port | *                               |
|              | Bluetooth Connectivity   | No  | *                               |
|              | If Yes, Version of<br>Bluetooth Available                      | 0   | *                               |
| Ports        | Number of USB Version<br>2 Point 0 Ports                       | 4   | *                               |
|              | Number of USB Version<br>3 point 0 / 3 point 1,<br>Gen 1 Ports | 4   | *                               |
|              | Number of USB Version<br>3 point 1, Gen 2 Ports                | 0   | *                               |
|              | Number of USB Type C<br>Ports                                  | 0   | *                               |
|              | Number of Serial Ports   | 1   | *                               |
|              | Number of Parallel<br>Ports                                    | 0   | *                               |
|              | Number of VGA Ports  | 1   | *                               |
|              | Number of HDMI Ports   | 1   | *                               |
|              | Number of DP Ports   | 0   | *                               |
| Monitor      | Model of the Monitor   | -   | *                               |
|              | Monitor Technology   | IPS   | IPS Or higher                   |

|                      | LED Backlit Monitor<br>Size (INCHES)             | 19.5           | 19.5, 21.5, 22, 23, 24, 27, 20, 23.8 Or higher  |
|----------------------|--|----------------|---|
|                      | Monitor Resolution<br>(PIXELS)                   | 1440 x 900     | 1440 x 900, 1600 x<br>900, 1920x1080, 1920<br>x 1200, 3200x1800,<br>3840 x 2160, 1280 x<br>1024, 2560 x 1440 Or<br>higher |
|                      | TCO Certification for Monitor                    | -              | *   |
|                      | Number of VGA Ports in the Monitor               | 1              | *   |
|                      | Number of HDMI Ports in the Monitor              | 0              | *   |
|                      | Number of Display<br>Ports in the Monitor        | 0              | *   |
|                      | Availability of Webcam integrated with Monitor   | No             | *   |
|                      | If Yes, Resolution of<br>Webcam                  | NA             | *   |
|                      | Availability of Speakers integrated with Monitor | No             | *   |
|                      | If Yes, Number of<br>Speakers available          | 0              | *   |
| Power                | Power Supply Capacity<br>(Watt)                  | -              | *   |
|                      | Minimum Power<br>Efficiency Range (%)            | 90 - 94        | *   |
| Certification        | ROHS Compliance                                  | Yes            | *   |
|                      | BEE / Energy Star for the given Model            | Yes            | *   |
| Input Devices        | Mouse Connectivity                               | Wired          | *   |
|                      | Type of Mouse                                    | Optical Scroll | *   |
|                      | Keyboard Connectivity                            | Wired          | *   |
|                      | Type of Keyboard                                 | Standard       | *   |
| Operating Conditions | Minimum Operating<br>Temperature                 | 0              | *   |
|                      | Maximum Operating<br>Temperature                 | 40             | *   |
|                      | Minimum Operating<br>Humidity (%RH)              | 10             | *   |
|                      | Maximum Operating<br>Humidity (%RH)              | 90             | *   |
| Warranty             | On Site OEM<br>Warranty (Year)                   | 3              | 3, 5, 4 Or higher   |

- \* Specifications highlighted in bold are the Golden Parameters.
- \* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### **Additional Specification Documents**

#### **Consignees/Reporting Officer and Quantity**

| S.No. | Consignee/Reporti<br>ng Officer | Address  | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1     | V C S Krishna                   | 370205,105Bn, BSF,<br>RAMBAGH, PO-ADIPUR,<br>DISTT-KACHCHH STATE<br>-GUJARAT | 1        | 30            |

#### Special terms and conditions for category Desktop Computers

1. As per notification of MEITY circulated vide letter no. F.No.33(1)/2017-IPHW..dated :14/09/2017, the minimum local content should be 45.percent to qualify as local or domestic manufacturer.\n\nSeller has to ensure that operating system software etc comes preloaded with machine from respective OEM . Any deviation in respect of genuinity and authenticity of OS will attract severe penalty on part of seller as law of the land and contractual provisions. Buyer are also requested to verify the key no of OS etc with server of Microsoft/Linux before accepting machines to avoid complexity at latter stage.

# **Bid Specific Additional Terms and Conditions**

- 1. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
- 2. Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide AMC Service for next 2 years for the offered products at the rate not more than 2 % of contract price per annum. Buyer reserves the right to enter into an AMC agreement ( covering preventive maintenance and servicing)with the Successful Bidder / OEM after expiry of the Warranty period at rate as mentioned above and the payment for the AMC charges would be made Annually after rendering of the AMC Services of the relevant AMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the AMC contract when called upon by the buyer. The original Performance Security of contract will be returned only after submission and verification of AMC Performance Security for 5% of total AMC value valid up to AMC period plus 2 months (if there is no other claim). (Undertaking of acceptance to be uploaded with bid).
- 3. Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of q A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter.

  Bidder has to upload scanned copy / proof of the FDR along with bid and has to ensure

- delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.
- 4. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 5. **Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC): q
  - Post Receipt Inspection at consignee site before acceptance of stores: q
- 6. After award of contract Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit 1 samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 5 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample - the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller. Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.
- 7. After award of contract Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 5 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 7 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing- the delivery period shall be refixed without LD for the period of delay in approval of Drawing.
- 8. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

This Bid is also governed by the General Terms and Conditions

---Thank You---