

### Bid Document

Bid Details	
Bid End Date/Time	28-07-2020 12:00:00
Bid Opening Date/Time	28-07-2020 12:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Human Resource Development
Department Name	Department Of Higher Education
Organisation Name	Mizoram University
Office Name	Aizawl Mizoram
Total Quantity	2
Item Category	Steel Tables
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

#### EMD Detail

Required	No
----------	----

#### ePBG Detail

Required	No
----------	----

#### Splitting

Bid splitting not applied.

## Steel Tables ( 2 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Foot Rest Material	Mild Steel square Section of size 25x25 mm and wall thickness minimum 1.6 mm	*
	Handles Material	Without Handles (Alternate opening system)	*
	Thickness of PVC tape on edges of Table Top banded with the help of hot melt glue (mm)	2.0 mm	*
	<b>Storage Unit and Drawer Units Material</b>	0.8 mm M S sheet	0.6 mm M S Sheet (Not as per IS 8126), 0.7 mm M S sheet, 0.8 mm M S sheet, 0.9 mm m s sheet, 1.0 mm m s sheet, 1.1 mm m s sheet, 1.2 mm m s sheet, 0.5 mm m s sheet, 0.6 mm MS sheet CRCA as per IS 513 latest
	Shoes Material	Rubber	*
GENERIC	Conformity to Indian Standard IS: 8126 Latest	No	*
	<b>Storage</b>	one side	one side, both side
	<b>Total Number of Storage Units</b>	triple storage	single storage, double storage, triple storage, four storage, five storage, six storage
	Cup Board / Locker type Storage Units	three	*
	Type of Storage Units	Fig 1A of IS 8126	*
	Lock on all storage units	not Provided	*
	Loading capacity of table top in KG ( ±5 Kg)	100 KG	*
	<b>Table Top Material and Thickness (±2 mm)</b>	18 mm thick prelaminated Particle Board (Not as per IS	20 mm thick MDF Board of grade SBG II conforming to IS 12406

		8126)	laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side, 18 mm thick prelaminated Particle Board (Not as per IS 8126), 20 mm multiplex board, 40 mm multiplex board, 50 mm multiplex board, 25 mm thick MDF Board., 11 mm thick compact laminate (BSL) IS 2046 -1995, 18 mm thick prelaminated Particle Board as per IS 12823
	<b>Padestal (Under structure)</b>	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm, Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126), Mild steel rectangular section of out side minimum 30 mm X 20 mm & Wall thickness minimum 1.2 mm, Mild steel ERW tube 38 mm x 25 mm x 1.2 mm thick, MS rectangular section of 38 mm X 25 mm with thickness of 1.2 mm
	<b>Table Top Length ±10(mm)</b>	1500	*
	<b>Table Top Width ±10(mm)</b>	750	470, 600, 690, 750, 800, 900, 705, 450, 580
	<b>Table Height ±5(mm)</b>	735	710, 735, 760, 800, 840, 850, 860, 750, 745, 725
DIMENSION	Width of Storage Unit ±5(mm)	450	*
	<b>Depth of Storage Unit ±10(mm)</b>	600	355, 600, 650, 700, 725, 575, 550

	Overall Height of Storage Units $\pm 10$ mm	560 mm	*
	Height of smallest Storage Compartment / Drawer $\pm 3$ mm	100 mm	*
	Height of medium size Storage Compartment / Drawer $\pm 5$ mm	SAME AS SMALLEST	*
	Height of Largest Storage Compartment / Drawer $\pm 5$ mm	SAME AS MEDIUM	*
	<b>Width of Locker / Cupboard type Storage unit</b>	450 mm	450 mm, 500 mm, 560 mm, N.A, 350 mm, 355 mm
	<b>Depth of Locker / Cupboard type Storage unit</b>	600 mm	600 mm, 650 mm, 700 mm, 725 mm, N.A, 560 MM, 550 mm
	Height of Locker / Cupboard type Storage unit	405 mm	*
MISC	Foot Rest Provided	YES	*
COLOUR & FINISH	Colour of Lamination	brown	*
	Paint	Powder coated	*
	Colour of Paint	gray	*
CERTIFICATION	<b>ISI Marked</b>	No	Yes, No
	<b>Test reports to be furnished to buyer on demand</b>	YES	YES, NO
	<b>BIFMA certification</b>	NO	YES, NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	NO	YES, NO
	<b>OEM of offered product is ISO 14001:2015 certified</b>	NO	YES, NO
	<b>OEM of offered product is ISO 18001:2007 certified</b>	NO	YES, NO
	<b>Green guard certification</b>	NO	YES, NO
WARANTEE	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	2	1, 2, 3, 4, 5

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

## Additional Specification Documents

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	F.KAPMAWII	796004,Mizoram University, Tanhril, Aizawl, Mizoram	2	30

### Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
2. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
3. ISO 9001: The bidder must have ISO 9001 certification.

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**