

Bid Document

Bid Details	
Bid End Date/Time	28-07-2020 10:00:00
Bid Opening Date/Time	28-07-2020 10:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Pmo
Department Name	Department Of Atomic Energy
Organisation Name	Uranium Corporation Of India Limited
Office Name	Jaduguda
Total Quantity	4
Item Category	Reversion Oil Bath (PAC Only)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Reversion Oil Bath (4 pieces) (Under PAC)

Make	arc
Model	arc-1201-wb

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
ITEM	Item	Reversion Oil Bath	*
	Temperature Controller Type	Digital	Digital
MATERIAL	Material of Inner Chamber	Polished Stainless Steel 304	*
	Material of Outer Chamber	CRC Sheet with dual side powder coated, Stainless steel 304	CRC Sheet with dual side powder coated, Stainless steel 304
	Oil filling Provided	No	Yes, No
DESIGN	Features available	Micro processor based double display digital PID controller, Temperature range, Resolution	Micro processor based double display digital PID controller, Temperature range, Resolution
	Heating	Through high efficient stainless steel tubular heating system	Through high efficient stainless steel tubular heating system
	Lid Provided	Yes	Yes
	Oil Circulation	Continuous stirring through stirrer motor of reputed make	Continuous stirring through stirrer motor of reputed make
	Temperature Accuracy	± 0.5°C	*
	Insulation Material	Cera-wool	Cera-wool
	Power supply	230V AC, Single Phase, 50Hz	230V AC, Single Phase, 50Hz
DIMENSION	Inner Chamber Dimension(L X W X H)(in cm)	110 X 50 X 55	110 X 50 X 55
	Thickness of insulated material(in mm)	60	60
	Maximum Power Rating(killo watt)	8	8
PERFORMANCE	Suitable for conducting reversion test as per clause no 10 POINT 4 of IS:4985	YES	*
	Achievable Temperature	Upto 250°C	*

- * Specifications highlighted in bold are the Golden Parameters.
- * Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sunfriday Kharlyngdoh	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	4	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---