

Bid Number: GEM/2020/B/668217

Dated: 11-06-2020

#### **Bid Document**

Bid Document			
Bid Details			
Bid End Date/Time	22-06-2020 21:00:00		
Bid Opening Date/Time	2020-06-22 21:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	30 (Days)		
Ministry/State Name	Pmo		
Department Name	Department Of Space		
Organisation Name	Indian Institute Of Space Science Technology		
Office Name	list Kerala		
Total Quantity	1		
Item Category	Desktop Computers		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Document required from seller	Experience Criteria,OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Bid to RA enabled	No		

#### **EMD Detail**

Required	No
----------	----

### ePBG Detail

Required	No

## Splitting

Bid splitting not applied.

# **Desktop Computers (1 pieces)**

**Technical Specifications** 

## \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Processor	Processor Make	Intel	Intel
	Processor Generation	8	7.0, 8.0 Or higher
	Number of Cores per Processor	2	2, 4, 6, 8 Or higher
	Processor Base Frequency (GHz)	3.7	*
	Processor Description	Intel Pentium	Intel Pentium, Intel Core i3, Intel Core i5, Intel Core i7, Intel Core i9 Or higher
	Processor Number	Intel Pentium Gold G5400	Intel Pentium Gold G5400, Intel Pentium Gold G5500, Intel Pentium Gold G5600, Intel Core i3 7100T, Intel Core i3 7300T, Intel Core i3 7300T, Intel Core i3 7100, Intel Core i3 8100T, Intel Core i3 7300, Intel Core i3 8300T, Intel Core i3 7350K, Intel Core i3 8100, Intel Core i3 8100, Intel Core i5 7400T, Intel Core i5 7400T, Intel Core i5 7400T, Intel Core i5 7500T, Intel Core i5 7600T, Intel Core i5 7500, Intel Core i5 7600K, Intel Core i5 7600K, Intel Core i5 8500T, Intel Core i5 8500T, Intel Core i5 8600, Intel Core i5 8600, Intel Core i5 8600, Intel Core i7 7700T, Intel Core i7 7700T, Intel Core i7 7700T, Intel Core i7 8700T, Intel Core i7 8700T, Intel Core i7 8700T, Intel Core i7 8700T, Intel Core i7 8700K, Intel Core i7 8700K, Intel Core i3 9300, Intel Core i3 9300, Intel Core i3 9300, Intel Core i5

			9500, Intel Core i5 9600, Intel Core i7 9700, Intel Core i9 9900, Intel Core i9 9900K, Intel Core i9 9900KS, Intel Core i9 9900KS, Intel Core i7 9700KF, Intel Core i7 9700KF, Intel Core i7 9700KF, Intel Core i7 9700KF, Intel Core i5 9600K, Intel Core i5 9600KF, Intel Core i5 9600KF, Intel Core i5 9500F, Intel Core i3 9350KF, Intel Core i3 9350KF, Intel Core i3 9350KF, Intel Core i3 9350K, Intel Core i3 9350K, Intel Core i3 9350K, Intel Core i3 9350K, Intel Core i5 9600T, Intel Core i5 9600T, Intel Core i3 9300T, Intel Core i3 9100F, Intel Core i3 9300T, Intel Core i3 9300T, Intel Core i3 9100T, Intel Core i3 9100T, Intel Pentium Gold G6600, Intel Pentium Gold G6500, Intel Pentium Gold G5620, Intel Pentium Gold G6400 Or higher
	Out of Band Management	NA	*
	Cache (MB)	4	*
Motherboard	Chipset Series	Intel H Series	Intel H Series, Intel B Series, Intel Q Series Or higher
	Expansion Slots (PCle x 1) (Number)	0	*
	Chipset Number	Intel H310	Intel H310, Intel H370, Intel B360, Intel Q 250, Intel Q 270, Intel Q 370, Intel B 365 Or higher
	Expansion Slots (PCle x 4) (Number)	0	*
	Expansion Slots (PCle x 16) (Number)	1	*
	Expansion Slots (PCI) (Number)	0	*
	Expansion Slots (M Dot 2)	1	*

Graphics	Graphics Type	Integrated	*
	Graphic Card Description	-	*
	Size of Memory in Case of Dedicated Graphic Card (GB)	0	*
	Size of VRAM in case of Integrated Graphics (MB)	-	*
Operating System	Operating System (Factory Pre-Loaded)	DOS	Linux, DOS
	Recovery Image Media	-	*
	OS Certification	Windows	*
Memory	Type of RAM	DDR4	*
	RAM Size (GB)	4	4, 8, 16, 32, 64 Or higher
	RAM Speed (MHz)	2400	*
	Total Numbers of DIMM Slots Available	2	*
	Number of DIMM Slots populated	1	*
	RAM Expandability up to( using spare DIMM Slots in GB)	32	32, 64, 128 Or higher
Storage	Total Number of Internal Bays available	1	*
	Number of 2 point 5 inches internal Bays	0	*
	Number of 3 point 5 inches Internal Bays	1	*
	Number of 2 point 5 Inches Internal Bays Populated	0	*
	Number of 3 point 5 Inches Internal Bays Populated	1	*
	Type of Drives used to populate the Internal Bays	HDD	HDD
	Number of Internal Bays populated with HDD	1	*
	Capacity of each HDD (GB)	1000 @7200 rpm	*
	Total HDD Capacity (GB)	1000	1000, 1500, 2000, 2500, 3000 Or higher

	Number of Internal Bays populated with SSD	0	*
	Capacity of each SSD (GB)	0	*
	Total SSD Capacity (GB)	0	128, 256, 384, 512, 768, 0, 1024, 2048 Or higher
	Number of Internal Bays populated with SSHD	0	*
	Capacity of each SSHD (GB)	NA	*
	Total SSHD Capacity in addition to 8 GB Flash (GB)	0	500, 1000, 2000, 0 Or higher
	Optane Memory (GB)	0	*
Cabinet	Cabinet Form Factor	Tower (13.1 to 26 Litres)	Tower (13.1 to 26 Litres)
	Cabinet Volume (Litres)	-	*
	External Bays (Number)	1	*
	Optical Drive	N/A	*
	Internal Speaker	Yes	*
	Audio-in	Yes	*
	Audio-out	Yes	*
	Headphone out	Yes	*
	Microphone-in	Yes	*
Connectivity	Wireless Connectivity	Yes	*
	If Yes, Type of Wireless Connectivity	Wi-Fi 802.11ac	*
	Number of Ethernet Ports	1	*
	Type of Ethernet Ports	10/100/1000 on board Integrated Gigabit Port	*
	Bluetooth Connectivity	No	*
	If Yes, Version of Bluetooth Available	0	*
Ports	Number of USB Version 2 Point 0 Ports	4	*
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	4	*
	Number of USB Version	0	*

	3 point 1, Gen 2 Ports		
	Number of USB Type C Ports	0	*
	Number of Serial Ports	1	*
	Number of Parallel Ports	0	*
	Number of VGA Ports	1	*
	Number of HDMI Ports	1	*
	Number of DP Ports	0	*
Monitor	Model of the Monitor	-	*
	<b>Monitor Technology</b>	IPS	IPS Or higher
	LED Backlit Monitor Size (INCHES)	19.5	19.5, 21.5, 22, 23, 24, 27, 20, 23.8 Or higher
	Monitor Resolution (PIXELS)	1440 x 900	1440 x 900, 1600 x 900, 1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 1280 x 1024, 2560 x 1440 Or higher
	TCO Certification for Monitor	-	*
	Number of VGA Ports in the Monitor	1	*
	Number of HDMI Ports in the Monitor	0	*
	Number of Display Ports in the Monitor	0	*
	Availability of Webcam integrated with Monitor	No	*
	If Yes, Resolution of Webcam	NA	*
	Availability of Speakers integrated with Monitor	No	*
	If Yes, Number of Speakers available	0	*
Power	Power Supply Capacity (Watt)	-	*
	Minimum Power Efficiency Range (%)	85 - 89	*
Certification	ROHS Compliance	Yes	*
	BEE / Energy Star for the given Model	Yes	*
Input Devices	Mouse Connectivity	Wired	*
	Type of Mouse	Optical Scroll	*

	Keyboard Connectivity	Wired	*
	Type of Keyboard	Standard	*
Operating Conditions	Minimum Operating Temperature	10	*
	Maximum Operating Temperature	40	*
	Minimum Operating Humidity (%RH)	10	*
	Maximum Operating Humidity (%RH)	90	*
Warranty	On Site OEM Warranty (Year)	3	3, 5, 4 Or higher

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

#### **Additional Specification Documents**

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Rakesh R. Menon	695547,INDIAN INSTITUTE OF SPACE SCIENCE AND TECHNOLOGY, VALIAMALA P.O, NEDUMANGAD, THIRUVANATHAPURAM- 695 547	1	60

#### Special terms and conditions for category Desktop Computers

1. As per notification of MEITY circulated vide letter no. F.No.33(1)/2017-IPHW..dated :14/09/2017, the minimum local content should be 45.percent to qualify as local or domestic manufacturer.\n\nSeller has to ensure that operating system software etc comes preloaded with machine from respective OEM. Any deviation in respect of genuinity and authenticity of OS will attract severe penalty on part of seller as law of the land and contractual provisions. Buyer are also requested to verify the key no of OS etc with server of Microsoft/Linux before accepting machines to avoid complexity at latter stage.

# **Bid Specific Additional Terms and Conditions**

#### 1. Malicious Code Certificate:

The seller should upload following certificate in the bid:-

- (a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-
  - (i) Inhibit the desires and designed function of the equipment.
  - (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

- (b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.
- 2. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
- 3. The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST. Applicable Concessional rate of GST: 5% Notification No.and date: 45/17 & 47/17 dated 14/11/2017
- 4. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 5. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 6. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 7. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 5 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

This Bid is also governed by the General Terms and Conditions

---Thank You---