

Bid Document

Bid Details	
Bid End Date/Time	18-07-2020 16:00:00
Bid Opening Date/Time	18-07-2020 16:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	N/a
Office Name	Office Of Principal Chief Materials Manager, South Western Railway, Hubli
Total Quantity	2
Item Category	chairs-office
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Chairs-office (2 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other then wood) used in Polythene cane Chair	NOT APPLICABLE	NOT APPLICABLE
	Material of Fabric Back Cover	leather foam	leather foam
	Thickness of Plywood used in Backrest IN MM (± 1 mm)	25 mm	*
	Frame Material	STAINLESS STEEL	STAINLESS STEEL
	Density of Polyurethane Foam Used in Seat ± 2 (Kg/Cub M)	32 Kg/Cub.M	*
	Material of Fabric of Seat Cover	leather foam	leather foam
	Density of Polyurethane Foam Used in Backrest ± 2 (Kg/Cub M)	32 Kg/Cub.M	*
	Thickness of Plywood used in Seat ± 1(mm)	25 mm	25 mm
	GSM/Thickness of Fabric ± 5 (Gram per Sq Meter)	220 Gram per Sq Meter	220 Gram per Sq Meter
	Arm Material	chrome mild steel	chrome mild steel
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	50 mm	50 mm
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	50 mm	50 mm
	Shoe Type	nylon rubber	*
GENERIC	Conformity to Indian Standard IS 3499 (Part-1) Latest	No	*
	Chair Type	With Arms	With Arms
	Type of Seat and Backrest	Seat made of padded with polyurethane foam and Backrest made of Mesh with support of injection moulded	Seat made of padded with polyurethane foam and Backrest made of Mesh with support of injection moulded

		polypropylene	polypropylene
	Frame Type	4 Legs	4 Legs
	Castors	With	With
DIMENSION	Size of Material (mm)	14 SWG 25 mm round pipe	14 SWG 25 mm round pipe
	Chair Height ±15(mm)	800 mm	800 mm
	Seat Depth ±10(mm)	350 mm	350 mm
	Seat Width ±10 (mm)	350 mm	350 mm
	Seat Height IN MM ±5(mm)	430	430
	Backrest Width ±10(mm)	380 mm	380 mm
	Backrest Height ±10(mm)	300 mm	300 mm
	Arm Length ±5(mm)	250 mm	250 mm
	Arm Width ±2(mm)	30 mm	30 mm
COLOUR & FINISH	Colour of Fabric for Seat and Backrest	black	*
	Paint Type	N.A	N.A
	Colour of Paint	NA	*
CERTIFICATION	Polythene cane conforming to Type-1 of IS 5378 /1994	NO	*
	Test reports to be furnished to buyer on demand	NO	NO
	BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	NO	NO
	OEM of offered product is ISO 14001:2015 certified	NO	NO
	OEM of offered product is ISO 18001:2007 certified	NO	NO
WARRANTY	Warranty period in number of years	3	3

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	S Gnanadurai	570001,O/o Divisional Railway Manager, Office Complex, South Western Railway Divisional Office, Mysore.	2	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---