

Bid Number: GEM/2020/B/707507

Dated: 13-07-2020

Bid Document

| bid bocament | | | | |
|--|--|--|--|--|
| Bid Details | | | | |
| Bid End Date/Time | 27-07-2020 09:00:00 | | | |
| Bid Opening Date/Time | 27-07-2020 09:30:00 | | | |
| Bid Life Cycle (From Publish Date) | 90 (Days) | | | |
| Bid Offer Validity (From End Date) | 30 (Days) | | | |
| Ministry/State Name | Haryana | | | |
| Department Name | Police Department Haryana | | | |
| Organisation Name | Haryana Police Housing Corporation Panchkula | | | |
| Office Name | Hphc Panchkula | | | |
| Total Quantity | 1 | | | |
| Item Category | Executive Table (PAC Only) | | | |
| MSE Exemption for Years of Experience and Turnover | No | | | |
| Startup Exemption for Years of Experience and Turnover | No | | | |
| Document required from seller | OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer | | | |
| Bid to RA enabled | No | | | |
| Inspection Required | No | | | |

EMD Detail

| Required | No |
|----------|----|

ePBG Detail

| Required | No |
|----------|----|
|----------|----|

Splitting

Bid splitting not applied.

Executive Table (1 pieces) (Under PAC)

| Make | tectonagrandis |
|-------|----------------|
| Model | acasia |

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|---------------|--|--|--|
| GENERIC | Mode of supply | Knocked Down To Be Assembled At Consignee Site By Consignee Himself | Assembled Ready To Use, Knocked Down To Be Assembled At Consignee Site By Consignee Himself |
| | Frame type | Free standing | * |
| | Understructure of table | Gable end and modesty panel | * |
| | Storage provided | One side | One side |
| | Keyboard tray | Not provided | Provided, Not provided |
| | Foot rest | Provided | Provided |
| MATERIAL | Table top Material | Commercial Block Board MR Grade Conforming to IS 1659 | MDF board of grade SBG II of IS 12406/Latest, Commercial Block Board MR Grade Conforming to IS 1659 |
| | Gable end and modesty panel material | Commercial Block Board MR Grade Conforming to IS 1659 | Flat single layer prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest, Commercial Block Board MR Grade Conforming to IS 1659 |
| | Leg Material | NO LEGS | NO LEGS |
| MISC | Table top long sides | To be post form half round profile | * |
| | Table top plain sides | CP Teak Wood Lipping | * |
| | Gable end and modesty panel plain side | CP Teak Wood Lipping | * |
| | Number of buffers provided | N.A | * |
| DIMENSION | Thickness of table top ±2 mm | 38 | 38.0 |
| | Thickness of gable end and modesty panel | 38 | * |

| | ±2mm | | |
|---------------|---|------------------------------------|--------------------------------|
| | Length of table top ±10 mm | 1830 | 1830.0 |
| | Depth of table ±10 mm | 1100 | 1100.0 |
| | Height of table ±10 mm | 750 | 750.0 |
| | Dimension of leg(mmXmm) ±5mm | No legs | No legs |
| STORAGE UNIT | Number of Storage unit provided | Double storage | Single storage, Double storage |
| | Width of storage unit ±10mm | 400mm | * |
| | Depth of storage unit in mm (±10mm) | 600 | * |
| | Height of smallest storage unit ±5mm | N.A | * |
| | Height of medium storage unit ±5mm | N.A | * |
| | Height of largest storage unit ±5mm | N.A | * |
| KEYBOARD TRAY | Type of keyboard tray | N.A | * |
| | Material of keyboard tray and Right angle L- type supporting bracket | N.A | * |
| | Keyboard adjustablity | N.A | * |
| | fixing of supporting bracket | N.A | * |
| | Length of telescopic channe±l0mm | N.A | * |
| | Average weight of telescopic channel ±50Gms | N.A | * |
| | Keyboard front width±10mm | N.A | * |
| | Keyboard depth±10mm | N.A | * |
| | Keyboard height±10mm | N.A | * |
| | Finish of exposed edges of keyboard tray | N.A | * |
| | Material thickness of keyboard tray ±1mm | N.A | * |
| FOOTREST | Material of footrest | Commercial Block Board MR Grade | * |

| | | Conforming to IS 1659 | |
|-----------------|--|--|------|
| | Length of footrest ±10mm | N.A | * |
| | Depth of footrest ±10mm | N.A | * |
| | Height of footrest ±10mm | N.A | * |
| | Finish of exposed edges | CP Teak Wood Lipping | * |
| | Material thickness of footrest ±2mm | 38mm | 38mm |
| COLOUR & FINISH | Table top finish | Laminate in colour with swede finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side | * |
| | Table top shade | Dark walnut | * |
| WARRANTY | Warrantee period in number of years | 1 | 1 |
| CERTIFICATION | Test reports to be furnished to buyer on demand | NO | * |
| | Product having BIFMA certification | NO | NO |
| | OEM of offered product is ISO 9001:2015 certified | NO | NO |
| | OEM of offered product is ISO 14001:2015 certified | NO | NO |
| | OEM of offered product is ISO 18001:2007 certified | NO | NO |

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporti | Address | Quantity | Delivery Days |
|-------|-------------------|---------|----------|---------------|

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

| | ng Officer | | | |
|---|------------|--|---|----|
| 1 | | 124001,Kothi No. 7, PTC Sunaria Rohtak - 124001 | 1 | 45 |

Bid Specific Additional Terms and Conditions

- 1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
- 2. Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid

This Bid is also governed by the General Terms and Conditions

---Thank You---