

Bid Number: GEM/2020/B/702730

Dated: 08-07-2020

Bid Document

Document				
Bid Details				
20-07-2020 10:00:00				
20-07-2020 10:30:00				
90 (Days)				
30 (Days)				
Ministry Of Railways				
Na				
Central Organisation For Railway Electrification (core)				
Head Quarters				
6				
chairs-office				
No				

EMD Detail

Required	No

ePBG Detail

Required	No

Splitting

Bid splitting not applied.

Chairs-office (6 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other then wood) used in Polythene cane Chair	hot pressed board	hot pressed board, plastic net
	Material of Fabric Back Cover	plastic net	plastic net
	Thickness of Plywood used in Backrest IN MM (±1 mm)	N.A	*
	Frame Material	CRCA ERW round pipe	CRCA ERW round pipe, STAINLESS STEEL 202
	Density of Polyurethane Foam Used in Seat ±2 (Kg/Cub M)	35 Kg/Cub.M	*
	Material of Fabric of Seat Cover	plastic net	plastic net
	Density of Polyurethane Foam Used in Backrest ±2(Kg/Cub M)	N.A	*
	Thickness of Plywood used in Seat ±1(mm)	N.A	N.A
	GSM/Thickness of Fabric ±5 (Gram per Sq Meter)	80 Gram per Sq Meter	220 Gram per Sq Meter, 80 Gram per Sq Meter
	Arm Material	NA	NA, polypropelene
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	N.A	N.A
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	15 mm	15 mm
	Shoe Type	nylon rubber	*
GENERIC	Conformity to Indian Standard IS 3499 (Part-1) Latest	No	*
	Chair Type	With Arms	With Arms
	Type of Seat and Backrest	Made of Polythene cane	Made of Polythene cane
	Frame Type	Cantilever	Cantilever

	Castors	Without	Without
DIMENSION	Size of Material (mm)	2 mm thick 25 mm tube	14 SWG 25 mm round pipe, 2 mm thick 25 mm tube
	Chair Height ±15(mm)	890 mm	890 mm
	Seat Depth ±10(mm)	430 mm	430 mm, 500 mm
	Seat Width ±10 (mm)	450 mm	450 mm
	Seat Height IN MM ±5(mm)	460	460
	Backrest Width ±10(mm)	380 mm	380 mm
	Backrest Height ±10(mm)	300 mm	300 mm, 550 mm
	Arm Length ±5(mm)	N.A	350 mm, N.A
	Arm Width ±2(mm)	N.A	75 mm, N.A
COLOUR & FINISH	Colour of Fabric for Seat and Backrest	black	*
	Paint Type	powder coated on MS	chrome, powder coated on MS
	Colour of Paint	black	*
CERTIFICATION	Polythene cane conforming to Type-1 of IS 5378 /1994	NA	*
	Test reports to be furnished to buyer on demand	NO	YES, NO
	BIFMA certification	YES	YES, NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES, NO
	OEM of offered product is ISO 14001:2015 certified	YES	YES, NO
	OEM of offered product is ISO 18001:2007 certified	YES	YES, NO
WARRANTY	Warranty period in number of years	1	1

Additional Specification Documents

^{*} Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Amit Kumar Meena	331023,Office of the AEE/RE, Near Railway Club, Loco Railway Colony Sadulpur Distt. Churu, Rajasthan (Pin-331023)	6	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---