

Bid Number: GEM/2020/B/699268

Dated: 10-07-2020

### **Bid Document**

Blu Document			
Bid Details			
Bid End Date/Time	24-07-2020 14:00:00		
Bid Opening Date/Time	24-07-2020 14:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	70 (Days)		
Ministry/State Name	Himachal Pradesh		
Department Name	Health And Family Welfare Department Himachal Pradesh		
Organisation Name	N/a		
Office Name	Pt Jawaharlal Nehru Govt Medical College Hospital		
Total Quantity	4		
Item Category	Almirah Steel		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Bid to RA enabled	No		
Inspection Required	No		
Estimated Bid Value	66660		

#### **EMD Detail**

l l Required	I No
Required	NO

#### ePBG Detail

Required	No

### Splitting

Bid splitting not applied.

# Almirah Steel ( 4 pieces )

### **Technical Specifications**

## \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Conformity to Indian Standard IS:3312 latest	No	Yes, No
	No of shelves (Nos)	4	4
	Type of Shelves	Adjustable	Adjustable, Fixed
	Locker Provided	No	Yes, No
	Locking System with the locker	NA	NA
	Cloth hanging provision in the Almirah	No	*
	Number of Doors (Nos)	2	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	3	3
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A	2, 4, 6, 8, 10, 12, N.A
	Construction	Welded	Welded
	Lock	Three Way bolting device controlled by lock	Three Way bolting device controlled by lock
MATERIAL	Material	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	M S Sheet	M S Sheet
	Sheet Thickness of Locker	N.A	0.7 mm, 0.8 mm, 0.9 mm, 1.0 mm, N.A
	Length of Glass Sheet ±10 (mm)	N.A	N.A

•			
	Width of Glass Sheet ±10 (mm)	N.A	N.A
	Sheet Thickness of door in mm	0.9 mm	0.9 mm
	Sheet Thickness of sides, back , Top and Bottom	0.8 mm (Minimum)	0.8 mm (Minimum), 1.0 mm
	Sheet Thickness of Shelves	0.8 mm	0.8 mm, 1.0 mm
	Sheet Thickness of Pedestal in mm	0.9 mm	0.9 mm
	Material of Lock	lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle	lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle
	Material of Keys	keys made of MAZAK / ZAMAK having nickle plated finish	keys made of MAZAK / ZAMAK having nickle plated finish
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1855	*
	Width in mm (± 7 mm)	910	910.0
	Depth in mm (±5 mm)	486	486.0
	Inside Height of Locker in mm (± 5 mm)	N.A	*
	Inside Width of Locker in mm (±5 mm)	N.A	380 mm, 455 mm, 510 mm, 760 mm, 910 mm, 916 mm, 1023 mm, N.A, 430 mm, 440 mm
	Inside Depth of Locker in mm (±5 mm)	N.A	430 mm, 455 mm, 486 mm, N.A, 390 mm, 400 mm, 410 mm, 420 mm
	Width of Stiffner in mm (±5 mm)	N.A	115 mm, 125 mm, 140 mm, 155 mm, N.A, 85 mm, 95 mm, 105 mm
	Thickness of MS Sheet of Stiffner (in mm)	0.9 mm	0.9 mm
	Stiffened Pedestal height in mm (±2 mm)	130	130

	Pedestal Width in mm (±2 mm)	80	80
COLOUR & FINISH	Finish	powder coated	powder coated
	Colour of Paint	ash gray	*
	Packing:	Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap	*
CERTIFICATION	ISI marked	No	*
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1	1

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

#### **Additional Specification Documents**

#### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Ravinder Kumar Sharma	176310,Medical College Near Luxmi Naryan Mandir	4	15

# **Bid Specific Additional Terms and Conditions**

- 1. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 2. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 3. For clothing and allied items, if pre-dispatch Inspection clause has been selected in the Bid, the Inspection Agency shall forward sample from the accepted lot duly identified/ sealed by it, as Reference Sample to each consignee (one reference sample per consignee) for comparing the lot received at consignee end with such reference sample. Such reference samples will be treated as part of supplied quantity from the lot and cost shall be borne by the Buyer.
- 4. ISO 9001: The bidder must have ISO 9001 certification.
- 5. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 6. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
- 7. WORLD BANK TERMS AND CONDITIONS: Special Terms and Conditions as defined by world bank at <u>click here</u> will also be applicable. APPLICABLE ONLY IN CASE OF WORLD BANK FUNDED PROJECTS.

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

# This Bid is also governed by the General Terms and Conditions

## ---Thank You---