

### Bid Document

Bid Details	
Bid End Date/Time	24-07-2020 13:00:00
Bid Opening Date/Time	24-07-2020 13:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Home Affairs
Department Name	Central Armed Police Forces
Organisation Name	Border Security Force (bsf)
Office Name	Shq Bsf Barmer
Total Quantity	4
Item Category	Air Conditioner
Experience Criteria	1 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years Of Experience	Yes
Bid to RA enabled	No
Inspection Required	No
Estimated Bid Value	99960

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of

the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

## Air Conditioner ( 4 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
CONFORMITY / CERTIFICATION	<b>BEE Star Rating</b>	3	3
	Conformity to Indian Standard	IS 1391 latest	*
CAPACITY / GENERIC	<b>Type of Air conditioner</b>	Window AC	Window AC
	<b>Technology of AC</b>	Inverter (Variable Speed)	Inverter (Variable Speed)
	<b>Nominal cooling capacity in Ton / (kcal/hr)</b>	1.5 Ton / 4500 kcal/hr	1.5 Ton / 4500 kcal/hr
	<b>Coil Material</b>	Copper	Copper
	<b>Eco-friendly refrigerant</b>	Yes	Yes
	<b>Minimum length of copper pipe and suitable connecting electrical cable for installation and commissioning</b>	NA' for Window AC	NA' for Window AC
	Packing List	-	*
	Any other Features	-	*
WARRANTY	<b>Warranty on Machine</b>	3	3.0, 1.0
	<b>Warranty on Compressor</b>	5	5, 6, 7, 8, 9, 10 Or higher
INSTALLATION	<b>Installation and commissioning</b>	With Installation and Commissioning	With Installation and Commissioning

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Additional Specification Documents

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Hari Ram	344001,SHQ BSF BARMER OLD JAISHALMER ROAD BARMER	4	15

**Special terms and conditions for category Air Conditioner**

1. Scope of installation and Commissioning for Cassette AC
  1. Mounting/Fitting of indoor and outdoor units at the respective locations after cutting the false ceiling / drilling holes into the roof, if required.
  2. Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.
  3. Charging Refrigerant gas in the unit.
  4. Suitable electric wiring between indoor unit and switch upto 3 meters length.
  5. Testing for satisfactory working without any abnormal noise as well as leakage test of entire system.
2. Following are not included in the scope of supply for Cassette AC:
  1. Refrigerant pipe of required length.
  2. Set of 4 nos. of Rods for fixing Cassette AC to the roof.
  3. Chiselling / Ducting / grooving for concealing the Refrigerant piping / cabling.
  4. Switches/ Sockets / Plug Tops / Voltage Stabilizer.
3. Scope of installation and Commissioning for Floor Standing Split AC
  1. Mounting/Fitting of indoor and outdoor units at the respective locations.
  2. Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.
  3. Charging Refrigerant gas in the unit.
  4. Suitable electric wiring between indoor unit and switch upto 3 meters length.
  5. Testing for satisfactory working without any abnormal noise as well as leakage test of entire system.
4. Following are not included in the scope of supply for Floor Standing Split AC
  1. Refrigerant pipe of required length.
  2. Chiselling / Ducting / grooving for concealing the Refrigerant piping / cabling.
  3. Switches/ Sockets / Plug Tops / Voltage Stabilizer.
5. Buyers shall ensure that wherever they opt for Air Conditioner 'with installation at Extra Cost', they have to select separately priced installation at extra cost. Similarly, the buyers may also order separately priced accessories for Air Conditioners such as Metallic mount, Set of Hanging Rods for Cassette AC, Drain pipe, Extra Refrigerant Pipe, Extra Electric Cable.
6. In addition to general terms and conditions of the GeM following special T&C shall be applicable:
  1. "Refrigerant Pipe / Refrigerant Piping", wherever is referred in this document, means, "Set of two copper pipes one for suction other for discharge with suitable insulation for carrying the Refrigerant along with suitable connecting electrical cable".
  2. The Scope of installation and Commissioning for different types of Air Conditioners when opted by the buyer shall be as under: Scope of installation and Commissioning for Window AC :-
    1. Mounting/Fitting of Window AC, with necessary alignment work, in already made window frame.
    2. Suitable electric wiring upto 3 meters length between Window AC and Power Socket / voltage stabilizer.
    3. Testing for satisfactory working without any abnormal noise as well as leakage test of entire system.

3. Following are not included in the scope of supply for Window AC:
  1. Carpentry work for making the window frame and fixing of wooden frame.
  2. Switches/ Sockets / Plug Tops / Voltage Stabilizer.
4. Scope of installation and Commissioning for High wall Split AC :-
  1. Mounting/Fitting of indoor and outdoor units at the respective locations.
  2. Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.
  3. Charging Refrigerant gas in the unit.
  4. Suitable electric wiring between indoor unit and switch upto 3 meters length.
  5. Testing for satisfactory working without any abnormal noise as well as leakage test of entire system.
5. Following are not included in the scope of supply for High wall Split AC:
  1. Chiselling / Ducting / grooving for concealing the Refrigerant piping / cabling.
  2. Switches/ Sockets / Plug Tops / Voltage Stabilizer.

## **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**