

Bid Number: GEM/2020/B/707271

Dated: 12-07-2020

Bid Document

Bid Details			
Bid End Date/Time	22-07-2020 14:00:00		
Bid Opening Date/Time	22-07-2020 14:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	30 (Days)		
Ministry/State Name	Rajasthan		
Department Name	Technical Education Department Rajasthan		
Organisation Name	Rajasthan Technical University (rtu) Kota		
Office Name	Rajasthan Technical University Kota		
Total Quantity	50		
Item Category	chairs-office (PAC Only)		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Bid to RA enabled	No		
Inspection Required	No		

EMD Detail

Required	No

ePBG Detail

Splitting

Bid splitting not applied.

Chairs-office (50 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterioearlvisitorchair

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other then wood) used in Polythene cane Chair	NOT APPLICABLE	NOT APPLICABLE
	Material of Fabric Back Cover	polyster	polyster
	Thickness of Plywood used in Backrest IN MM (±1 mm)	12 mm	*
	Frame Material	ERW pipe	ERW pipe
	Density of Polyurethane Foam Used in Seat ±2 (Kg/Cub M)	45 Kg/Cub.M	*
	Material of Fabric of Seat Cover	fabric	fabric
	Density of Polyurethane Foam Used in Backrest ±2(Kg/Cub M)	45 Kg/Cub.M	*
	Thickness of Plywood used in Seat ±1(mm)	12 mm	12 mm
	GSM/Thickness of Fabric ±5 (Gram per Sq Meter)	250 Gram per Sq Meter	250 Gram per Sq Meter
	Arm Material	Polyurethane on metal	Polyurethane on metal
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	40 mm	40 mm
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	50 mm	50 mm
	Shoe Type	plastic	*

GENERIC	Conformity to Indian Standard IS 3499 (Part-1) Latest	No	*
	Chair Type	With Arms	With Arms
	Type of Seat and Backrest	Padded with Polyurethane Foam	Padded with Polyurethane Foam
	Frame Type	4 Legs	4 Legs
	Castors	Without	Without
DIMENSION	Size of Material (mm)	2 mm thick 25 mm tube	2 mm thick 25 mm tube
	Chair Height ±15(mm)	830 mm	830 mm
	Seat Depth ±10(mm)	430 mm	430 mm
	Seat Width ±10 (mm)	500 mm	500 mm
	Seat Height IN MM ±5(mm)	430	430
	Backrest Width ±10(mm)	500 mm	500 mm
	Backrest Height ±10(mm)	450 mm	450 mm
	Arm Length ±5(mm)	250 mm	250 mm
	Arm Width ±2(mm)	50 mm	50 mm
COLOUR & FINISH	Colour of Fabric for Seat and Backrest	black	*
	Paint Type	powder coated on MS	powder coated on MS
	Colour of Paint	black	*
CERTIFICATION	Polythene cane conforming to Type-1 of IS 5378 /1994	NA	*
	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES
WARRANTY	Warranty period in number of years	1	1

- * Specifications highlighted in bold are the Golden Parameters.
- * Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	V V D N Kamesh	324010,Rajasthan Technical University, Rawatbhata Road,	50	30

Bid Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 2. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- 3. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

This Bid is also governed by the General Terms and Conditions

---Thank You---