

RA Document

RA Details	
RA Technical End Date/Time	27-07-2020 14:00:00
RA Opening Date/Time	27-07-2020 14:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence
Organisation Name	N/a
Office Name	*****
Total Quantity	1
Item Category	Multifunction Machines MFM
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

RA splitting not applied.

Multifunction Machines MFM (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
---------------	--------------------	--------	----------------------------------

Ungrouped	Print Technology	Laser	Laser
	Type of Machine	Multifunction Machine	Multifunction Machine
	Type of Printing	Mono	Mono
	Cartridge Technology	Composite Cartridge	Composite Cartridge, Separate Drum and Toner (Mono Component), Separate Drum and Toner (Dual Component) Or higher
	Developer Unit	No	*
	Platen/Flatbed Size	A4	A4, A3, Legal Or higher
	Paper Size (Original/Image)	A4/A4	A4/A4
	RAM size (MB)	8	2, 8, 16, 32, 64, 128, 256, 512, 1024, 2048, 4096, 6144, 3072, 320, 768, 1536, 1500, 758, 1250, 2560, 7168, 5120, 8192, 16384, 2816, 4000, 2000, 10240 Or higher
	Hard Disk Capacity(GB)	0	0, 8, 128, 160, 256, 320, 500, 1024, 250, 640, 32, 1000, 2000, 3000 Or higher
	Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Mono	18	18, 20, 22, 23, 24, 25, 26, 27, 28, 30, 31, 35, 36, 38, 40, 43, 45, 46, 47, 50, 52, 55, 60, 61, 65, 70, 71, 75, 80, 90, 95, 100, 105, 110, 51, 56, 41, 120, 130, 160, 57, 33, 34, 32, 85, 81, 19, 21, 53 Or higher
	Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour	0	12, 15, 16, 18, 20, 22, 23, 24, 25, 26, 27, 28, 30, 31, 35, 36, 4, 4.4, 5, 5.7, 5.8, 6.8, 10, 10.4, 15.5, 40, 50, 60, 5.5, 11, 46, 120, 130, 160, 65, 45, 7, 34, 55, 38, 56, 75, 81, 19, 71, 0, 21, 53 Or higher
	Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono	0	*
	Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Colour	0	*

Scanning Feature Availability	Yes	Yes Or higher
Duplexing Feature Availability	No	Yes, No Or higher
Faxing Feature Availability	No	Yes, No Or higher
Speed of Fax, If Fax Feature is available	NA	*
Networking Feature Availability	No	Yes, No Or higher
If yes, Type of Network Interface	NA	*
Wi-Fi Availability	No	Yes, No Or higher
If yes,Wi-Fi Type	NA	*
Original Document Feeder Type	Platen	Platen, ADF, DADF/RADF, SPDF Or higher
Feeder Capacity (Number)	1	*
Number of Main Paper Tray	1	1, 2, 3, 4, 5 Or higher
Each Main Paper Tray Capacity (Number)	150	*
Bypass Facility	No	Yes, No Or higher
If Yes, Bypass Tray Capacity	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints)	0	*
Yield of the	1500	*

cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)		
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Cyan (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black (Number of Prints)	0	*
Duty Cycle (No of Prints/month)	8000	*
Minimum Operating Temperature (Degree C)	10	*
Maximum Operating Temperature (Degree C)	32	*
Minimum Operating Humidity (%RH)	20	*
Maximum Operating Humidity (%RH)	88	*
BIS Registration under CRS of Meity	Yes	*
BIS Registration Number	-	*
Other Certifications Available	UL,CE	*
Dimension (mm x mm x mm)	-	*

Weight (Kg)	-	*
On Site OEM Warranty (Year)	1	1, 2, 3, 4, 5 Or higher

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignee/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days	
1	*****	*****KARGIL	1	15	

Bid Specific Additional Terms and Conditions

1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
2. Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

[This RA is also governed by the General Terms and Conditions](#)

---Thank You---