

### Bid Document

Bid Details	
Bid End Date/Time	24-07-2020 14:00:00
Bid Opening Date/Time	24-07-2020 14:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Madhya Pradesh
Department Name	Urban Development And Environment Department
Organisation Name	Urban Administration And Development
Office Name	Municipal Council Damua
Total Quantity	1
Item Category	Funeral Vehicle
Bidder Turnover (Last 3 Years)	10 Lakh (s)
OEM Average Turnover (Last 3 Years)	30 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	20 %
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

## Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Funeral Vehicle ( 1 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification	Conformity to MHA Specification for Mortuary Van	As per QR/specification for Mortuary Van for Referral Hospital of CAPFs approved by MHA vide letter No. IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	*
	Specifications seen and understood	Yes	*
	Conformity to GSR 287(E), Central Motor Vehicles(4th amend) Rules, 2015 and as per New TRUCK BODY CODE AIS-093	Yes	*

	with all amendments till date		
	Vehicle Certification	ARAI	*
	Vehicle Certification ARAI/VRDE/ICAT/CIRT No	-	*
	Engine Certification	ARAI	*
	Engine Certification ARAI/VRDE/ICAT/BIS/BS/SAE No	-	*
Specifications	Make of Chassis	-	*
	Chassis Model No	-	*
	<b>Category of Vehicle for which Chassis to be used</b>	Medium Vehicle Motor	Medium Vehicle Motor
	<b>Type of Fuel</b>	Diesel	Diesel
	<b>Vehicle Emission Compliance</b>	BS-VI	BS-VI
	Vehicle Mileage (declared by OEM as certified by Test Agency under Rule 115 of CMVR 1989) (Kmpl)	11	*
	<b>Max Engine Power BHP</b>	90	More than 90.0 Or higher
	Rated RPM for Max Engine Power	2800	*
	Engine Torque Max @ 1500-1900 RPM (N-m)	250	*
	No of Cylinder in Engine	4	*
	Electric System	Battery - twin 12V, 80Ah, maintenance free, Alternator capacity Min. 80A	*
	Fuel Tank Capacity	90	*
	<b>Length of Vehicle</b>	5000	5000.0 - 5500.0 Or higher
	<b>Width of Vehicle</b>	1980	1980.0 - 2000.0 Or higher
	<b>Height of Vehicle</b>	2300	2300.0 - 2800.0 Or higher
	Air Conditioner	Yes	*
	<b>Ground Clearance</b>	220	More than 220.0 Or higher

<b>Wheel Base</b>	3400	More than 3400.0 Or higher
<b>Payload</b>	2500	More than 2500.0 Or higher
<b>Gross Vehicle Weight</b>	4800	More than 4800.0 Or higher
No of Axle	2	*
Wheel and tyre	Front-2, Rear-4 and 1 spare of standard size	*
BIS marked Pneumatic Tyres and tubes for both front and rear	Yes	*
Chassis Transmission System	Manual	*
No of Speed/ Forward Gears	5 speed manual gear box (5 forward and 1 reverse)	*
Transfer case	Twin speed	*
Wheel Drive	4 WD	*
Type of Steering	Integral Power	*
<b>Suspension</b>	Leaf spring	Leaf spring
<b>Turning Radius</b>	8000	Less than 8000.0 Or lower
Speed Governors	Yes	*
ABS Fitted	Yes	*
<b>Brake</b>	Power assisted hydraulic brakes	Power assisted hydraulic brakes
Parking Brake	Yes	*
Secondary Brake	Yes	*
Type of Clutch	Type of Clutch	*
Side View Mirror	Yes	*
Low Fuel warning Light	Yes	*
Fog Lights	Yes	*
Special feature	provision for tow hooks at front and rear	*
Provided with Tool kit, jack, workshop manual & Service manual	Yes	*
Driver Cabin	1 driver seat, 1 co-driver seat and 2 passenger seat with safety belts, open/close door left and right with key lock, space for 1	*

	battery box placed in remaining space between 2 passenger seat (2 no. 80Ah battery, maintenance free)	
Body cabin	Fully closed on all sides with doors only on the rear side and long seat to accomodate 5 person, separate partition with glass panels between driver cabin and body cabin	*
Material of panels (exterior)	Side and roof aluminium sheet	*
Material of panels (interior)	GI pre-painted panels	*
Flooring	Flooring made of ISI marked BWR grade plywood with vinyl	*
<b>Thickness of Flooring Sheet</b>	3.5	3.5
Seats	Tiltable co-driver seat	*
No of attendant seats in each saloon	2	*
Doors	Driver door and Co-driver door both flap type on RHS and LHS respectively	*
Rear Door	Twin flap type with fixed toughened glass and locking mechanism manually operated	*
Glasses	Plain two layer toughened glass, single piece curved front windshield, laminated clear glass, plain toughened glass in two pieces at rear gliding sideward rear glass	*
No of fans	2 each sides	*
Paint	PU Paint SWAN white	*
Type of freezer box	Fixed type ice box (freezer box)	*
Inner dimension (LXBXH)	2006.4mm X 584.2mm X 635mm	*
Outer dimension	2057.4mm X 635mm X	*

(LXBXH)	685.8mm	
Fabrication material	Fabricated by stainless steel material with the thickness of 18G and SS304 grades	*
Door	Provided with front door with insulation puff 2" thickness, outward opening with locking system	*
Cooling system	Supported by compressor and should run through engine and should have adequate cooling capacity to maintain 1°C inside the Ice box chamber	*
Stretcher	Stretcher with wheel and should easily glide into the freezer box	*
Size of stretcher (LXBXH)	1981.2mm X 558.8mm X 101.6mm	*
Super structure constuction details as per New TRUCK BODY CODE AIS-093 with all amendments till date, material type/grade/thickness	Yes	*
Body structure made of steel sections and packing with anti vibration reinforced rubberized flat section over chassis frame	Yes	*
Partition wall	The partition wall between driver and the deceased compartments will be at a distance (L=3200mm) from the rear door's inner trim	*
Proper opening space of AC Air suction window at a given height (min 1500 mm)	Yes	*
Number of Stretcher	2 stretcher beds in two tires (1 upper folding and 1 lower fixed)	*
Rear foot step	should be comfortably placed in terms of height (around 360mm	*

	from ground) and placing of the foot to be 150mm ( $\pm 10$ mm) wide	
Width of Rear foot step	min 1500mm distributed equally on both sides	*
Technical specifications compliance as per Clause 1 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	Yes	*
Driver Cabin specifications compliance as per Clause 2 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	Yes	*
Body Specifications compliance as per Clause 3 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	Yes	*
Freezer Box (for single body) specifications compliance as per Clause 4 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	Yes	*
Partition wall specifications compliance as per Clause 5 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	Yes	*
Deceased compartment with with freezer box compliance as per Clause 6 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	Yes	*

	Exterior issues compliance as per Clause 7 of MHA QR letter No IV-15021/23/2014-Prov (MT)-2080 dated 15th December 2016	Yes	*
Performance Parameter	Warranty Time	12	*
	Warranty Distance	100000	*
	Battery Warranty	12	*
	No Of Free Service	3	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Verma	480555,office of the municipal council damua, teh- junnardeo, distt-chhindwara	1	30

### Bid Specific Additional Terms and Conditions

1. ISO 9001: The bidder must have ISO 9001 certification.
2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
3. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**



