



DAK GURU

A Self-Learning Portal · www.dakguru.com

DIGIPIN

Digital Postal Index Number

& the DHRUVA Digital Address Ecosystem

India's National-Level Geo-coded Addressing Grid

Study Notes · LDCE IP / PS Group 'B'

Current Affairs · Departmental General Knowledge

Verified as on June 2026

How to Use These Notes

This Dak Guru booklet is built in two layers. The grey  **THE RULE** — **verbatim** boxes carry the exact official wording of the DIGIPIN Technical Document and the DHRUVA policy. Everything around them — the coloured boxes, tables and flowcharts — is original Dak Guru teaching apparatus written to help you understand and retain the material. Learn from the aids; quote from the verbatim boxes.

Marker	What it means
 CONCEPT	Plain-language framing of what a provision actually does.
 THE RULE	Exact official wording, with its source authority line.
 WHAT CHANGED	Date-ordered note on a recent change or development.
 REMEMBER	An original memory hook for lists, numbers or sequences.
 COMPARE	Side-by-side of two things aspirants tend to confuse.
 TRAP ALERT	The exact confusion examiners exploit, with the resolution.
 CURRENCY FLAG	A point where the current status is provisional / not yet final law.
 AT A GLANCE /  SELF-CHECK	Part recap at the top; self-test questions at the end.

CURRENCY FLAG

DHRUVA is, as on the date of this booklet, a DRAFT policy framework released by the Department of Posts for public consultation — it is NOT yet operational law. The Department released the DHRUVA policy document in May 2025 and, in December 2025, placed draft amendments to the Post Office Act, 2023 in the public domain with comments invited up to 31 December 2025. Treat every DHRUVA component, role and feature in this booklet as PROPOSED. DIGIPIN, by contrast, is a finalised and launched system. Always confirm the latest DHRUVA status before the exam.

Part I — DIGIPIN: What It Is & Its Launch Timeline

AT A GLANCE — Part I

Point	In one line
What	An open-source national geo-coded addressing grid that gives every ~4 m × 4 m unit of India a unique 10-character code.
Who built it	Department of Posts, with IIT Hyderabad and NRSC, ISRO.
Final document	Final DIGIPIN Technical Document released by the Ministry of Communications in 2025 (after a 2024 beta).
Public launch	27 May 2025.
Legal anchor	Aligns with the National Geospatial Policy, 2022; foundation layer of the proposed digital address DPI.
Privacy	Pure function of latitude/longitude — stores no personal data.

1.1 What DIGIPIN Is

CONCEPT

Think of DIGIPIN as a “digital pincode for a single doorstep”. A normal PIN code points to a whole post-office area; DIGIPIN points to one tiny ~4 m × 4 m square. Because the code is calculated purely from latitude and longitude, the same spot always gets the same code — it never changes when a street, locality or city is renamed, and it works offline.

THE RULE — verbatim · **DIGIPIN — definition (Technical Document)**

DIGIPIN is an open-source national level addressing grid developed by Department of Posts in collaboration with IIT Hyderabad and NRSC, ISRO and is a key component of the digital address ecosystem.

DIGIPIN is visualised as an alpha numeric offline grid system that divides the geographical territory of India into uniform 4-meter by 4-meter (approx.) units. Each of these 4m X 4m units (approx.) is assigned a unique 10-digit alphanumeric code, derived from the latitude and longitude coordinates of the unit.

Authority: DIGIPIN Technical Document, Department of Posts (final version, 2025) – indiapost.gov.in/digipin

REMEMBER

“4-4-10”

→ $\sim 4\text{ m} \times 4\text{ m}$ square, encoded as a 10-character code. Three numbers carry the whole architecture.

1.2 Launch & Document Timeline

WHAT CHANGED

Oct 2021 — DoP approach paper proposes a “Digital Address Code” (DAC); this evolves into DIGIPIN.

19 Jul 2024 — Beta version of the DIGIPIN technical document released for public comments.

22 Sep 2024 — Window for public feedback on the beta closes.

2025 (final document) — Ministry of Communications releases the final technical document; bounding box adjusted and symbols G, W, X replaced by C, F, T for phonetic/visual clarity.

27 May 2025 — Official public launch of DIGIPIN.

Net effect: DIGIPIN moved from concept (2021) to a beta open for consultation (2024) to a finalised, launched system (27 May 2025). Quote 27 May 2025 as the launch date.

TRAP ALERT

Beta release (19 Jul 2024) vs official launch (27 May 2025) — these are different dates. The system was placed for public comment in 2024 but formally launched in 2025. Do not state 2024 as the “launch” year.

Part II — Core Concept & 10-Level Code Architecture

AT A GLANCE — Part II

Point	In one line
Symbol set	16 symbols: 2 3 4 5 6 7 8 9 C F J K L M P T.
Levels	10 hierarchical levels; each level splits a region into 16 (4×4) parts.
Total cells	16 ¹⁰ cells inside the national bounding box.
CRS	EPSG:4326 (WGS84 datum).
Privacy	Strictly a function of latitude/longitude; no personal data stored.
Permanence	Code is independent of road/building/area name changes; works offline.

2.1 Four Defining Properties

CONCEPT

Before the maths, hold on to four properties that make DIGIPIN special: it is location-only (so it is private by design), it is permanent (immune to renaming), it works offline, and it is uniform (every cell is the same tiny size everywhere).

- **Location-only** — the code is derived solely from latitude and longitude and represents a location, not a person; no personal information is stored against it.
- **Permanent** — because it is fixed to coordinates, it does not change when a state, city or locality name changes.
- **Offline** — the grid can be used to derive or read a code without internet connectivity.
- **Uniform & directional** — every full-length cell is ~4 m × 4 m, and the labelling gives a sense of direction (neighbouring cells get consecutive symbols).

2.2 The 16 Symbols

CONCEPT

DIGIPIN deliberately avoids easily-confused characters (no 0/O, 1/I, etc.). It uses sixteen digits-and-letters chosen for clarity. Memorise the set — questions love to slip in a wrong character such as O, I or A.

THE RULE — verbatim · The 16 encoding symbols

The detailed structure is such that the DIGIPIN is essentially an encoding of the latitude and longitude of the address into a sequence of alphanumeric symbols using the following 16 symbols: **2, 3, 4, 5, 6, 7, 8, 9, C, J, K, L, M, P, F, T.**

Authority: DIGIPIN Technical Document, DoP (2025), “Code Architecture”

CURRENCY FLAG

The official document lists the symbol set in two slightly different orders in different places: the “Code Architecture” paragraph reads ... C, J, K, L, M, P, F, T (reproduced verbatim above), while the level-1 labelling figure/text reads ... C, F, J, K, L, M, P, T. The SET of 16 symbols is identical and undisputed; only the listing order differs. For a “which symbols” question, the set 2 3 4 5 6 7 8 9 C F J K L M P T is what matters — do not treat any of these as wrong.

REMEMBER

“2–9, then C-J-K-L-M-P, plus F & T”

→ eight digits 2–9 + the run C J K L M P + the two extra letters F and T = 16 symbols. No 0, 1, A, B, E, G, H, I, N, O, Q, R, S, U, V, W, X, Y, Z.

TRAP ALERT

G, W and X are NOT in the set. In the final version these were specifically replaced by C, F and T. A distractor option containing G/W/X is wrong.

2.3 Hierarchical Encoding — 10 Levels

CONCEPT

The encoding is like zooming in on a map ten times. Start with a box over all of India, split it into a 4×4 grid of 16 cells, and pick the cell your point falls in — that gives the first character. Then split that cell into 16 again for the second character, and repeat ten times. After 10 zoom-ins you have pinned a ~4 m square.

THE RULE — verbatim · Level-by-level partitioning

A bounding box is used that covers the entire country. The bounding box is split into 16 (i.e., 4×4) regions. Each region is labeled by one of the symbols 2, 3, 4, 5, 6, 7, 8, 9, C, F, J, K, L, M, P, T. The first character in the code would identify one of these regions. This is called the level-1 partition.

Each region is then subdivided into 16 subregions in a similar manner. The second character of the code identifies the subregion. The first two characters thus uniquely identify one of the $16^2 = 256$ subregions. This is called the level-2 partition.


The encoding of successive characters follows the same pattern, extending to the next 8 levels. Therefore, the 10-character code uniquely identifies one of the 16^{10} cells within the bounding box.

Authority: DIGIPIN Technical Document, DoP (2025), level-1 & level-2 partition

2.4 The Encoding Procedure (step flow)

CONCEPT

This is the algorithm a computer follows to turn a coordinate into a DIGIPIN. You will not compute it by hand in the exam, but the sequence of steps is examinable.



REMEMBER

Worked example — Dak Bhawan

→ *Dak Bhawan, New Delhi (28.622788°N, 77.213033°E) is the example used in the official document to illustrate the level-by-level symbol selection.*

Part III — Bounding Box, Grid Sizes & Symbol Assignment

AT A GLANCE — Part III

Point	In one line
Bounding box	Longitude 63.5°–99.5°E; Latitude 2.5°–38.5°N — width 36° each way.
Covers	Whole of India PLUS the maritime EEZ (200 nautical miles from the coast).
Level-1 cell	9° × 9° ($\approx$ 1000 km).
6-char code	$\approx$ 1 km × 1 km region.
10-char code	$\approx$ 3.8 m × 3.8 m cell.
Labelling	Anticlockwise, outward-spiralling; consecutive symbols = neighbours.

3.1 The Bounding Box

CONCEPT

The whole system sits inside one big rectangle drawn around India. It is deliberately larger than the landmass so that it also covers the sea zone India controls — letting offshore assets such as oil rigs get a DIGIPIN.

THE RULE — verbatim · Bounding box & EEZ

The bounding box covers the entire country. Longitude: 63.5° to 99.5° East; Latitude: 2.5° to 38.5° North.

It includes the maritime Exclusive Economic Zone (EEZ), and therefore DIGIPIN allows to provide addresses to Indian assets in the sea (oil rigs, etc.). The maritime EEZ is computed assuming 200 nautical miles extent from the coastline.

The system uses **EPSG:4326 (WGS84 datum)**, chosen for its wide recognition, simplicity and global coverage.

Authority: DIGIPIN Technical Document, DoP (2025), bounding-box & CRS specification

 REMEMBER

“63.5–99.5 E / 2.5–38.5 N — each side 36°”

→ *both longitude and latitude spans are exactly 36° wide, which is why every level-1 cell is a neat 9° × 9° square ($36^\circ \div 4$).*

 TRAP ALERT

The bounding box is NOT just the landmass — it extends out to the 200-nautical-mile EEZ. A statement that DIGIPIN “only covers land” is wrong.



3.2 Grid Size at Each Code Length

CONCEPT

Each extra character shrinks the area roughly 4× in each direction (16× in area). A 1-character code is a 1000 km block; a 6-character code is about 1 km; the full 10-character code is about a 4 m square. The table below shows the official progression.

Code length	Grid width (approx.)	Approx. ground distance
1	9°	~1000 km
2	2.25° (2°15')	~250 km
3	33.75'	~62.5 km
4	8.44'	~15.6 km
5	2.11'	~3.9 km
6	0.53'	~1 km
7	0.13'	~250 m
8	0.033'	~60 m
9	0.0082'	~15 m
10	0.0021'	~3.8 m

CURRENCY FLAG

These grid-width and distance figures are the approximate “positional uncertainty” values given in the official technical document and are quoted at the equator; actual cell dimensions vary slightly with latitude. The two examined anchor rows are the load-bearing ones: a length-6 code $\approx 1 \text{ km} \times 1 \text{ km}$, and a length-10 code $\approx 3.8 \text{ m} \times 3.8 \text{ m}$. (Some circulating copies of this table contain transcription errors in the intermediate rows — the two anchors above are the safe facts to rely on.)

REMEMBER

“6 → 1 km, 10 → 4 m”

→ the only two grid-size figures you must know cold. A 6-character code locates you to about a kilometre; the full 10 characters to about a four-metre square.

3.3 Symbol-Assignment Pattern

✳ CONCEPT

The 16 symbols are not sprinkled randomly across the 4×4 grid. They are laid down in an anticlockwise spiral moving outward, so that cells which are physically next to each other receive consecutive symbols. This “directionality” is what lets nearby places share similar code prefixes — useful for logistics and spatial indexing.

📄 THE RULE — verbatim · Labelling pattern (levels 2–10)

Each Level-1 region is further split into 16 sub-regions called Level-2 regions. The regions are hierarchically partitioned into sub-regions in an identical fashion. For Levels 2 to 10 the same labeled grid is used, with the labeling performed in a hierarchical fashion. Symbols are assigned in anticlockwise fashion, spiraling outwards.

The grid used for levels 2–10 provides some sense of directionality and adjacency: cells labeled by consecutive symbols (such as 6 and 7) are geographical neighbors. The level-1 grid is designed to use numerals 2–9 for mainland India.

Authority: DIGIPIN Technical Document, DoP (2025), symbol-labelling description

⚠ CURRENCY FLAG

Two distinct grids are used: the level-1 grid (designed so that mainland India falls on the digits 2–9 only) and a different grid for levels 2–10 (the anticlockwise outward spiral). An older note that the numbering simply “starts with the symbol 2 at the bottom-left corner” oversimplifies this — the official, verifiable description is the anticlockwise outward-spiralling pattern with two different grids. Use the official wording above.

⚠ TRAP ALERT

Directionality is a property of the LEVEL 2–10 grid (consecutive symbols = neighbours), and the use of only digits 2–9 is a property of the LEVEL-1 grid for the mainland. Keep the two grids separate — a question may swap them.

 SELF-CHECK — Parts I–III

1. On what date was DIGIPIN officially launched, and how does this differ from its beta release?
2. How many symbols does DIGIPIN use, and which three characters were removed in the final version?
3. Give the bounding-box coordinates and the width of the box in degrees.
4. What area does a 6-character DIGIPIN cover, and what does the full 10-character code cover?
5. In which direction are symbols assigned at levels 2–10, and why does that matter?

Answers

1. Launched 27 May 2025; the beta technical document was released 19 Jul 2024 for public comment (feedback closed 22 Sep 2024). Beta ≠ launch.
2. 16 symbols (2 3 4 5 6 7 8 9 C F J K L M P T). G, W and X were replaced by C, F and T in the final version.
3. Longitude 63.5°–99.5°E and latitude 2.5°–38.5°N — 36° on each side.
4. A 6-character code $\approx 1 \text{ km} \times 1 \text{ km}$; the full 10-character code $\approx 3.8 \text{ m} \times 3.8 \text{ m}$ ($\approx 4 \text{ m} \times 4 \text{ m}$).
5. Anticlockwise, spiralling outwards; it gives directionality so neighbouring cells share consecutive symbols and nearby places share code prefixes.

Part IV — The DHRUVA Digital Address Ecosystem

CURRENCY FLAG

EVERYTHING in this Part is, as on 15 June 2026, a PROPOSED / DRAFT framework. The Department of Posts released the DHRUVA policy document in May 2025 and placed draft amendments to the Post Office Act, 2023 for public consultation in December 2025 (comments invited up to 31 December 2025). DHRUVA is not yet operational law and its components/roles below are as described in the draft policy — confirm the latest position before relying on any of it as settled fact.

AT A GLANCE — Part IV

Point	In one line
Full form	DHRUVA — Digital Hub for Reference and Unique Virtual Address.
Status	Draft policy (May 2025) + draft Post Office Act 2023 amendment (Dec 2025); comments till 31 Dec 2025.
What	A proposed national Digital Address DPI built on top of DIGIPIN.
Analogy	“UPI for addresses” — share a virtual address label instead of your real one.
Core idea	Address-as-a-Service (AaaS), consent-based, interoperable, privacy-by-design.
Legal backing	To be provided via amendments to the Post Office Act, 2023.

4.1 What DHRUVA Is

CONCEPT

If DIGIPIN is the precise coordinate of a place, DHRUVA is the ecosystem that lets people USE addresses safely. The idea is that you get a virtual address label (like a UPI ID) that you can share with a delivery app or a bank, who can verify it without ever seeing your raw location — and only with your consent. It is designed to do for addresses what UPI did for payments.

 THE RULE — verbatim · DHRUVA — framing (draft policy)

DHRUVA (Digital Hub for Reference and Unique Virtual Address) is a national policy framework for a standardized, geo-coded and digital address infrastructure, serving as Address-as-a-Service (AaaS) for secure, consent-based sharing of address information. It builds upon the DIGIPIN system to provide geocoded precision and interoperability across platforms.

Authority: DHRUVA policy document, Department of Posts (May 2025) – DRAFT, under public consultation

 REMEMBER**DHRUVA = “UPI for addresses”**

→ *Digital Hub for Reference & Unique Virtual Address. Just as a UPI handle masks your bank account, a DHRUVA virtual address (e.g. name@entity) masks your real location.*

 TRAP ALERT

DIGIPIN vs DHRUVA — DIGIPIN is the FINALISED, launched code/grid (the foundation layer). DHRUVA is the PROPOSED ecosystem built on top of it. Calling DHRUVA “launched law” or confusing it with DIGIPIN itself is the classic error here.

4.2 Core Objectives of DHRUVA

CONCEPT

The draft policy rests on four pillars. Learn them as a set — they map neatly onto why a digital address system is needed at all.

- **Standardization** — a uniform, geo-coded address format across India.
- **Interoperability** — the same digital address works seamlessly across platforms (e-commerce, logistics, emergency services, government).
- **Privacy by design** — physical location is decoupled from personal identity; sharing is consent-based and time-bound.
- **Inclusivity** — a formal, usable address for every citizen, including those in unplanned settlements, rural or remote areas.

REMEMBER

“S-I-P-I”

→ *Standardization · Interoperability · Privacy-by-design · Inclusivity — the four DHRUVA objectives.*

4.3 Proposed Ecosystem Roles

CONCEPT

The draft policy imagines an ecosystem with defined players — modelled on the consent-based architecture of other Indian DPIs. The table sets out the roles named in the draft material. Because DHRUVA is still in consultation, the exact role names and definitions may change in the final framework.

Proposed role	Indicative function (per draft policy)
Central Mapper (CM)	The core authority that translates between a DIGIPIN and other address formats / maintains the mapping.
Authorized Address Validation Agency (AAVA)	Entity authorised to verify that a physical address genuinely corresponds to a DIGIPIN.

Proposed role	Indicative function (per draft policy)
Address Information Provider (AIP)	Entity that provides or hosts address data.
Address Information User (AIU)	Service (e.g. a delivery app or government portal) that uses a digital address to fulfil a service.

CURRENCY FLAG

These role names (CM, AAVA, AIP, AIU) come from the DRAFT DHRUVA policy material and are PROPOSED, not enacted. Some reporting on the December 2025 draft Bill also refers to a “National Network Administrator” and a Digital Address Identifier (DAI). Because the framework is in consultation, treat all role names and acronyms as provisional and re-verify against the final notified framework before the exam.



4.4 Proposed User Features

CONCEPT

From the resident's side, DHRUVA promises a handful of conveniences — again, all proposed. The headline feature is the virtual address handle that hides your real coordinates behind a shareable label.

- **Digital address creation** — generate a unique digital address for your exact location.
- **Consent-based sharing** — you control who accesses your precise location data, and for how long.
- **Secure verification** — addresses can be validated to prevent fraud and mis-delivery.
- **Virtual address handle** — a UPI-like label (e.g. name@entity) that masks the underlying DIGIPIN / coordinates.

TRAP ALERT

DHRUVA's privacy model leans on consent. Note the data-protection link: under the Digital Personal Data Protection Act, 2023, a person's address is personal data, which is precisely why DHRUVA proposes a consent-based mechanism. A question may test this DPDP-Act connection.

 SELF-CHECK — Part IV

1. Expand DHRUVA and state its current legal status as on 2026.
2. DHRUVA is built on top of which system, and is compared to which payment system?
3. Name the four core objectives of DHRUVA.
4. Which proposed entity verifies that a physical address corresponds to a DIGIPIN?
5. Which Act is being amended to give DHRUVA statutory backing?

Answers

1. Digital Hub for Reference and Unique Virtual Address; a DRAFT policy / framework under public consultation (policy May 2025; draft Post Office Act 2023 amendment Dec 2025, comments till 31 Dec 2025) — not yet operational law.
2. Built on DIGIPIN; compared to UPI (“UPI for addresses”).
3. Standardization, Interoperability, Privacy-by-design, Inclusivity (S-I-P-I).
4. The Authorized Address Validation Agency (AAVA) — as named in the draft policy.
5. The Post Office Act, 2023 (via proposed draft amendments).

Part V — Why It Matters: Benefits & Use-Cases

AT A GLANCE — Part V

CONCEPT

DIGIPIN (and, in future, DHRUVA) is meant to fix a real problem: vague Indian addresses cause failed deliveries, slow emergency response, and exclude people without a formal address. A precise, permanent, privacy-safe code helps across disaster relief, logistics, governance and the wider economy.

Domain	How DIGIPIN / DHRUVA helps
Disaster management	Pinpoint location for rescue even where landmarks are destroyed and street addresses fail.
Logistics & delivery	Cuts “last-mile” failures caused by vague or wrong manual addresses; enables efficient routing.
Governance & utilities	Better planning of urban utilities, health services and emergency response (police / ambulance).
Financial inclusion (BFSI)	An additional, verifiable address attribute usable in KYC processes.
Inclusion	A formal address for residents of unplanned settlements, rural and remote areas, and offshore assets.
Economy	Strengthens the geospatial / information economy in line with the National Geospatial Policy, 2022.

THE RULE — verbatim · Policy & geospatial anchor

A standardized geo-coded addressing system would enhance India’s geo-spatial ecosystem. It would add to the geospatial knowledge stack of the country in line with the National Geospatial Policy 2022, which seeks to strengthen the geospatial sector to support national development, economic prosperity and a thriving information economy.

By integrating DIGIPIN, the Banking, Financial Services and Insurance sector can leverage the additional address attribute to enhance accuracy and efficiency in their KYC processes.

Authority: DIGIPIN Technical Document, DoP (2025), benefits / policy alignment

REMEMBER

“D-L-G-F-I-E”

→ *Disaster relief · Logistics · Governance · Financial KYC · Inclusion · Economy — the six benefit buckets.*

TRAP ALERT

DIGIPIN complements, it does not replace, the existing 6-digit PIN code. It is an additional address attribute — not a scrapping of the old PIN system. A statement that DIGIPIN “replaces the PIN code” is wrong.



Part VI — Quick Compare & Abbreviations

6.1 PIN Code vs DIGIPIN vs DHRUVA

CONCEPT

Three terms sit close together and get muddled. This table keeps them straight: the old area code, the new precise grid code, and the proposed ecosystem on top.

Feature	PIN Code	DIGIPIN	DHRUVA
What it is	6-digit area code	10-character location code	Address ecosystem / DPI
Granularity	Whole locality / area	~4 m × 4 m point	Built on DIGIPIN
Based on	Postal sorting geography	Latitude & longitude	DIGIPIN + consent layer
Status	In use (long-standing)	Launched 27 May 2025	DRAFT / proposed (2025–26)
Stores personal data?	No	No	No (consent-based access)

6.2 Important Abbreviations

CONCEPT

A compact glossary of every acronym used across DIGIPIN and DHRUVA material — handy for last-minute revision and for spotting acronym-matching questions.

Abbreviation	Full form
AaaS	Address as a Service
AAVA	Authorized Address Validation Agency (DHRUVA — proposed)
ABDM	Ayushman Bharat Digital Mission
AIP	Address Information Provider (DHRUVA — proposed)
AIU	Address Information User (DHRUVA — proposed)
API	Application Programming Interface

Abbreviation	Full form
CM	Central Mapper (DHRUVA — proposed)
CRS	Coordinate Reference System (DIGIPIN uses EPSG:4326)
DAC	Digital Address Code (2021 approach paper; evolved into DIGIPIN)
DAI	Digital Address Identifier (DHRUVA draft Bill — proposed)
DHRUVA	Digital Hub for Reference and Unique Virtual Address
DIGIPIN	Digital Postal Index Number
DoP	Department of Posts
DPDP Act	Digital Personal Data Protection Act, 2023
DPI	Digital Public Infrastructure
EEZ	Exclusive Economic Zone (200 nautical miles from coast)
EPSG:4326	WGS84 datum geographic coordinate reference system
GIS	Geographic Information System
GNSS	Global Navigation Satellite System
IIT-H	Indian Institute of Technology, Hyderabad
KYC	Know Your Customer
NRSC	National Remote Sensing Centre (ISRO)
PIN	Postal Index Number
UPI	Unified Payments Interface
UPU	Universal Postal Union

FINAL SELF-CHECK

1. Does DIGIPIN replace the existing PIN code? Justify.
2. Which earlier 2021 proposal evolved into DIGIPIN?
3. Name the two technical partners of the Department of Posts for DIGIPIN.
4. List any four benefit areas of DIGIPIN.
5. Which coordinate reference system does DIGIPIN use?

Answers

1. No — it complements the PIN code as an additional, precise address attribute; the 6-digit PIN remains in use.
2. The “Digital Address Code (DAC)” approach paper of October 2021.
3. IIT Hyderabad and NRSC, ISRO.
4. Any four of: disaster management, logistics/last-mile delivery, governance & utilities, BFSI/KYC, inclusion, economy (geospatial).
5. EPSG:4326 (WGS84 datum).

— End of Booklet —

DAK GURU · A Self-Learning Portal · www.dakguru.com

DIGIPIN provisions reproduced verbatim from the DoP DIGIPIN Technical Document; verified current as of June 2026.

DHRUVA content reflects the draft policy under consultation and is flagged as proposed throughout.

