

Statics Review

Aditya Dangra

April 13, 2019

Contents

1	Chapter 1: General Principles	1
1.1	Important Points	1
1.2	General Procedure	1
1.3	Relavent Problems	2
2	Force Vectors	3
2.1	Vector Operations	3
	References	4

1 Chapter 1: General Principles

Statics deals with the equilibrium of bodies, that is, those that are at rest or moving with constant velocity. Its importance to the real world stems from the need to keep things from moving, such as buildings or bridges.

1.1 Important Points

The following points outline the foundations upon which the study of Statics is built upon.

- Statics is the study of bodies that are at rest or moving with constant velocity [1].
- Newton's three laws of motion are integral to the study of statics and should be memorized.
- If size is negligible, then a system can be reduced to a single particle containing all of its mass.
- Concentrated forces are assumed to act at a single point on a body (In reality, all forces are distributed loads).
- The meter, second, and kilogram are base units of the SI system.
- The foot, second, and pound are base units of the Imperial system.
- Mass measures the quantity of matter that does not change depending on location. Weight refers to the gravitational attraction of the earth on a quantity of mass.

1.2 General Procedure

Attending lectures, reading books, and studying example problems help, but **the most effective way of learning is to *solve problems*** [1]. The following is a generalized procedure that should apply to all problems and ensure success:

- Read the problem and try to correlate the situation with the theory studied.

- Draw a free body diagram of the situation with all necessary forces, moments, and dimensions.
- Write out any relevant equations and diagrams.
- Solve the necessary equations in an efficient manner.
- Study the answer with technical judgement and common sense to determine whether it seems reasonable.

1.3 Relevant Problems

In Chapter 1, the problems focus on unit conversions and Newton's Law of Gravitation. Some relevant problems include:

- Unit Conversions:
 - 1-2, 1-7, 1-9, 1-10, 1-14
- Density and Gravitation:
 - 1-17, 1-19, 1-21




Figure 1: Adding two vectors *tip to tail*

2 Force Vectors

A **scalar** is any positive or negative quantity that can be specified by its *magnitude*. A **vector** is any quantity that requires both a *magnitude* and a *direction*. A vector is shown graphically by an arrow indicating the sense of direction and an angle θ between the vector and a fixed axis.

2.1 Vector Operations

Like scalars, vectors can also be added and multiplied, but a slightly different set of rules apply.

Multiplication by a Scalar

When a vector is multiplied by a scalar, its magnitude will be increased by that amount. Multiplying by a negative reverses the direction of the vector.

Vector Addition

Adding vectors is done *tip to tail*, as in the second vector's tail is moved to the tip of the first vector (Figure 1). The vector between the first tail and the final tip is the **resultant**, another vector. Vectors can also be added component-wise, where the x -component of the resultant is the sum of the x -components of the vectors being added and so on.

References

- [1] R. C. Hibbeler, *Engineering Mechanics: Statics & Dynamics (Fourteenth Edition)*, Pearson Prentice Hall, Hoboken, New Jersey, 2016.