


Custom Value-Thumb Fader

Selected direction: Option C - large, precise, stage-ready controls

PROGRAMMER / COLOR EMITTERS


DIMMER




COOL WHITE



AMBER




UV



Large thumb | value in the hand | full-channel target | no standard slider chrome

Anatomy and Dimensions

Standard-density measurements for implementation



- 1 64 x 30 pt thumb**
The visible control is also the primary grab target. Rounded rectangle, not a tiny capsule.
- 2 Value lives inside**
Monospaced numerals stay stable while dragging. A subtle grip line reinforces affordance.
- 3 42 pt recessed channel**
The entire 72 pt control width accepts pointer input. The colored fill remains restrained.
- 4 Endpoint-safe travel**
Subtract thumb height from travel so the cap remains fully visible at 0 and 100 percent.
- 5 Five quiet major ticks**
Ticks aid relative positioning without turning the control into a meter or ruler.

Semantic State Matrix

Every state communicates meaning without relying on color alone



Interaction Contract

Pointer precision, keyboard control, and accessibility

FULL CHANNEL

Click or drag anywhere in the 72 pt channel. The visible thumb remains 64 pt wide.

NO INITIAL JUMP

A drag beginning on the thumb preserves pointer offset; clicking elsewhere seeks immediately.

CONTINUOUS UPDATE

Render from the live binding during interaction. Never wait for presentation refresh or mouse-up.

FINE CONTROL

Arrow 1%; Shift-arrow 0.1%; Option-arrow 5%; Home 0%; End 100%.

ACCESSIBLE

One adjustable element with full label, semantic value, and a visible keyboard focus ring.

OVERFLOW

When emitter count grows, scroll horizontally. Never squeeze controls below the minimum width.

Original Concept Board

Option C was selected from the initial three-direction exploration



Decision: carry forward the Value Thumb geometry; use Aurora tokens and emitter-aware colors.